

Exhibit E

Jaime Sepulveda

Reliance List
in Addition to Materials Referenced in Report

MDL Wave 3

Medical Literature

2013 Fistarol - Diagnosis and Treatment of Lichen Sclerosus. Am J Clin Dermatol. 2013 _14_ 27-47
2013 NIH NIAMS – Pamphlet: What is lichen sclerosus fast facts
2014 Haefner - The impact of vulvar lichen sclerosus on sexual dysfunction. J Womens Health (23)9:765
2015 Cooper – Patient Information: Lichen-sclerosus (beyond-the-basics)
Abbott JA, Jarvis SK, Lyons SD, Thomson A, Vancaille TG. Botulinum toxin type A for chronic pain and pelvic floor spasm in women: a randomized controlled trial. Obstet Gynecol. 2006 Oct;108(4):915-23.
Abdel-Fattah M, Barrington JW, Arunkalaivanan AS. Pelvic pubovaginal sling versus tension-free vaginal tape for treatment of urodynamic stress incontinence: a prospective randomized three-year follow-up study. Eur Uro/ 2004;46:629-35.
Abdel-fattah M, et al. (NHS Scotland) Primary and repeat surgical treatment for female pelvic organ prolapse and incontinence in parous women in the UK: a register linkage study. BMJ (2011); 14(1): 2: e000206
Abdel-Fattah M, Familusi A, Ramsay I, N'Dow J. A randomised prospective single-blinded study comparing inside-out versus outside-in transobturator tapes in the management of female stress urinary incontinence (E-TOT study): 3 years follow-up. Neurourol Urodyn 2011;30:825-826.
Abdel-fattah M. Evaluation of transobturator tapes (E-TOT) study: randomised prospective single-blinded study comparing inside-out vs. outside-in transobturator tapes in management of urodynamic stress incontinence: Short term outcomes. European Journal of Obstetrics & Gynecology and Reproductive Biology 149 (2010) 106-111
Abdel-fattah M. Evaluation of Transobturator Tension-Free Vaginal Tapes in the Surgical Management of Mixed urinary Incontinence: 3 Year Outcomes of a Randomized Controlled Trial. Journal of Urology, Vol. 191, 114-119, January 2014.
Abdel-fattah M. How common are tape erosions? A comparison of two versions of the transobturator tension-free vaginal tape procedure. BJU International 98 , 594-598
Abdel-fattah M. Lower urinary tract injuries after transobturator tape insertion by different routes: a large retrospective study. BJOG 2006;113:1377-1381.
Abdel-fattah M. Prospective Randomised Controlled Trial of Transobturator Tapes in management of Urodynamic Stress Incontinence in Women: 3-Year Outcomes from the Evaluation of Transobturator Tapes Study. EUROPEAN UROLOGY 62 (2012) 843-851
Abdel-fattah M. Randomised prospective single-blinded study comparing 'inside-out' versus 'outside-in' transobturator tapes in the management of urodynamic stress incontinence: 1-year outcomes from the E-TOT study. BJOG 2010;117:870-878.
Abdel-fattah M. Retrospective multicenter study of the new minimally invasive mesh repair devices for pelvic organ prolapsed. BTOG 2008;115:22-30.
Abdel-Fattah M. Single-Incision Mini-Slings versus Standard Midurethral Slings in Surgical Management of Female Stress Urinary Incontinence: A Meta-Analysis of Effectiveness and Complications. EUROPEAN UROLOGY 60 (2011) 468-480
Abdelmonem AM. Vaginal length and incidence of dyspareunia after total abdominal versus vaginal hysterectomy. European Journal of Obstetrics & Gynecology and Reproductive Biology 151 (2010) 190-192
Abdelwahab O. Tension-Free Vaginal Tape versus Secure Tension-Free Vaginal Tape in Treatment of Female Stress Urinary Incontinence. Curr Urol 2010;4:93-98
Abduljabbar H. Comparison of the classic TVT and TVT Secur. Prime Research on Education ISSN: 2251-1253. Vol. 2(9), pp. 344-347, October 31st, 2012
Abed H. Incidence and management of graft erosion, wound granulation, and dyspareunia following vaginal prolapse repair with graft materials: a systematic review. Int Urogynecol J; 2011;11:1384-95.
Abramov Y. Site-specific rectocele repair compared with standard posterior colporrhaphy. (2005)
Achtari C. et al."Risk factors for mesh erosion after transvaginal surgery using polypropylene (Atrium) or composite polypropylene/polyglactin 910 (Vypro II) mesh." Int Urogynecol J (2005) 16:389-394.

Medical Literature

Adams K. Does fibromyalgia influence symptom bother from pelvic organ prolapse? Int Urogynecol J (2014) 25:677-682
Adams S. Pelvic Floor Physical Therapy as Primary Treatment of Pelvic Floor Disorders with Urinary Urgency and Frequency-Predominant Symptoms. Female Pelvic Med Reconstr Surg (2015) 21:252-256
Adhoue F, et al. Use of transvaginal polypropylene mesh (Gynemesh) for the treatment of pelvic floor disorders in women. Prospective study in 52 patients. Prog Urol 2004;14(2):196-196.
Adile B, Granese R, Lo Bue A, Gugliotta G, Cardella AM, Adile C. A prospective randomized study comparing laparoscopic Burch versus TVT: short and long term follow-up. JCS 2003:Abstract 550.
Adler R. An evaluation of Surgical mesh in the repair of hernias and tissue defects. (1962)
Afonso J. Mechanical properties of polypropylene mesh used in pelvic floor repair. Int Urogynecol J (2008) 19:381
Afonso, J. Mechanical properties of polypropylene mesh used in pelvic floor repair. Int Urogynecol J 2008; 19: 375-380
Agarwala N. A randomized comparison of two synthetic mid-urethral tension-free slings. Uro Today IntJ 2008 Oct;1(4) doi:10.3834/uij. 1939-4810.2008.10.5.
Agarwala. An update on existing guidelines and position statements for the credentialing of pelvic surgeons performing complex urogynecological procedures.
Agostini A, et al. [Pop 12,280] Immediate complications of tension-free vaginal tape (TVT): results of a French survey. Eur J Obstet Gynecol. 2006; 124:237-239.
Aigmuller T, et al. [10 yr fu] Ten-year follow-up after the tension-free vaginal tape procedure. Am J Obstet Gynecol. 2011; 205:496.e1-5.
Aigmuller T, et al. Reasons for dissatisfaction ten years after TVT Procedure. Int Urogynecol J (2014) 25:213-217.
Akyol A. Additional surgical risk factors and patient characteristics for mesh erosion after abdominal sacrocolpopexy. (2014)
Albo M, Richter, Zimmern, Moalli, Sirls. - NEJM - SISTER study - Burch Colposuspension versus Fascial Sling to Reduce Urinary Stress Incontinence. N Engl J Med 2007;356:2143-55.
Albo ME et al. - NEJM - SISTER study - Burch Colposuspension versus Fascial Sling to Reduce Urinary Stress Incontinence. N Engl J Med 2007; 356:2143-55.
Albrecht K. "How-To" Guide to Pelvic Floor Muscle Dysfunction. Clinical Obstetrics & Gynecology (2015) 58(3)546-550
Alcalay M. Burch colposuspension: a 10-20 year follow up. British Journal of Obstetrics and Gynaecology, September 1995, Vol. 102, pp. 740-745
Alfieri S, et al. "International guidelines for prevention and management of post-operative chronic pain following inguinal hernia surgery," Hernia (2011) 15:239-249.
Allegri M, et al. "Acute and chronic pain: where we are and where we have to go," Minerva Anestesiol (2012) 77:222-235.
Al-Salihi S, et al. [IUGA Abs 136] Video demonstration of vaginal surgery for prolapse using mesh and a vaginal support device. Int Urogynecol J (2009) 20 (Suppl 2): S188-S189
Altman D. et al. Perioperative Morbidity Using Transvaginal Mesh in Pelvic Organ Prolapse Repair. Obstet Gynecol 2007;109:303-8
Altman D. Female Pelvic Medicine & Reconstructive Surgery - Volume 17, Number 3, May/June 2011 -Transvaginal Mesh for Pelvic Organ Prolapse. N Engl J Med 2011;364:1826-36
Altman D. Short-term outcome after transvaginal mesh repair of pelvic organ prolapse. Int Urogynecol J. (2008) 19:787-793
Altman D. Surgery for cystocele II: replies. Int Urogynecol J (2012) 23:663-664.

Medical Literature

Altman MD, et al. Anterior Colporrhaphy versus Transvaginal Mesh for Pelvic-Organ Prolapse. N Engl J Med 2011;364:1826-36
Amaro JL, et al. Clinical and Quality-of-Life Outcomes after autologous fascial sling and tension-free vaginal tape: A perspective randomized trial. International Braz J Urol, Vol 35(1):60-67, 2009
Amat I Tardiu L, Martinez Franco E, Laila Vicens JM. Contasure-Needleless® compared with transobturator-TVT for the treatment of stress urinary incontinence. Int Urogynecol J 2011;22:827-833.
American Urogynecologic Society's Guidelines Development Committee - Guidelines for Providing Privileges and Credentials to Physicians for Transvaginal Placement of Surgical Mesh for Pelvic Organ Prolapse. Female Pelvic Med Reconstr Surg 2012; 18(4): 194-197
Amias A. Sexual Life after Gynaecological Operations- II British Medical Journal 1975; 2: 680-681.
Amid P. Biomaterials and Abdominal Wall Hernia Surgery. (1994)
Amid P. Biomaterials and Hernia Surgery. Rev. Esp. Enf. Digest., 87, 8 (582-586), 1995
Amid P. Ch. 36 - Polypropylene Prostheses. (2001)
Amid PK. Biomaterials for abdominal wall hernia surgery and principles of their applications. Langenbecks Arch Chir (1994) 379:168-171
Amid PK. Classification of biomaterials and their related complications in abdominal wall hernia surgery. Hernia:1997:1:15-21.
Anderson R. Chronic pelvic pain syndrome: Reduction of Medication Use After Pelvic Floor Physical Therapy with an Internal Myofascial Trigger Point Wand. Appl Psychophysiol Biofeedback (2015)
Anderson, Flynn. PD50-05 - Surgical management of ICS, IUGA class 1-4 transvaginal mesh (TVM) prolapse kit complications 8-year review of 82 patients from a single center. (2015)
Andonian S, Chen T, St-Denis B, Coreas J. Randomized clinical trial comparing suprapubic arch sling (SPARC) and tension-free vaginal tape (TVT): one-year results. Eur Urol 2005;47:537-541.
Andonian S, et al. Randomized clinical trial comparing suprapubic arch sling (SPARC) and tension-free vaginal tape (TVT): One-year results. European Urology 47 (2005) 537-541
Andonian S, St-Denis B, Lemieux MC, Coreas J. Prospective clinical trial comparing Obtape® and DUPS to TVT: one-year safety and efficacy results. Eur Uro/ 2007;52:245-251.
Angioli R, Plotti F, Muzii L, Montera R, Panici PB, Zullo MA. Tension-free vaginal tape versus transobturator suburethral tape: five-year follow-up results of a prospective, randomised trial. Eur Urol 2010;58 :671-677.
Aniulienė R. Tension-free vaginal tape versus tension-free vaginal tape obturator (inside-outside) in the surgical treatment of female stress urinary incontinence. Medicina Kaunas 2009;45:639-643.
Araco F, Gravante G, Sorge R, et al. TVT-O vs TVT: a randomized trial in patients with different degrees of urinary stress incontinence. Int Urogynecol J Pelvic Floor Dysfunct 2008;19:917-926.
Araco F. Risk evaluation of smoking and age on the occurrence of postoperative erosions after transvaginal mesh repair for pelvic organ prolapse. Int Urogynecol J (2008) 19:473-479
Araco F. The influence of BMI, smoking and age on vaginal erosions after synthetic mesh repair of pelvic organ prolapses. A multicenter study. Acta Obstet & Gynecol (2009) 88:772-780
Arunkalaivanan AS, Barrington JW. Randomized trial of porcine dermal sling (Pelvicol implant) vs. tension-free vaginal tape (TVT) in the surgical treatment of stress incontinence: a questionnaire-based study. Int Urogynecol J Pelvic Floor Dysfunct 2003;14:17-23; discussion 21-22.
Arunkalaivanan, AS, Barrington, JW. Randomized trial of porcine dermal sling Pelvicol implant vs TVT in the surgical treatment of stress incontinence: a questionnaire-based study. Int Urogynecol J (2003) 14:17-23
Asicioglu. A 5-Year Follow-Up Study Comparing Burch Colposuspension and Transobturator Tape for the surgical treatment of stress urinary incontinence. (2014)
Atassi Z, et al. Haemorrhage and nerve damage as complications of TVT-O procedure: case report and literature review. Arch Gynecol Obstet. (2008) 277:161-164.

Medical Literature

Athanasίου S, Grigoriadis T, Kalamara E, Sotiropoulou M, Antsaklis A. Mixed urodynamic incontinence: TVT or TVT-O? Int Urogynecol J 2009;20(Suppl 2):S218.
Athanasίου S. Grigoriadis T, Zacharakis D, Skampardonis N, Laurantou D, Antsaklis A. [Pop 124, 7 yr fu] Seven years of objective and sub-jective outcomes of transobturator (TVT-O) vaginal tape: why do tapes fail? Int Urogynecol J (2014) 25:219-225
Aube M, et al. (Prolift, Elevate, Avaulta, et al.) [Pop 225, median 37 mo fu] ICS Abs 456 Long term efficacy and patient satisfaction of pelvic organ prolapse reduction using trans-vaginal mesh. (2015)
Aube-Peterkin, M. Long-term efficacy and patient satisfaction of pelvic organ prolapse reduction using transvaginal mesh. ABS MP10-16; 2016
Aungst M. De novo stress incontinence and pelvic muscle symptoms after transvaginal mesh repair. Am J Obstet Gynecol 2009;201:73.e1-7
Azar, M. Sexual function in women after surgery for pelvic organ prolapse. Int Urogynecol J 2008; 19: 53-57
Baginska JE. [Abs C38] Prosima - A new device for pelvic organ prolapse repair, an initial experience. Eur Urol Suppl 2011; 10(9):622
Bai SW, Sohn WH, Chung DJ, Park JH, Kim SK. Comparison of the efficacy of Burch colposuspension, pubovaginal sling, and tension-free vaginal tape for stress urinary incontinence. Int J Gynaecol Obstet 2005;91:246-251.
Balchandra P. [Pop 59, median 28 mo fu - product not named] Perioperative outcomes and prospective patient reported outcome measures for transvaginal mesh surgery. Arch Gynecol Obstet DOI 10:1007/s00404-015 (Apr. 24, 2015)
Balchandra, P. Perioperative outcomes and prospective patient reported outcome measure for transvaginal mesh surgery. Arch Gynecol Obstet 2015
Barber M. Apical Prolapse, Int Urogynecol J (2013) 24:1815-1833
Barber M. Bilateral uterosacral ligament vaginal vault suspension with site-specific endopelvic fascia defect repair for treatment of pelvic organ prolapse. Am J Obstet Gynecol 2000; 183: 1402-11
Barber M. Comparison of 2 Transvaginal Surgical Approaches and Perioperative Behavioral Therapy for Apical Vaginal Prolapse. The Optimal Randomized Trial. JAMA. 2014; 311(10):1023-1034
Barber M. Defining Success After Surgery for Pelvic Organ Prolapse. Obstet Gynecol 2009;114:600-09
Barber M. OPTIMAL RCT SSLFvs. USLS Supplementary Online Content. Table 8 Adverse Events JAMA (2014)
Barber MD, Maher C. Surgery for Apical prolapse. Int Urogynecol J (2013) 24: 1815-1833
Barry C, Lim YN, Muller R, et al. [Pop 187, 3 mo fu] [TOT] A multi-centre, randomised clinical control trial comparing the retropubic (RP) approach versus the transobturator approach (TO) for tension-free, suburethral sling treatment of urodynamic stress incontinence: the TORP study. Int Urogynecol J Pelvic Floor Dysfunct 2008;19:171-178.
Barski D. Systemic review and classification of complications after anterior, posterior, apical and total vaginal mesh implantation for prolapse repair. Surg Technol Int (March 2014) 24:217-24.
Bartuzi A. Transvaginal Prolift mesh surgery due to advanced pelvic organ prolapse does not impair female sexual function: a prospective study. (2012)
Bartuzi A. Transvaginal Prolift® mesh surgery due to advanced pelvic organ prolapse does not impair female sexual function: a prospective study. Eur J Obstet Gynecol Reprod Biol 2012; http://dx.doi.org/10.1016/j.ejogrb.2012.07.011
Basu M, Duckett J. A randomised trial of a retropubic tension-free vaginal tape versus a mini-sling for stress incontinence. BJOG 2010;117:730-735.
Benbouzid S. Pelvic organ prolapse transvaginal repair by the Prolift system: evaluation of efficacy and complications after a 4.5 years follow up. Int J Urol 2012;19:1010-16.
Benson J. Vaginal versus abdominal reconstructive surgery for the treatment of pelvic support defects: A prospective randomized study with long-term outcome evaluation. Am J Obstet Gynecol 1996;175:1418-1422.

Medical Literature

Bernasconi F. TVT SECUR System: Final results of a prospective, observational, multicentric study. <i>Int Urogynecol J</i> (2012) 23:93-98
Berroccal J, et al. (the TVM group) Conceptual Advances in the surgical management of genital prolapse. <i>J Gynecol Obstet Reprod</i> (2004) 33:577-587.
Bezhenar V and Guseva E. [ICS Abs 765] The pelvic floor repair with the use of the Prosima Implant - The assessment of complications and life quality. (2013)
Bhatia, Murphy, Lucente. A comparison of short term sexual function outcomes for patients undergoing the transvaginal mesh procedure using the standard polypropylene mesh vs a hybrid polypropylene/poliglecaprone mesh. [Oral Poster 1] <i>Female Pelvic Med Reconstr Surg</i> 2010; 16(2): S15-16
Bhatia, Murphy, Lucente. [AUGS Oral Poster 19] A comparison of sexual function outcomes 1 year after undergoing a transvaginal mesh procedure using polypropylene mesh vs. hybrid polypropylene/poliglecaprone mesh. <i>Female Pelvic Med Reconstr Surg</i> 2012;18:S20-S21.
Bianchi AH. Randomised trial of TVT-O and TVT-S for the treatment of stress urinary incontinence. <i>Int Urogynecol J</i> 2011;22(Suppl I):S62.
Bianchi-Ferraro A. Single-incision sling compared with transobturator sling for treating stress urinary incontinence - a randomized controlled trial (TVT-O, TVT-S). <i>Int Urogynecol J</i> (2012)
Bianchi-Ferraro. Randomized controlled trial comparing TVT-O and TVT-S for the treatment of stress urinary incontinence. 2-year results. <i>Int Urogynecol J</i> (2014) 25: 1343-1348.
Bjelic-Radisic V. Mesh devices for pelvic organ prolapse. Results of the Austrian Registry. <i>Int Urogynecol J</i> 2013 24 (Suppl 1): S60-61
Bo K. Evidence-Based Physical Therapy for the Pelvic Floor: Bridging Science and Clinical Practice. (2007)
Boukerro. Objective analysis of mechanical resistance of tension-free devices. <i>European Journal of Obstetrics & Gynecology and Reproductive Biology</i> 124 (2006) 240-245
Boukerrou M, et al. Study of the biomechanical properties of synthetic mesh implanted in vivo. <i>Eur J Obstet Gynecol Reprod Biol</i> (2007) 134:262-267
Boukerrou M. Tissue resistance of the tension-free procedure: What about healing? <i>Int Urogynecol J</i> 2008; 19:397-400
Boulanger L, Boukerrou M, Lambaudie E, Defossez A, Cosson M. Tissue integration and tolerance to meshes used in gynecologic surgery: an experimental study, <i>Eur J Obstet Gynecol Reprod Biol</i> 2006; 125(1): 103-8.
Boulanger. Bacteriologic Analysis of meshes removed for complications after surgical management of urinary incontinence or pelvic organ prolapse. (2008)
Brandon CJ, Lewicky-Gaupp C, Larson KA, Delancey JO. Anatomy of the perineal membrane as seen in magnetic resonance images of nulliparous women. <i>Am J Obstet Gynecol</i> . 2009 May;200(5):583
Brubaker L, et al. Adverse events over two years after retropubic or transobturator midurethral sling surgery: Findings from the trial of midurethral slings (TOMUS) Study. <i>Am J Obstet Gynecol</i> 2011;205:498e.1-6
Brubaker L. 5-year Continence Rates, Satisfaction and Adverse Events of Burch Urethropexy and Fascial Sling Surgery for Urinary Incontinence. <i>J Uro</i> (2012) Vol. 187, 1324-1330
Brubaker, L. Surgery for Pelvic Organ Prolapse. <i>Female Pelvic Med Reconstr Surg</i> 2010; 16(1): 9-19
Burke S, Shorten GD. "When pain after surgery doesn't go away..." <i>Biochemical Society Transactions</i> (2009) 37:318-322.
But I, Faganelj M. Complications and short-term results of two different transobturator techniques for surgical treatment of women with urinary incontinence: a randomized study. <i>Int Urogynecol J Pelvic Floor Dysfunct</i> 2008;19:857-861.
Butrick C. Pathophysiology of Pelvic Hypertonic Disorders. (2009)
Caliskan C, et al. "Experimental comparison of meshes for rectal prolapse surgery." <i>Eur Surg Res</i> , 2009, 43(3): 310-14

Medical Literature

Campeau L, Tu LM, Lemieux MC, et al. A multicenter, prospective, randomized clinical trial comparing tension-free vaginal tape surgery and no treatment for the management of stress urinary incontinence in elderly women. <i>Neurourol Urodyn</i> 2007;26:990-994.
Caquant F. Safety of transvaginal mesh procedure: retrospective study of 684 patients. <i>J. Obstet Gynaecol Res</i> ; 2008; 34:449-456.
Carey M, et al. Vaginal surgery for pelvic organ prolapse using mesh and a vaginal support device. <i>BJOG</i> 2008; 115:391-397
Carey M. Vaginal repair with mesh versus colporrhaphy for prolapse; a randomized controlled trial. <i>BJOG</i> 2009;116:1380-1386.
Caruso S, Rugolo S, Bandiera S, Mirabella D, Cavallaro A, Cianci A. Clitoral blood flow changes after surgery for stress urinary incontinence: pilot study on TVT Versus TOT procedures. <i>Urology</i> 2007;70:554-557.
Cassidenti A. The crushing of innovation for treating female pelvic floor disorders: A Story of "Lead or be Led." <i>OBG Management</i> 2016; 28(4): 9-14
Cervigni M, Natale F, La Penna C, et al. Surgical correction of stress urinary incontinence associated with pelvic organ prolapse: Trans-obturator approach (Monarc) versus retropubic approach (TVT). <i>Neurourol Urodyn</i> 2006;25:552.
Chaliha C & Stanton SL, Complications of surgery for genuine stress incontinence. <i>Br J Obstet Gynaecol</i> 1999; 106:1238-45
Chen J. [Pop 31 - Proxima] Prospective study on total pelvic reconstruction surgery with Proxima in the treatment of pelvic organ prolapse stage III. <i>China J Obstet Gynecol</i> , September 2012; Vol. 47; No. 9; 664.
Cheng D. [Pop 103, 5 yr fu] Tension-free vaginal tape-obturator in the treatment of stress urinary incontinence: a prospective study with five-year follow-up. <i>European Journal of Obstetrics & Gynecology and Reproductive Biology</i> 161 (2012) 228-231
Cho, M. Anatomic and functional outcomes with the Prolift Procedure in Elderly Women with Advanced Pelvic Organ Prolapse Who Desire Uterine Preservation. <i>Journal of Minimally Invasive Gynecology</i> 2012; 19: 307-312
Choe J, Kim J, Na Y, Lee J, Seo J. Comparative study of tension-free vaginal tape (TVT) and suprapubic arc (SPARC) sling procedure for female stress urinary incontinence. <i>Int Urogynecol J Pelvic Floor Dysfunct</i> 2005;16:S68.
Cholhan H. Dyspareunia association with paraurethral banding in the transobturator sling. <i>Am J Obstet Gynecol</i> 2010;202:481.e1-5.
Chu CC. Characterization of morphologic and mechanical properties of surgical mesh fabrics. <i>Journal of biomedical materials research</i> , Vol 19, 903-916 (1985)
Chung C. Incidence and risk factors of postoperative urinary tract infection after uterosacral ligament suspension. <i>Int Urogynecol J</i> 2012; 23:947-950.
Chung C. Recognition and management of nerve entrapment pain after uterosacral ligament suspension. <i>Obstet & Gynecol</i> 2012; 120:292-95
Clauw D. The relationship between fibromyalgia and interstitial cystitis. <i>J. psychiat. Res.</i> , Vol. 31. 125-131 (1997)
Clave. Polypropylene as a reinforcement in pelvic surgery is not inert: comparative analysis of 100 explants. <i>Int Urogynecol J</i> (2010) 21:261-270
Clemons J. Impact of the 2011 FDA Transvaginal Mesh Safety Update on Augs Members' Use of Synthetic Mesh and Biologic Grafts in Pelvic Reconstructive Surgery. <i>Female Pelvic Med Reconstr Surg</i> 2013; 19: 191-198
Coady D. Chronic sexual pain. A layered guide to evaluation. <i>Contemporary Ob/Gyn</i> , September 2015, pp. 18-28.
Cobb W. The argument for lightweight polypropylene mesh in hernia repair. <i>Surgical Innovation</i> , 2005; 12:1; 63-69

Medical Literature

Collinet P. et al. The Safety of the Inside-Out Transobturator approach for transvaginal tape (TVT-O) treatment in stress urinary incontinence: French registry data on 984 women. <i>Int Urogynecol J</i> (2008) 19:711-715
Collinet P. Mesh Treatment of Pelvic Organ Prolapse: Risk Factors and Management of Vaginal Erosion. Abstract 336.
Collinet P. Transvaginal mesh technique for pelvic organ prolapse repair: mesh exposure management and risk factors. <i>Int Urogynecol J</i> (2006) 17: 315-320
Colombo M, Vitobello D, Bulletti C, Poggi C. Randomized study to compare pteryra and TVT procedures for women with stress urinary incontinence and advanced urogenital prolapse. <i>Urogynaecol Int J</i> 2005;19:177-81.
Cornu J. Midterm Prospective Evaluation of TVT-Secur Reveals High Failure Rate. <i>EUROPEAN UROLOGY</i> 58 (2010) 157-161
Corona R. Tension-free vaginal tapes and pelvic nerve neuropathy. <i>Journal of Minimally Invasive Gynecology</i> (2008) 15., 262-267
CORRECTION: Incorrect Data for Absolute Rates of Adverse Effects for JAMA 2015; 313(12): 1258-1259; JAMA 2015; 313(22): 2287
Coskun Z. Mini-slings can cause complications. <i>Int Urogynecol J</i> (2014)
Cosson M, et al. Prolift (Mesh (Gynecare) for Pelvic Organ Prolapse Surgical Treatment: Using the TVM Group Technique: A Retrospective Study of 687 Patients. <i>ICS Abstract</i> (2005), pgs. 590-591
Cosson M, et al. Prolift mesh (Gynecare) for pelvic organ prolapse surgical treatment using the TVM group technique: a retrospective study of 96 women of less than 50 years old. <i>ABS 686</i> (2005)
Cosson M. Abst. 56 - Trans-vaginal mesh technique for treatment of pelvic organ prolapse: 5 years of prospective follow up. (2010)
Cosson M. Clinical assessment of feasibility, complications and effectiveness at twelve months, three years and five years of the TVM technique for genital prolapse(French 1 year CSR) [ETH.MESH.00012009-74]
Cosson M. Mechanical properties of synthetic implants used in the repair of prolapse and urinary incontinence in women: which is the ideal material? <i>Int Urogynecol J</i> (2003) 14:169-178
Cosson, M. Chapter 7: Properties of Synthetic Implants Used in the Repair of Genital Prolapses and Urinary Incontinence in Women in Theobald's New Techniques in Genital Prolapse Surgery ISBN: 978-1-84882-135-4
Cosson, M; Rosenthal, C. Prospective clinical assessment of the total vaginal mesh (TVM) technique for treatment of pelvic organ prolapse - 6 and 12 months results
Costantini. [Pop 87, median 100 mos fu] Long-term efficacy of the trans-obturator and retropubic MUS for SUI: update from a randomized clinical trial; <i>World J Urol</i> , DOI 10.1007/s00345-015-1651-z, 2015
Cox A, Herschorn S, Lee L. [Nat Rev Urol] Surgical management of female SUI: is there a gold standard? <i>Nat Rev Urol</i> . 2013 Feb;10(2):78-89.
Crane, A. Surgical privileging in Gynecology: A Fellows' Pelvic Research Network Study. <i>Female Pelvic Medicine & Reconstructive Surgery</i> 2014; 20(1): 19-22
Cresswell J, et al. [pop 118, mean 6.6 yrs fu] Long-term evaluation of tension-free vaginal tape (TVT) outcomes for a UK Surgeon: Objective assessment and patient satisfaction questionnaires. <i>British Journal of Medical and Surgical Urology</i> (2008) 1, 58-62.
Cronje HS. "Colposacrosuspension for severe genital prolapse." <i>Int. Journal of Gynecology and Obstetrics</i> 85 (2004) 30-35.
Crosby E. Symptom resolution after operative management of complications from transvaginal mesh. (2014)
Cundiff GW. Risk factors for mesh/suture erosion following sacral colpopexy. <i>Am J Obstet Gynecol</i> . (Dec 2008) 199(6):688.
D'Afiero A, et al. [Abs 0156] Short-term effects of mesh augmented surgery for pelvic organ prolapse on functional outcomes and QOL: A comparison between torcar guided and single incision devices. <i>International Journal of Gynecology & Obstetrics</i> 119S3 (2012) S315-S316

Medical Literature

D'Afiero, Tommaselli, et al. [IUGA Presentation 150] Short term efficacy and safety of a single-incision mesh (Prosima) for the treatment of pelvic floor prolapse. Int Urogynecol J (2011) 22 (Suppl 1): S144-S145
Damoiseaux A, et al. [IUGA Abs PP 01] Long-term follow-up (7 years) of a randomized controlled trial. Trocar guided mesh compared with conventional vaginal repair in recurrent pelvic organ prolapse. Int Urogynecol J (2015) 26 (Suppl 1): S23-S174
Dandolu V, Pathak P. [IUGA Abs PP 37] Mesh complications in U.S. after transvaginal mesh repair versus abdominal or laparoscopic sacrocolpopexy. Int Urogynecol J (2015) 26 (Suppl 1): S23-S174
Dandolu V. IUGA Abs PP 37 Mesh complications in U.S. after transvaginal mesh repair versus abdominal or laparoscopic sacrocolpopexy. Int Urogynecol J (2015) 26 (Suppl 1): S63-S64.
Danford J. Postoperative pain outcomes after transvaginal mesh revision. Int Urogynecol J (2015) 26:65-69
Darai E. Functional Results After the Suburethral Sling Procedure for Urinary Stress Incontinence: A Prospective Randomized Multicentre Study Comparing the Retropubic and Transobturator Routes. EUROPEAN UROLOGY 51 (2007) 795-802
David-Montefiore E. Functional results and quality-of-life after bilateral sacrospinous ligament fixation for genital prolapse. European Journal of Obstetrics & Gynecology and Reproductive Biology 132 (2007) 209-213
De Boer T. Predictive factors for overactive bladder symptoms after pelvic organ prolapse surgery. Int Urogynecol J 2010; 21: 1143-1149.
de Landsheere L. Surgical intervention after transvaginal Prolift mesh repair: retrospective single-center study including 524 patients with 3 years' median follow-up. Am J Obstet Gynecol 2012;206:83.e1-7
De Leval J. Novel Surgical Technique for the Treatment of Female Stress Urinary Incontinence: Transobturator Vaginal Tape Inside-Out. Eur Urol. 2003 Dec;44(6):724-30
de Leval J. The original versus a modified inside-out transobturator procedure: 1-year results of a prospective randomized trial. Int Urogynecol J (2011) 22:145-156
de Oliveira L, Girao MJ, Sartori MG, Castro RA, Fonseca E. Comparison of retro-pubic TVT, pre-pubic TVT and TVT transobturator in surgical treatment of women with stress urinary incontinence. Int Urogynecol J 2007;18(Suppl 1):S180-S181.
de Tayrac R, Droupy S, Calvanese L, and Fernandez H. A prospective randomized study comparing TVT and transobturator suburethral tape (T.O.T.) for the surgical treatment of stress incontinence. ICS 2003:Abstract 344.
de Tayrac R. Complications of pelvic organ prolapse surgery and methods of prevention. Int Urogynecol J 2013; 24: 1859-1872.
de Tayrac, R. A prospective randomized trial comparing tension-free vaginal tape and transobturator suburethral tape for surgical treatment of stress urinary incontinence. American Journal of Obstetrics and Gynecology (2004) 190, 602e8
De Tayrac, R. Comparison between tran-obturator trans-vaginal mesh and traditional anterior colporrhaphy in the treatment of anterior vaginal wall prolapse: results of a French RCT. Int Urogynecol J 2013; 24: 1651-1661
de Tayrac, R. Cystocele repair by the vaginal route with a tension-free sub-bladder prosthesis. J Gynecol Obstet Biol Reprod (Paris). 2002 Oct;31(6):597-9.
de Tayrac, R. Long-term anatomical and functional assessment of trans-vaginal cystocele repair using a tension-free polypropylene mesh. Int Urogynecol J (2006) 17: 483-488
de Tayrac, R. Tension-Free Polypropylene Mesh for Vaginal Repair of Anterior Vaginal Wall Prolapse. J of Reproductive Medicine 50:2 (Feb 2005)
Dean N. Laparoscopic Colposuspension and tension-free vaginal tape: a Systematic Review. BJOG 113;1345-1353 (2006)
Debet, B. Transvaginal repair of genital prolapse by the Prolift technique: outcome one year after surgery.

Medical Literature

DeBodinance P. Ltr to Editor: From design to marketing (example of Prolift). Journal de Gynecologie Obstetrique et Biologie de la Reproduction (2010) 39, 507-508
DeBodinance P. Trans-obturator urethral sling for the surgical correction of female stress urinary incontinence: Ouside-in (Monarc) versus inside-out (TVT-O)are the two ways reassuring? European Journal of Obstetrics & Gynecology and Reproductive Biology 133 (2007) 232-238
DeBord J. Historical Development of Prosthetics in Hernia Surgery. Groin Hernia Surgery, 78:6 (Dec 1998)
Deffieux X. Prevention of complications related to the use of prosthetic meshes in prolapse surgery: guidelines for clinical practice. Eur J Obstet Gynecol Reprod Biol 2012 http://dx.doi.org/10.1016/j.ejogrb.2012.09.001
Deffieux X. Transobturator TVT-O versus retropubic TVT: results of a multicenter randomized controlled trial at 24 months follow-up. Int Urogynecol J (2010) 21:1337-1345
Delancey JO, Kearney R, Chou Q, et al. The appearance of levator ani muscle abnormalities in magnetic resonance images after vaginal delivery. Obstet Gynecol. 2003; 101:46-53.
Delancey JOL. Correlative study of paraurethral anatomy. (1986) Obstet and Gynecol: 68;91-97
Delroy, C. The use of transvaginal synthetic mesh for anterior vaginal wall prolapse repair: a randomized controlled trial. Int Urogynecol J 2013; 24: 1899-1907
Demirci F, et al. Long-term results of Burch colposuspension Gynecol Obstet Invest 2001; 51:243-247
Demirci F. Perioperative complications in abdominal sacrocolpopexy and vaginal sacrospinous ligament fixation procedures. Int Urogynecol J (2007) 18:257-261.
Demirci F. Perioperative Complications in Abdominal Sacrocolpopexy, Sacrospinous Ligament Fixation and Prolift Procedures. Balkan Med J 2014;31:158-63
Deng T. Risk factors for mesh erosion after female pelvic floor reconstructive surgery: a systematic review and meta-analysis. BJU Int. (April 24 2015) 10.1111
Denis S. [IUGA Abs 620] Pelvic Organ prolapse treatment by the vaginal route using a Vypro composite mesh: preliminary results about 106 cases. (2004)
Deprest, J. Synthetic and biodegradable prostheses in pelvic floor surgery. International Congress Series 20015; 1279: 387-397
Deprest. The biology behind fascial defects and the use of implants in POP repair. (2006)
Dietz H. TVT vs Monarc: a comparative study. Int Urogynecol J (2006) 17: 566-569
Dietz HP, et al. [Pop 68, median 1.6 yrs fu] Does the Tension-Free Vaginal tape stay Where you Put It? Am J Obstet Gynecol 2003; 188:950-3
Dietz HP, et al. Mechanical properties of urogynecologic implant materials. Int Urogynecol J (2003) 14:239-243.
Dietz HP, Lanzarone V. Levator trauma after vaginal delivery. Obstet Gynecol. 2005; 106:707-712
Dietz V and Maher C. Pelvic organ prolapse and sexual function. Int Urogynecol J (2013) 24: 1853-1857
Dietz, H. Mesh contraction: myth or reality? Am J Obstet Gynecol 2011; 204: 173.e1-4
Dietz. Opinion: Mesh in prolapse surgery: an imaging perspective. Ultrasound Obstet Gynecol 2012; 40: 495-503
Diwadkar G. Complication and Reoperation Rates After Apical Vaginal Prolapse Surgical Repair. Obstet Gynecol 2009;113:367-73
Dmochowski R, Blaivas. (AUA Guidelines) Update of AUA Guideline on the Surgical Management of Female Stress Urinary Incontinence. J Uro, Vol. 183, 1906-1914, May 2010
dos Reis Brandao da Silveira S. [Pop 184, 1 yr fu] Multicenter, randomized trial comparing native vaginal tissue repair and synthetic mesh repair for genital prolapse surgical treatment. Int Urogynecol J. 2014. 26: 335-342.
Drahoradova P, Maata J, Martan A, Svabfk K. Comparative development of quality of life between TVT and Burch colposuspension. ICS 2004:Abstract 278.

Medical Literature

Drutz H. IUGA guidelines for training in female pelvic medicine and reconstructive pelvic surgery (FPM-RPS). Updated Guidelines 2010. Int Urogynecol K=J 2010; 21: 1445-1453.
Dwyer P. Evolution of biological and synthetic grafts in reconstructive pelvic surgery. Int Urogynecol J (2006) 17:S10-S15
Dwyer, P. Transvaginal repair of anterior and posterior compartment prolapse with Atrium polypropylene mesh. BJOG 2004; 111: 831-836
Dyrkorn OA, Kulseng-Hanssen S, Sandvik L. TVT compared with TVT-O and TOT: Results from the Norwegian National Incontinence Registry; Int Urogynecol J (2010) 21:1321-1326.
El Haddad, et al. "Long-term review on posterior colporrhaphy with levator ani muscles plication and incorporating a Vypro II mesh." Ces. Gynek. 2009, 74: 282-285.
El-Barky E, El-Shazly A, El-Wahab OA, Kehinde EO, Al-Hunayan A, Al-Awadi KA. Tension free vaginal tape versus Burch colposuspension for treatment of female stress urinary incontinence. Int Urol Nephrol 2005;37:277-281.
El-Hefnawy AS, Wadie BS, El Mekresh M, Nabeeh A, Bazeed MA. TOT for treatment of stress urinary incontinence: how should we assess its equivalence with TVT? Int Urogynecol J 2010;21:947-953.
Elmer C. Histological Inflammatory Response to Transvaginal Polypropylene Mesh for Pelvic Reconstructive Surgery. J Urology, 191, 1189-1195 (March 2009)
El-Nazer MA, et al. Anterior colporrhaphy versus repair with Gynemesh PS for anterior vaginal wall prolapse: a comparative clinical study. Arch Gynecol Obstet (2012)286:965-972.
Elzevier H. Female Sexual Function after Surgery for Stress Urinary Incontinence: Transobturator Suburethral Tape vs. Tension-Free Vaginal Tape Obturator. J Sex Med 2008;5:400-406
Epstein L. Correlation between vaginal stiffness index and pelvic floor disorder quality-of-life scales. IUJ (2008) 19:1013-1018
Erickson D. Nonbladder related symptoms in patients with interstitial cystitis. (2001)
Falconer C, Ulmsten U. Influence of Different Sling Materials on Connective Tissue Metabolism in Stress Urinary Incontinent Women. Int Urogynecol J (2001) (Suppl 2): S19-S23
Falconer C. Clinical Outcome and Changes in Connective Tissue Metabolism After Intravaginal Slingplasty in Stress Incontinence Women. Int Urogynecol J 1996; 7: 133-137
Fatton B. Transvaginal repair of genital prolapse: preliminary results of a new tensionfree vaginal mesh (Prolift™ technique) - a case series multicentric study. Int Urogynecol J (2007) 18:743-752
Fatton, B. Postoperative pain after transvaginal repair of pelvic organ prolapse with or without mesh: a prospective study of 132 patients. ABS 0300 International Journal of Gynecology & Obstetrics 2009; 107S2: S178-179
Fatton, B. Preliminary results of the "Prolift™" technique in the treatment of pelvic organ prolapse by vaginal approach: a multicentric retrospective series of 110 patients. ABS 275 Int Urogynecol J 2006 17(Suppl 2): S212-213
Fatton, B. Transvaginal repair of genital prolapse: preliminary results of a new tension-free vaginal mesh (Prolift™ technique) - case series multicentric study. Int Urogynecol J 2007; 18: 743-752
Feiner B, et al. Efficacy and safety of transvaginal mesh kits in the treatment of prolapse of the vaginal apex: a systematic review. BJOG 2009;116:15-24
Feiner B. A prospective comparison of two commercial mesh kits in the management of anterior vaginal prolapsed. Int Urogynecol J (2012) 23:279-283
Finnegan S. Clinical outcome of the first cases of the TVT secur in the UK: TVT Obturator system versus TVT Secur: a randomized controlled trial, short term results. (Abstract Only)
Fischerlehner G. TVT-Secur System: One Year experience (Abstract Only)
Flood CG. Anterior Colporrhaphy Reinforced with Marlex Mesh. Int Urogynecol J (1998) 9:200-204

Medical Literature

Flynn, M. Sensory nerve injury after uterosacral ligament suspension. American Journal of Obstetrics and Gynecology 2006; 195: 1869-72
Ford AA, et al. (Cochrane Review[FULL]) Mid-urethral sling operations for stress urinary incontinence in women. The Cochrane Library 2015, Issue 7
Ford AA. Mid-urethral sling operations for stress urinary incontinence in women (Summary) 2015
Freeman R, Holmes D, Hillard T, et al. What patients think: patient-reported outcomes of retropubic versus trans-obturator mid-urethral slings for urodynamic stress incontinence-a multi-centre randomised controlled trial. Int Urogynecol J 2011;22:279-286.
Friedman M. TVT-O vs TVT-S: first randomized, prospective, comparative study of intraoperative complications, perioperative morbidity and one year postoperative results. J Pelvic Med Surg 2009;15:48.
Fuentes AE. A prospective randomised controlled trial comparing vaginal prolapse repair with and without tensionfree vaginal tape transobturator tape (TVT-O) in women with severe genital prolapse and occult stress incontinence: long term follow up. Int Urogynecol J 2011;22(Suppl I):S60-S61.
Gagnon LO and Tu LM. [Pop 48, 6 mo fu] Better short-term outcomes with the U-method compared with the Hammock technique for the implantation of the TVT-SECUR under local anesthesia. Urology. 2010 May;75(5):1060-4. doi: 10.1016/j.urology.2009.11.071. Epub 2010 Mar 12. PubMed PMID: 20223506.
Gaines, N. Pelvic Prolapse Repair in the Era of Mesh. Curr Urol Rep 2016; 17: 20
Galloway NTM. The Complications of Colposuspension. British Journal of Urology 60;122-124 (1987)
Gandhi S. TVT versus SPARC: comparison of outcomes for two midurethral tape prodecures. Int Urogynecol J (2006) 17: 125-130
Ganj FA, et al. Complications of transvaginal monofilament polypropylene mesh in pelvic organ prolapse repair. Int Urogynecol J (2009) 20:919-925
Garry R. The evaluate study: two parallel randomised trials, one comparing laparoscopic with abdominal hysterectomy, the other comparing laparoscopic with vaginal hysterectomy. BMJ doi:10.1136/bmj.37984.623889.F6 (January 7, 2004)
Gauruder-Burmester, A. Follow-up after polypropylene mesh repair of anterior and posterior compartments in patients with recurrent prolapse. Int Urogynecol J 2007; 18: 1059-1064
Ghezzi F. Impact of tension-free vaginal tape on sexual function: results of a prospective study. Int Urogynecol J (2005) 17: 54-59
Gibson L. Synthetic Niesh Repair of Abdominal Wall Defects: Follow Up and Reappraisal. The American Surgeon (1964); 30:8
Gigliobianco, G. Biomaterials for pelvic floor reconstructive surgery: How can We do Better? BioMed Research International 2015; Article ID 968087, 20 pages
Gilbert AI. Ch. 9 - Polypropylene. The Standard of Mesh Materials. (2004)
Glavind K and Shim Susy. Incidence and treatment of postoperative voiding dysfunction after the tension-free vaginal tape procedure. Int Urogynecol J 2015 26;110: 1657-60
Goldman H. Gynemesh PS A New Mesh for Pelvic Floor Repair Early Clinical Experience.
Gomelsky A. Pelvic organ prolapse (POP) surgery: the evidence for the repairs. BJU International, 107, 1704-1719 (2011)
Gomelsky, A. Commentary on "Pain Scores and Exposure Rates after Polypropylene Mesh for Pelvic Organ Prolapse" Southern Medical Journal 2015; 108(12): 722-723
Gorlero E, et al. [Pop 15, 6 mo fu] A new technique for surgical treatment of stress urinary incontinence: the TVT-Secur. Minerva Ginecol 2008; 60:459-68
Gronnier C., et al. "Risk Factors for Chronic Pain after Open Ventral Hernia Repair by Underlay Mesh Placement," World J Surg (2012) 36:1548-1554.

Medical Literature

Groutz A, Rosen G, Cohen A, Gold R, Lessing JB, Gordon D. [Pop 52, 10 yr fu] Ten-year subjective outcome results of the retropubic tension-free vaginal tape for treatment of stress urinary incontinence. J Minim Invasive Gynecol (2011) 18:726-729
Groutz A. [Pop 61, 5 yr fu] Long-Term Outcome of Transobturator Tension-Free Vaginal Tape: Efficacy and Risk Factors for Surgical Failure. Journal of Women's Health, Volume 20, Number 10, 2011 1525-1528
Guerrero KL, Emery SJ, Wareham K, Ismail S, Watkins A, Lucas MG. A randomised controlled trial comparing TVT'M, Pelvicol™ and autologous fascia I slings for the treatment of stress urinary incontinence in women. BJOG 2010;117:1493-1503.
Gupta, Siris, et al. [AUA Abs PD20-08] The impact of comorbid chronic pain syndromes on sexual activity and dyspareunia after pelvic organ prolapse repair. (2015)
Gurlick R. "Laparoscopic rectopexis." Rozhl Chir. 2006 (May; 85(5):233-5.
Gutman R. Three-Year Outcomes of Vaginal Mesh for Prolapse. Obstet Gynecol 2013; 122: 770-777.
Haddad R. Women's quality of life and sexual function after transvaginal anterior repair with mesh insertion. Eur J Obstet Gynecol Reprod Biol 2013; 167(1): 110-113.
Halaska M. A multicenter, randomized, prospective, controlled study comparing sacrospinous fixation and transvaginal mesh in the treatment of posthysterectomy vaginal vault prolapse. Am J Obstet Gynecol 2012;207:301.e1-7.
Hamamsy, D. new onset stress urinary incontinence following laparoscopic sacrocolpopexy and its relation to anatomical outcomes. Int Urogynecol J 2015; 26: 1041-1045
Hamer M. One-year results of a prospective randomized, evaluator-blinded, multicenter study comparing TVT and TVT Secur. Int Urogynecol J (2013) 24:223-229
Hamer MA, Larsson PG, Teleman P, Eten-Bergqvist C, Persson J. Short-term results of a prospective randomized evaluator blinded multicenter study comparing TVT and TVT-Secur. Int Urogynecol J Pelvic Floor Dysfunct 2011;22:781-787.
Han J-Y, Park J, Choo M-S. [Pop 88, 12 yr fu] Long-term durability, functional outcomes, and factors associated with surgical failure of tension-free vaginal tape procedure. Int Urol Nephrol (2014) 46:1921-1927
Han, Ji-Yeon. Efficacy of TVT-Secur and factors affecting cure of female stress urinary incontinence: 3-year follow-up. Int Urogynecol J (2012) 23:1721-1726
Handa VL, Zyczynski HM, Brubaker L, et al. Sexual function before and after sacrocolpopexy for pelvic organ prolapse. Am J Obstet Gynecol 2007;197:629.e1-6.
Hansen, Gradel. [Danish Registry] Reoperation for urinary incontinence-a nationwide cohort study, 1998 thru 2007; Am J Obstet Gynecol 2016;214:263.e1-8
Hardiman P. Sacrospinous vault suspension and abdominal colposacropexy: Success rates and complication. Am J Obstet Gynecol 1996;175:612-6
Hardiman S. Cystocele repair using polypropylene mesh. Bf J Obs!e! Gynaecol 107,813-830
Hazewinkel M. Persistent groin pain following trans-obturator sling procedure for SUI: A diagnostic and therapeutic challenge. Int Urogynecol J 20:363- 365 (2009)
Heinonen P, et al. [Pop 161, Median 7 yr fu] IUGA Abs OP 093 - Long-term outcome after transvaginal mesh repair of pelvic organ prolapse. Int Urogynecol J (2015) 26 (Suppl 1): S121-122
Heinonen P, et al. Long-term outcome after transvaginal mesh repair of pelvic organ prolapse. Int Urogynecol J (2016)
Heinonen P. [Pop 191, mean 10.5 yrs fu] Tension-free vaginal tape procedure without preoperative urodynamic examination: Long-term outcome. Int J Urol 2012; 19:1003-1009
Hellberg D. The very obese woman and the very old woman: tensionfree vaginal tape for the treatment of stress urinary incontinence. Int Urogynecol J (2007) 18:423-429
Helstrom L. Impact of vaginal surgery on sexuality and quality of life in women with urinary incontinence or genital descensus. Acta Obstet Gynecol Scand 2005; 84: 79-84

Medical Literature

Higgs P. Abdominal sacral colpopexy: an independent prospective long-term follow-up study. Australian and New Zealand Journal of Obstetrics and Gynaecology 2005; 45: 430-434
Hiltunen R. Low-Weight Polypropylene Mesh for Anterior Vaginal Wall Prolapse - A Randomized Controlled Trial. Obstet Gynecol 2007;110:455-62
Hinoul P. A Prospective Study to Evaluate the Anatomic and Functional Outcome of a Transobturator Mesh Kit (Prolift Anterior) for Symptomatic Cystocele Repair. Journal of Minimally Invasive Gynecology (2008) 15, 615-620
Hinoul P. A randomized, controlled trial comparing an innovative single incision sling with an established transobturator sling to treat female stress urinary incontinence. J Urology 2011;185:1356-1362.
Hinoul P. Anatomical variability in the trajectory of the inside-out transobturator vaginal tape technique (TVT-O). Int Urogynecol J (2007) 18:1201-1206
Hinoul P. Review of surgical techniques to insert implants in urogynaecology. International Congress Series 1279 (2005) 398-406
Hinoul P. Surgical management of urinary stress incontinence in women: A historical and clinical overview. European Journal of Obstetrics & Gynecology and Reproductive Biology 145 (2009) 219-225
Hinoul P. TVT obturator system versus TVT Secur: a randomized controlled trial, short term results. Int Urogynecol J Pelvic Floor Dysfunct 2009;20:S213.
Holmgren C. Frequency of de novo urgency in 463 women who had undergone the tension-free vaginal tape (TVT) procedure for genuine stress urinary incontinence - A long-term follow-up. European Journal of Obstetrics & Gynecology and Reproductive Biology 132 (2007) 121-125
Holmgren S, Nilsson. [Pop 760, 8 yr fu] Long-Term Results with Tension-Free Vaginal Tape on Mixed and Stress Urinary Incontinence. Obstetrics & Gynecology; Vol. 106, No. 1, July 2005
Hong J. Long Term Results of Laparoscopic Burch for Stress Urinary Incontinence in Women. J Korean Med Sci 24; 1182-6 (2009)
Hota L. TVT-secur (Hammock) versus TVT-obturator: a randomized trial of suburethral sling operative procedures. Female Pelvic Med Reconstr Surg 2010;16:S87.
Hota L. TVT-Secur (Hammock) Versus TVT-Obturator: Randomized Trial of Suburethral Sling Operative Procedures. Female Pelvic Medicine and Reconstructive Surgery (Jan/ Feb 2012) 18:1, p. 41-45
Houwert R. TVT-O versus Monarc after a 2-4-year follow-up: a prospective comparative study. Int Urogynecol J (2009) 20:1327-1333
Huang, L. Medium-term comparison of uterus preservation versus hysterectomy in pelvic organ prolapse treatment with Prolift™ Mesh. Int Urogynecol J 2015
Huebner M. The use of graft materials in vaginal pelvic floor surgery. Int J Gynecol & Obstet (2006) 92:279-288
Hung M and Tsai C. [IUGA Oral Presentation 149] Suboptimal suspension effect of the Prosima procedure for severe anterior vaginal wall prolapse. Int Urogynecol J (2012) 23 (Suppl 2): S202-S203
Huseyin S, et al. "A Comparison of Gabapentin and Ketamine in Acute and Chronic Pain after Hysterectomy", Anesth Analg 2009;109:1645-50.
Hwang, E. Predictive factors that influence treatment outcomes of innovative single incision sling: comparing TVT-Secur to an established transobturator sling for female stress urinary incontinence. Int Urogynecol J (2012) 23:907-912
Iglesia C. Vaginal Mesh for Prolapse: A Randomized Controlled Trial. Obstet Gynecol 2010;116:293-303
Iglesia CB. The Use of Mesh in Gynecologic Surgery. Int Urogynecol J (1997) 8:105-115
Illston, J. Pain Scores and Exposure Rates after Polypropylene Mesh for Pelvic Organ Prolapse. Southern Medical Journal 2015; 108(12): 715-721
Jacobsen SM, Stickler DJ, Mobley HL, Shirtliff ME. Complicated catheter-associated urinary tract infections due to Escherichia coli and Proteus mirabilis. Clin Microbiol Rev. 2008 Jan;21(1):26-59.

Medical Literature

Jacquetin B, et al. Total transvaginal mesh technique for treatment of pelvic organ prolapse: a 3-year prospective follow-up study. <i>Int Urogynecol J</i> (2010) 21: 1455-1462
Jacquetin B. Complications of vaginal mesh: our experience. <i>Int Urogynecol J</i> 2009; 20: 893-896.
Jacquetin B. Prolene Soft (Gynecare) Mesh for Pelvic Organ Prolapse Surgical Treatment: A Prospective Study of 264 Patients. Abstract 767
Jacquetin B. Prospective Clinical Assessment of the Trans Vaginal Mesh (TVM) Technique for Treatment of Pelvic Organ Prolapse - One Year Results of 175 Patients. Abstract 291
Jacquetin B. Total transvaginal mesh (TVM) technique for treatment of pelvic organ prolapse: 1.5-year prospective follow-up study. <i>Int Urogynecol J</i> 2013. DOI 10.1007/s00192-013-2080-4.
Jacquetin B. Trans-vaginal Mesh Technique for Treatment of Pelvic Organ Prolapse: 5 Years of Prospective Follow UP. <i>Int Urogynecol J</i> (2012)
Jamieson D. The Prevalence of Dysmenorrhea, Dyspareunia, Pelvic Pain and Irritable Bowel Syndrome in Primary Care Practices. <i>Obstet Gynecol</i> , 1996; 87:1, 55-58
Jarmy-Di Bella ZI, Bianchi AM, Castro RA, Iwata M, Sartori MG, Girao MJ. Randomised trial of TVT-O and TVT-S for the treatment of stress urinary incontinence. preliminary study. <i>Int Urogynecol J</i> 2009;20:S176-S7.
Jelovsek J, et al. [Pop 72, mean 62 mos fu] Randomized trial of laparoscopic Burch colposuspension versus tension-free vaginal tape: long-term follow up. <i>BJOG</i> 2008; 115: 219-225.
Jenkins T. Laparoscopic Burch colposuspension. <i>Curr Opin Obstet Gynecol</i> (2007) 19:314-318.
Jha S, Ammenbal M, Metwally M. Impact of incontinence surgery on sexual function: a systematic review and meta-analysis. <i>J Sex Med</i> . 2012 Jan;9(1):34-43. doi: 10.1111/j.1743-6109.2011.02366.x. Epub 2011 Jun 23. Review. PubMed PMID: 21699671
Jha S. A systematic review and meta-analysis of the impact of native tissue repair for pelvic organ prolapse on sexual function, <i>Int Urogynecol J</i> . 2014
Jha S. Sexual function following surgery for urodynamic stress incontinence. <i>Int Urogynecol J</i> 18:845-850 (2007)
Jones, K. Tensile properties of commonly used prolapse meshes. <i>Int Urogynecol J</i> 2009; 20: 847-853
Jonsson Funk M. Sling Revision/ Removal for Mesh Erosion and Urinary Retention: Long-Term Risk and Predictors. <i>Am J Obstet Gynecol</i> . 2013; 208(1): 73.e1-73.e7
Juang C-M, Yu K-J, Chou P, et al. Efficacy analysis of trans-obturator tension-free vaginal tape (TVT-O) plus modified Ingelman-Sundberg procedure versus TVT-O alone in the treatment of mixed urinary incontinence: a randomized study. <i>Eur Urol</i> 2007;51:1671-1678
Juang C-M, Yu K-J, Chou P, et al. Efficacy analysis of trans-obturator tension-free vaginal tape (TVT-O) plus modified Ingelman-Sundberg procedure versus TVT-O alone in the treatment of mixed urinary incontinence: a randomized study. <i>Eur Urol</i> 2007;51:1671-1678; discussion 1679.
Julian, T. The efficacy of Marlex mesh in the repair recurrent vaginal prolapse of the anterior of severe, midvaginal wall. <i>Am J Obstet Gynecol</i> 1996;175:1472-5.
Jung HC, Kim JY, Lim HS, et al. Three-year outcomes of the IRIS procedure for treatment of female stress urinary incontinence: comparison with TVT procedure. <i>Eur Urol Suppl</i> 2007;6:231.
Kaelin-Gambirasio I. Complications associated with transobturator sling procedures: analysis of 233 consecutive cases with a 27 months follow-up. <i>BMC Women's Health</i> 2009, 9:28
Kahn MA and Stanton SL. Posterior colporrhaphy: its effects on bowel and sexual function. <i>British Journal of Obstetrics & Gynecology</i> , 1997; 104:82-86.
Karateke A, Haliloglu B, Cam C, Sakalli M. Comparison of TVT and TVT-O in patients with stress urinary incontinence: short-term cure rates and factors influencing the outcome. A prospective randomized study. <i>Australian NZ J Obstet Gynaecol</i> 2009;49:99-105.
Karlovsky M. Synthetic Biomaterials for Pelvic Floor Reconstruction. <i>Current Urology Report</i> 2005; 6:376-384
Karram M and Maher C. Surgery for posterior vaginal wall prolapse. <i>Int Urogynecol J</i> (2013) 24: 1835-1841

Medical Literature

Karram M. Complications and Untoward Effects of the Tension-Free Vaginal Tape Procedure. The American College of Obstetricians and Gynecologists (2003) Vol. 101, No. 5, Part 1
Karram M. High uterosacral vaginal vault suspension with fascial reconstruction for vaginal repair of enterocele and vaginal vault prolapse. Am J Obstet Gynecol 2001; 185: 1339-1343.
Karram M. When and how to place an autologous rectus fascia pubovaginal sling OBG Management 24;11 (2012)
Karram. An Evaluation Of The Gynecare TVT Secur System (Tension-Free Support For Incontinence) For The Treatment Of Stress Urinary Incontinence. Int Urogynecol J (2007) 18 Suppl 1)S1-S24.
Kasturi S. High uterosacral liagment vaginal vault suspension: comparison of absorbable vs. permanent suture for apical fixation, Int Urogynecol J (2012) 23: 941-945
Kasturi S. Pelvic magnetic resonance imaging for assessment of the efficacy of the Prolift system for pelvic organ prolapse. Am J Obstet Gynecol 2010;203:504.e1-5
Kaufman M. Contemporary Role of Autologous Fascial Bladder Neck Slings: A Urology Perspective Urol Clin N Am 39; 317-323 (2012)
Kearney R. Obstetric factors associated with levator ani muscle injury after vaginal birth. Obestetrics & Gynecology 107;1: 144-149 (2006)
Kenton K, Zyczynski H, Sirls LT, Richter HE, et al. (TOMUS published) 5-Year Longitudinal Followup after Retropubic and Transobturator Mid-urethral slings. The Journal of Urology, Vol. 193, 203-210, January 2015.
Kersey J. The gauze hammock sling operation in the treatment of stress incontinence. British Journal of Obstetrics & Gynecology 1983; 90:945-949.
Khan ZA, Thomas L, Emery SJ. Outcomes and complications of trans-vaginal mesh repair using the Prolift kit for pelvic organ prolapse at 4 years median follow-up in a tertiary referral centre. Arch Gynecol Obstet (2014) 290:1154-1157.
Khan, M. Posterior colporrhaphy: its effect on bowel and sexual function. British Journal of Obstetrics and Gynaecology 1997; 104: 82-86
Khandwala S. A trocar-free procedure for vaginal prolapse repair using mesh and a vaginal support device - an observational registry. Female Pelvic Medicine & Reconstructive Surgery; Sept/Oct. 2011; Vol 17; No. 5; Supplement 2;S163; Poster 143
Khandwala S. Experience with TVT-Secur sling for stress urinary incontinence: a 141-case analysis. Int Urogynecol J (2010) 21:767-772
Khandwala S. ICS Poster - Clinical Outcomes of an observational registry utilizing a trocar-guided mesh repair of vaginal prolapse using partially absorbable mesh. 2011
Khandwala S. Transvaginal mesh Surgery for Pelvic Organ Prolapse: One-Year Outcomes Analysis. Female Pelvic Med Reconstr Surg 2013;19:84-89
Khandwala. TVT-Secur in Office Sling Procedure Under Local Anesthesia: A Prospective 2-Year Analysis. Female Pelvic Medicine & Reconstructive Surgery, Volume 18, Number 4, July/August 2012.
Kim D, Jang HC. Randomized control study of Monarc® vs. tension-free vaginal tape obturator (TVT-O®) in the treatment of female urinary incontinence in: comparison of medium term cure rate. Int Urogynecol J 2010;21(Suppl I):S319-S20.
Kim JJ, Lee Y-S, Seo JT, et al. Comparison of the efficacy of TVT and TVT-O on the overactive bladder symptoms in women with stress urinary incontinence. J Urol Suppl 2009;181:560.
Kim JY, Jung HC, Moon KH, Park TC, Kim DY, Park CH. Comparisons of IRIS, TVT and SPARC procedure for stress urinary incontinence. Eur Urol Suppl 2004;3:80.
Kim, Jung Jun. Randomized Comparative Study of the U-and H-type Approaches of the TVT-Secur Procedure for the Treatment of Female Stress Urinary Incontinence: One Year Follow-Up. Korean J Urol 2010;51:250-256
King A. Is there an association between polypropylene midurethral slings and malignancy. Urology 84: 789-792, 2014

Medical Literature

Kirby A. Midurethral slings: which should I choose and what is the evidence for use? Curr Opin Obstet Gynecol 2015; 27: 359-365
Kjohede P. Long-term Efficacy of Burch Colposuspension: A 14-year Follow-up Study. Acta Obstet Gynecol Scand 2005; 84: 767-772.
Klein-Patel M, et al. [AUGS Abs 11] Ultra-Lightweight synthetic mesh has similar cellular response but increased tissue ingrowth relative to heavier weight prototype; Female Pelvic Med Reconstr Surg 2011; 17(5) Suppl 2.
Klinge U. Alloplastic Implants for the Treatment of Stress Urinary Incontinence and Pelvic Organ Prolapse. Hernia Repair Sequelae, Ch. 56, 440-444
Klinge U. Demands and Properties of the Alloplastic Implants for the Treatment of Stress Urinary Incontinence. Expert Rev. Med. Devices 4(3), 349-359 (2007)
Kociszewski J, et al. Tape Functionality: position, change in shape, and outcome after TVT procedure - mid-term results. Int Urogynecol J (2010) 21:795-800
Kociszewski J, et al. Tape Functionality: Sonographic Tape Characteristics and Outcome After TVT Incontinence Surgery. Neurourology & Urodynamics, 27: 485-490 (2008)
Kocjancic E, Costantini E, Frea B, et al. Tension free vaginal tape vs. trans obturator tape: is there any difference in the mixed incontinence patients? Results of a multicentre randomised trial. Eur Urol Suppl 2008;7:123.
Koelbl H, Halaska M, Ostermann S, Lautenschlaeger C, Petri E. Burch colposuspension and TVT: Perioperative results of a prospective randomized trial in patients with genuine stress incontinence. Neurourol Urodyn 2002;21:327.
Kohli, N. Mesh Erosion after abdominal sacrocolpopexy. Obstet Gynecol 1998; 92: 999-1004
Kokanali MK. (2014) Risk factors for mesh erosion after vaginal sling procedures for urinary incontinence. Eur J Obstet Gynecol Reprod Biol (June 2014) 177:146-50.
Kolle D. Bleeding Complications With The Tension-Free Vaginal Tape Operation. American Journal of Obstetrics and Gynecology (2005) 193. 2045-9
Komesu YM, et al. Posterior Repair and Sexual Function. AJOG 2007, 101-103
Kondo A, Iso Y, Kimura K, et al. Efficacy, safety and hospital costs of tension-free vaginal tape and pubovaginal sling in the surgical treatment of stress incontinence. J Obstet Gynaecol Res 2006;32:539-544.
Koontz A. Failure with tantalum gauze In ventral hernia repair. (1955)
Kozal S. Morbidity and functional mid-term outcomes using Prolift pelvic floor repair systems. Can Urol Assoc J 2014;8(9-10):e605-9.
Krofta L, et al. [IUGA Presentation 116] Pelvic organ prolapse surgery with non-anchored mesh implants and vaginal support device in women with moderate symptomatic prolapse: Prospective study. Int Urogynecol J (2011) 22 (Suppl 1): S115-S116
Krofta L, Feyereisl J, Otcenasek M, Velebil P, Kasikova E, Krcmar M. TVT and TVT-O for surgical treatment of primary stress urinary incontinence: prospective randomized trial. Int Urogynecol J 2010;21:141-148.
Krofta L. Pelvic Organ prolapse surgery with non-anchored mesh implants and vaginal support device in women with moderate symptomatic prolapse; prospective study. IUGA Presentation 116; Int Urogynecol J; 2011; 22; 115-116.
Krofta L. TVT-S for surgical treatment of stress urinary incontinence: prospective trial, 1-year follow-up. Int Urogynecol J (2010) 21:779-785
Kuhn A, et al. Sexual function after suburethral sling removal for dyspareunia. Surg Endosc (2009) 23:765-768
Kulseng-Hanssen S. Follow-up of TVT Operations in 1,113 women with mixed urinary incontinence at 7 and 38 months. Int Urogynecol J (2008) 19:391-396
Kuuvu N, Nilsson. [Pop 1455, 2 mo fu] A nationwide analysis of complications associated with the tension-free vaginal tape (TVT) procedure. Acta Obstet Gynecol Scand 2002; 81: 72-77

Medical Literature

Labat JJ, et al. Diagnostic Criteria for Pudendal Neuralgia by Pudendal Nerve Entrapment (Nantes Criteria). <i>Neurourology and Urodynamics</i> 27:306-310 (2008).
Labrie J. Surgery versus Physiotherapy for Stress Urinary Incontinence. <i>N Engl J Med</i> 369;12 1124-1133.
Lammerink E. Short-term outcome of TVT-Secur (Abstract Only)
Lamvu G. Vaginal apex resection: A treatment option for vaginal apex pain. <i>Obstet Gynecol</i> 2004; 104:1340-6
Lane F. Repair of Posthysterectomy vaginal-vault prolapse. <i>Obstet & Gynecol.</i> 1962;20:72-77.
Langford C. Levator Ani Trigger Point Injections: An Underutilized Treatment for Chronic Pelvic. <i>Neurourology & Urodynamics</i> 26:59-62 (2007)
Larson G. Plastic Mesh Repair of Incisional Hernias. (1978)
Latini J. Efficacy and Morbidity of Autologous Fascial Lata Sling Cystourethropexy. <i>J Urology</i> 171; 1180-1184 (2004)
Latthe P. Factors predisposing women to chronic pelvic pain: systematic review. (2006)
Latthe P. Two routes of transobturator tape procedure in stress urinary incontinence: a meta-analysis with direct and indirect comparison of randomized trials. <i>BJUI</i> (2009) 106 , 68-76
Latthe PM. Transobturator and retropubic tape procedures in stress urinary incontinence: a systematic review and meta-analysis of effectiveness and complications. <i>BJOG</i> 2007;114:522-531.
Laurikainen E, Takala T, Aukee P, et al. Retropubic TVT compared with transobturator TVT (TVT-O) in treatment of stress urinary incontinence: five-year results of a randomized trial. <i>Neurourol Urodyn</i> 2011;30:803-805.
Laurikainen E, Valpas A, Aukee P, Kivelä A, Rinne K, Takala T, Nilsson CG. [Pop 254, 5 yr fu] Five-year results of a randomized trial comparing retropubic and transobturator midurethral slings for stress incontinence. <i>Eur Urol</i> (2014) 65:1109-1114
Laurikainen E. Retropubic Compared With Transobturator Tape Placement in Treatment of Urinary Incontinence. <i>J Obstet Gynecol</i> 2007;109:4-11
Laurikainen, E. Five-year Results of a Randomized Trial Comparing Retropubic an Transobturator Midurethral Slings for Stress Incontinence. <i>Eur Urol</i> 2014; http://dx.doi.org/10.1016/j.eururo.2014.01.031
Lee D. The Pelvic Girdle: An Integration of Clinical Expertise and Research. 4th Edition Churchill Livingstone Elsevier (2011)
Lee KS, Choo M-S, Lee YS, et al. Prospective comparison of the 'inside-out' and 'outside-in' transobturator-tape procedures for the treatment of female stress urinary incontinence. <i>Int Urogynecol J Pelvic Floor Dysfunct</i> 2008;19:577-582.
Lee KS, Han DH, Choi YS, et al. A prospective trial comparing tension-free vaginal tape and transobturator vaginal tape inside-out for the surgical treatment of female stress urinary incontinence: 1-year followup. <i>J Urol</i> 2007;177:214-218.
Lee, Kyu-Sung. A Prospective Multicenter Randomized Comparative Study Between the U-and H-type Methods of the TVT Secur Procedure for the Treatment of Female Stress Urinary Incontinence: 1-Year Follow-up. <i>European Urology</i> 57 (2010) 973-979.
Lee. Tension-Free Vaginal Tape-SECUR Procedure for the Treatment of Female Stress Urinary Incontinence: 3-Year Follow-Up Results. <i>LUTS</i> (2015) 7, 9-16
Lensen, E. Comparison of two trocar-guided trans-vaginal mesh systems for repair of pelvic organ prolapse: a retrospective cohort study. <i>Int Urogynecol J</i> 2013
Leval J. The original versus a modified inside-out transobturator procedure: 1-year results of a prospective randomized trial. <i>Int Urogynecol J</i> (2011) 22:145-156
Li B, Zhu L, Lang JH, Fan R, et al. [Pop 55, 7 yr fu] Long-term outcomes of the tension-free vaginal tape procedure for female stress urinary incontinence: 7-year follow-up in China. <i>J Minim Invasive Gynecol.</i> 2012 Mar-Apr;19(2):201-5.

Medical Literature

Liapis A, Bakas P, Christopoulos P, Giner M, Creatsas G. Tension-free vaginal tape for elderly women with stress urinary incontinence. <i>Int J Gynaecol Obstet</i> 2006;92:48-51.
Liapis A, Bakas P, Creatsas G. [Pop 115, 4 yr fu] Efficacy of inside-out transobturator vaginal tape (TVTO) at 4 years follow-up. <i>Eur J Obstet Gynecol Reprod Biol</i> (2010) 148:199-201
Liapis A, Bakas P, Creatsas G. [Pop 65, 5 & 7 yr fu] Long-term efficacy of tension-free vaginal tape in the management of stress urinary incontinence in women: efficacy at 5- and 7-year follow-up. <i>Int Urogynecol J Pelvic Floor Dysfunct</i> (2008) 19:1509-1512
Liapis A, Bakas P, Creatsas G. Burch colposuspension and tension-free vaginal tape in the management of stress urinary incontinence in women. <i>Eur Urol</i> 2002;41:469-473.
Liapis A. Monarc vs TVT-O for the treatment of primary stress incontinence: a randomized study. <i>Int Urogynecol J Pelvic Floor Dysfunct</i> 2008;19:185-190.
Liapis A. Tension-Free Vaginal Tape versus Tension-Free Vaginal Tape Obturator in Women with Stress Urinary Incontinence. <i>Gynecol Obstet Invest</i> 2006;62:160-164
Lim JL. Clinical and quality-of-life outcomes in women treated by the TVT-O procedure. <i>BJOG</i> 2006;113:1315-1320.
Lim Y. Suburethral slingplasty evaluation study in North Queensland, Australia: The SUSPEND trial. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> 2005; 45: 52-59
Lim YN, Muller R, Corstiaans A, Dietz HP, Barry C, Rane A. Suburethral slingplasty evaluation study in North Queensland, Australia: the SUSPEND trial. <i>Australian NZ J Obstet Gynaecol</i> 2005;45:52-59.
Lim, J. Short-term clinical and quality-of-life outcomes in women treated by the TVT-Secur procedure. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> 2010; 50: 168-172
Linder BJ, et al. Evaluation of the local carcinogenic potential of mesh used in the treatment of female stress urinary incontinence. <i>Int Urogynecol J</i> (2016)
Linder, B. Assessing the learning curve of robotic sacrocolpopexy. <i>Int Urogynecol J</i> 2016; 27: 239-246
Littman P. The Rapid Evolution of Vaginal Mesh Delivery Systems for the Correction of Pelvic Organ Prolapse: Part 1. The Female Patient, Vol 34, April 2009
Liu P. Outcome of Tension-free obturator tape procedures in obese and overweight women. <i>Int Urogynecol J</i> 22:259- 263 (2011)
Lleberia J. Surgical Treatment of Mixed Urinary Incontinence: effect of anterior colpoplasty. <i>Int Urogynecol J</i> (2011) 22:1025-1030
Lo TS, et al. Ultrasound assessment of mid-urethra tape at three-year follow-up after tension-free vaginal tape procedure. <i>Urology</i> 63:671-675, 2004
Long C. Comparison of clinical outcome and urodynamic findings using "Pergiee and/or Apogee" versus Prolift anterior and/or posterior" system devices for the treatment of pelvic organ prolapse. <i>Int Urogynecol J</i> 2011; 22:223-239
Long Lin A. In Vivo Tension Sustained By Fascial Sling in Pubovaginal Sling Surgery for Female Stress Urinary Incontinence. <i>J urology</i> (March 2005) Vol. 173, 894-897
Lopes E. Transvaginal polypropylene mesh versus sacrospinous ligament fixation for the treatment of uterine prolapse: 1-year follow-up of a randomized controlled trial. <i>Int Urogynecol J</i> (2010) 21:389-394
Lord HE, Taylor JD, Finn JC, et al. A randomized controlled equivalence trial of short-term complications and efficacy of tension-free vaginal tape and supra pubic urethral support sling for treating stress incontinence. <i>BJU Int</i> 2006;98:367-376.
Lovatsis, D. Vaginal surgical approach to vaginal vault prolapse: considerations of anatomic correction and safety. <i>Curr Opin Obstet Gynecol</i> 2003; 15: 435-437
Lowder J. The role of apical vaginal support in the appearance of anterior and posterior vaginal prolapse. <i>Obstet & Gynecol</i> (2008) 111:150-157

Medical Literature

Lowder JL, Moalli P, Zyczynski H, et al. Body image in women before and after reconstructive surgery for pelvic organ prolapse. <i>Int Urogynecol J</i> (2010) 21: 919-925
Lowenstein L. Neural pain after uterosacral ligament vaginal suspension. <i>Int Urogynecol J</i> (2007) 18:109-110
Lowman JK, Hale DS, et al. Does the Prolift system cause dyspareunia? <i>AJOG</i> 2008; 199:707.e1-707.e6
Lowman JK. Tobacco use is a risk factor for mesh erosion after abdominal sacral colpoperineopexy. <i>Am J. Obstet Gynecol.</i> (May 2008) 198(5):561.
Lucas MG. EAU Guidelines on Surgical Treatment of Urinary Incontinence. <i>Eur Urol.</i> 2012; 62:1118-29
Lukacz ES, et al. [Pop 54, 1 yr fu] The effects of the tension-free vaginal tape on proximal urethral position: a prospective, longitudinal evaluation. <i>Int Urogynecol J Pelvic Floor Dysfunct.</i> 2003 Aug;14(3):179-84.
Lukban J. ICBR-51 Abs The Effect of Manual Physical Therapy in Patients Diagnosed with Interstitial Cystitis, High-Tone Pelvic Floor Dysfunction, and Sacroiliac Dysfunction. (2001)
Luna M. Comparison of the Anterior Colporrhaphy Procedure and the Marshall-Marchetti-Krantz Operation in the Treatment of Stress Urinary Incontinence among Women. <i>J Obstet. Gynecol/. Res.</i> 25;4: 255-260 (1999)
Luo, X. Biomechanics and Biocompatibility Test based on Pelvic Floor Repairing in Clinical Application of Synthesis Mesh. <i>ABS</i> 189 <i>Int Urogynecol J</i> 2013 24 (Suppl1): S144-145
Luo. Different sling procedures for stress urinary incontinence: A lesson from 453 patients. <i>Kaohsiung Journal of Medical Sciences</i> (2014) 30, 139-145.
Lykke R, et al. The indication for hysterectomy as a risk factor for subsequent pelvic organ prolapse repair. <i>Int Urogynecol J</i> DOI 10:1007/s00192-015-2757-y June 7, 2015
Maaita M. Sexual function after using tension-free vaginal tape for the surgical treatment of genuine stress incontinence. <i>BJU International</i> 90;540-543 (2002)
Magareta Nilsson. Female Urinary Incontinence: Patient reported outcomes 1 year after midurethral sling operations. (2012)
Mage P. Interposition of a synthetic mesh by vaginal approach in the cure of genital prolapse. <i>J Gynecol Obstet Biol Reprod</i> (Paris). 1999 Dec;28(8):825-9.
Magno-Azevedo V. Single Incision Slings: Is There a Role?. <i>Curr Bladder Dysfunct Rep</i> (2013) 8:19-24
Maher C et al. Surgical Management of Pelvic Organ Prolapse in Women: A Short Version Cochrane Review. <i>Neurourol Urodyn</i> (2008) 27: 3-12
Maher C, et al. (full 141pp) Transvaginal mesh or grafts compared with native tissue repair for vaginal prolapse (Review). <i>The Cochrane Collaboration</i> (2016)
Maher C, et al. (Summary) Transvaginal mesh or grafts compared with native tissue repair for vaginal prolapse (Review). <i>The Cochrane Collaboration</i> (2016)
Maher C, Qatawneh A, Baessler K, Croppe M, Schluter P. Laparoscopic colposuspension or tension-free vaginal tape for recurrent stress urinary incontinence and/or intrinsic sphincter deficiency-a randomised controlled trial. <i>Neurourol Urodyn</i> 2004;23:433-434.
Maher C. Abdominal sacral colpopexy or vaginal sacrospinous colpopexy for vaginal vault prolapse: A prospective randomized study. <i>American Journal of Obstetrics and Gynecology</i> (2004) 190, 20e6
Maher C. Anterior vaginal compartment surgery. <i>Int Urogynecol J</i> (2013) 24: 1791-1802
Maher C. Laparoscopic sacral colpopexy versus total Vaginal mesh for Vaginal vault Prolapse: A Randomized Trial. <i>Am J Obstet Gynecol</i> 2011;204 1.e1-1.d7
Maher C. Surgical management of pelvic organ prolapse in women. <i>Cochrane Review</i> (2013).
Maher, C. Surgical management of anterior vaginal wall prolapse: an evidence based literature review. <i>Int Urogynecol J</i> 2006; 17: 195-201
Maher, C. Surgical Management of Pelvic Organ Prolapse in Women: A meta-analysis of randomized controlled trials. <i>ABS</i> 088 <i>Int Urogynecol J</i> 2009; 20 (Suppl 2): S151
Maher, C. Surgical management of pelvic organ prolapse in women: the updated summary version Cochrane review. <i>Int Urogynecol J</i> 2011; 22: 1445-1457

Medical Literature

Malinowski A, et al. [IUGA Presentation 472] Initial experience with Gynecare Prosima pelvic floor repair system. Int Urogynecol J (2011) 22 (Suppl 3): S1974-S1975
Manriquez, V. Inflammatory and remodeling response to surgical repair for pelvic organ prolapse. ABS 198 Int Urogynecol J 2013 24 (Suppl1): S151-152
Margulies R. Complications Requiring Reoperation Following Vaginal Mesh Kit Procedures for Prolapse. (2008)
Margulies, R. Outcomes of transvaginal uterosacral ligament suspension: systematic review and metaanalysis. Am J Obstet Gynecol 2010
Martan A. New Options in Reconstructive Pelvic Floor Surgery and Surgery in Urogynecology. (2006)
Martan A. TVT SECUR System - Tension-free Support of the Urethra in Women Suffering from Stress Urinary Incontinence - Technique and Initial Experience. Ces. Gynec. 72, 2007, C. 1 s.42-49
Martin LA, et al. Reoperation After Robotic and Vaginal Mesh Reconstructive Surgery: A Retrospective Cohort Study. Female Pelvic Med Reconstr Surg 2015; 21(6): 315-318
Mary C. Comparison of the in vivo behavior of polyvinylidene fluoride and polypropylene sutures used in vascular surgery. ASAIO Journal (1998) 44: 199-206
Masata J, Svabik K, Drahoradova P, et al. Randomized prospective trial of a comparison of the efficacy of TVT-O and TVT secur system in the treatment of stress urinary incontinent women - comparison of the long- and short-term results. Neurourol Urodyn 2011;30:805-806.
Masata J. Pudendal neuralgia following transobturator inside-out tape procedure (TVT-O) - Case report and anatomical study. Int Urogynecol J (2012) 23: 505-507
Masata J. Randomized trial of a comparison of the efficacy of TVT-O and single-incision tape TVT Secur systems in the treatment of stress urinary incontinent women –2-year follow-up. Int Urogynecol J (2012) 23:1403-1412
Mathias S. Chronic Pelvic Pain: Prevalence, Health-related Quality of Life, and Economic Correlate. Obstetrics & Gynecology, 87:3, 321-327 (1996)
Mattimore J, et al. [AUA Abs FR11-07] The History of Pelvic Organ Prolapse from Antiquity to Present Day. History of Urology II (Poster). May 17, 2015
Maurer, M. Prosthetic meshes for repair of hernia and pelvic organ prolapse: comparison of biomechanical properties. Materials 2015; 8: 2794-2808
McAhran S. Robotic Abdominal Sacrocolpopexy, Chapter 9, 117-129
McDermott C. Sacral Colpopexy Versus Transvaginal Mesh Colpopexy in Obese Patients, J Obstet Gynaecol Can 2013; 35(5): 461-467
McLennan G. Perioperative experience of pelvic organ prolapse repair with the Prolift® and Elevate® vaginal mesh procedures. Int Urogynecol J. 2012
McLennan G. Perioperative of POP repair with Prolift and Elevate vaginal mesh procedures. Int Urogynecol J (2013) 24:287-294
McLennan M. Bladder Perforation During Tension-Free Vaginal Tape Procedures: Abdominal versus Vaginal Approach. Female Pelvic Medicine & Reconstructive Surgery, Volume 18, Number 1, January/February 2012
Melzack R. Pain Mechanisms_ A New Theory (1965)
Menahem. TVT-O: Midterm Data on an Operative Procedure for the Cure of Female SUI performed in 100 patients. (2008)
Menefee S. Colporrhaphy Compared With Mesh or Graft-Reinforced Vaginal Paravaginal Repair for anterior Vaginal Wall Prolapse. Obstet Gynecol 2011;118:1337-44
Meschia M, Pifarotti P, Baccichet R, et al. A multi center randomized comparison of tension-free vaginal tape (TVT) and trans-obturator in-out technique (TVT-O) for the treatment of stress urinary incontinence: one year results. Int Urogynecol J 2007;18(Suppl I):S2.

Medical Literature

Meschia M, Pifarotti P, Bernasconi F, et al. Tension-free vaginal tape (TVT) and intravaginal slingplasty (IVS) for stress urinary incontinence: a multi center randomized trial. Am J Obstet Gynecol 2006;195:1338-1342.
Meschia M, Pifarotti P, Spennacchio M, Buonaguidi A, Gattei U, Somigliana E. A randomized comparison of tension-free vaginal tape and endopelvic fascia plication in women with genital prolapse and occult stress urinary incontinence. Am J Obstet Gynecol 2004;190:609-6713.
Meschia M. Tension-free vaginal tape: analysis of risk factors for failures. Int Urogynecol J (2007) 18:419-422
Meschia M. TVT-Secur: A Minimally invasive procedure for the treatment of primary stress urinary incontinence. One year data from a multi-centre prospective trial. Int Urogynecol J (2009) 20:313-317
Meschia. Per-Operative morbidity and early results of a randomized trial comparing TVT and TVT-O. (2007)
Meschia. TVT-S: A minimally invasive procedure for the treatment of primary SUI: 1 year data. (2008)
Messelink B. The Standardization of terminology of pelvic floor muscle function and dysfunction: Report from the pelvic floor clinical assessment group of the international continence society. Neurourology & Urodynamics 24: 374-380 (2005)
Meyer, Richter, et al. Synthetic Graft Augmentation in Vaginal Prolapse Surgery: Long-term Objective and Subjective Outcomes. Prolift 7 yrs. Journal of Minimally Invasive Gynecology (2016), doi: 10.1016/j.jmig.2016.02.014.
Migliari R. Tension-free vaginal mesh repair for anterior vaginal wall prolapse. Eur Urol. 2000;38:151-155.
Milani A. Trocar-guided mesh repair of vaginal prolapse using partially absorbable mesh: 1 year outcomes. Am J Obstet Gynecol 2011; 204:74.e1-8
Milani AL, et al. [IUGA, ICS Abs 81] Medium-Term Clinical Outcomes Following Trocar-Guided Mesh Repair of Vaginal Prolapse Using Partially Absorbable Mesh. Int Urogynecol J (2012) 23 (Suppl 2):S128-S129
Milani AL, et al. Trocar-guided total tension-free vaginal mesh repair of post-hysterectomy vaginal vault prolapse. Int Urogynecol J (2009) 20:1203-1211
Milani AL. Abs 81. Medium-term clinical outcomes following trocar-guided mesh repair of vaginal prolapse using partially absorbable mesh. (2012)
Miller D, et al. Prospective clinical assessment of the transvaginal mesh technique for treatment of pelvic organ prolapse - 5 years results. Female Pelvic Med Reconstr Surg 2011;17:139-143.
Miller D, Lucente V, Babin E, Beach P, Jones P, Robinson D. [AUGS Abs Paper 24] Prospective Clinical Assessment of the Transvaginal Mesh Technique for Treatment of Pelvic Prolapse: 5-Year Results. Female Pelvic Med Reconstr Surg 2011;17: 139-143
Miller, D. Informed surgical consent for a mesh/graft-augmented vaginal repair of pelvic organ prolapse. Int Urogynecol J 2012
Mirosh M, Epp A. TVT vs laparoscopic Burch colposuspension for the treatment of stress urinary incontinence. JCS 2005:Abstract 640.
Mistrangelo E, et al. Rising use of synthetic mesh in transvaginal pelvic reconstructive surgery: A review of the risk of vaginal erosion. Journal of Minimally Invasive Gynecology (2007) 14, 564-569
Miyazaki, F. Raz Four-Corner Suspension for Severe Cystocele: Poor Results. Int Urogynecol J 1994; 5: 94-97
Moalli PA, et al. Tensile Properties of five commonly used mid-urethral slings relative to the TVT. Int Urogynecol J (2008) 19:655-663.
Moalli, Nager. Polypropylene mesh: evidence for lack of carcinogenicity. Int Urogynecol J (2014)
Moir J. The Gauze-Hammock Operation. A Modified Aldrige Sling Procedure. The Journal of Obstetrics and Gynaecology of the British Commonwealth Vol. 75, No. 1 January 1968
Molden, Lucente. New Minimally Invasive Slings: TVT Secur. Current Urology Reports 2008, 9:358-361.
Moller A. Effect of preoperative smoking intervention on postoperative complications: a randomised clinical trial. Lancet (2002) 359:114-117
Montoya T. Anatomic relationships of the pudendal nerve branches. Am J Obstet Gynecol 2011; 205:504.e1-5

Medical Literature

Montoya T. Sensory neuropathy following suspension of the vaginal apex to the proximal uterosacral ligaments, <i>Int Urogynecol J</i> (2012) 23:1735-1740
Moore R. Vaginal Mesh Kits for Pelvic Organ Prolapse, Friend or Foe: A Comprehensive Review. <i>The Scientific World Journal</i> 2009; 9:163-189
Morgan JE. A sling operation, using Marlex polypropylene mesh, for treatment of recurrent SUI. (1970)
Mostafa A, Agur W, Abdel-All M, et al. A multicentre randomised trial of single-incision mini-sling (Ajust) and tension-free vaginal tape-obturator (TVT-O™) in management of female stress urinary incontinence. <i>Neurourol Urodyn</i> 2011;30:806-8.
Murphy M, et al (2011). Time to rethink: An Evidence based response from pelvic surgeons to the FDA Safety Communication: "UPDATE on Serious Complications Associated with Transvaginal Placement of Surgical Mesh for Pelvic Organ Prolapse". <i>Int Urogynecol J</i> D01 10.1007/s00192 001 1581 2
Murphy M. Clinical Practice Guidelines on Vaginal Graft Use from the Society of Gynecologic Surgeons. <i>Obstet & Gynecol</i> (2008) 112:1123-1130
Murphy, M. Early US Experience with Vaginal Extraperitoneal colpopexy using a polypropylene graft (Prolift™) for the treatment of pelvic organ prolapse. <i>ABS 392 Int Urogynecol J</i> 2006; 17 (Suppl 2): S273
Nagata I. Histological features of the rectovaginal septum in elderly women and a proposal for posterior vaginal defect repair. <i>Int Urogynecol J</i> (2007) 18:863-868
Nager C. Midurethral Slings: Evidence-based Medicine vs. The Medicolegal System. <i>Accepted Manuscript to appear in: American Journal of Obstetrics and Gynecology; 2016</i> doi: 10.1016/j.ajog.2016.04.018
Nager. A Randomized Trial of Urodynamic Testing before Stress Incontinence Surgery. (2012)
Natale F, et al. A prospective, randomized, controlled study comparing Gynemesh, a synthetic mesh, and Pelvicol, a biologic graft, in the surgical treatment of recurrent cystocele. <i>Int Urogynecol J</i> (2009) 20:75-81.
Naumann G, Lobodasch K, Bettin S, Meyer P, Koelbl H. Tension free vaginal tape (TVT) vs less invasive free tape (LIFT)-a randomized multicentric study of suburethral sling surgery. <i>Int Urogynecol J</i> 2006;17(Suppl 2):S94-S95.
Nerli RB, Kumar AG, Koura A, Prabha V, Alur SB. Transobturator vaginal tape in comparison to tensionfree vaginal tape: A prospective trial with a minimum 12 months follow-up. <i>Indian J Urol</i> 2009;25:321-325.
Neuman M. Perioperative Complication and Early Follow-up with 100 TVT-Secur Procedures. <i>Journal of Minimally Invasive Gynecology</i> (2008) 15,480-484
Neuman M. Post Tension-free Vaginal Tape Voiding Difficulties. <i>Journal of Pelvic Medicine and Surgery</i> , Volume 10, Number 1, January/February 2004
Neuman M. Training TVT Secur: The first 100 Teaching Operations. <i>Int Urogynecol J</i> (2007) 18 (Suppl 1):S25-S105
Neuman M. Transobturator vs. Single-Incision Suburethral Mini-slings for Treatment of Female Stress Urinary Incontinence: Early Postoperative Pain and 3-Year Follow-up. <i>Journal of Minimally Invasive Gynecology</i> (2011) 18, 769-773
Neuman M. TVT and TVT-Obturator: Comparison of Two Operative Procedures. <i>Int Urogynecol J</i> (2006) 17 (Supp. 2) S101-152
Neuman. TVT-SECUR: 100 teaching operations with a novel anti-incontinence procedure. <i>Pelviperrineology</i> 2007; 26:121-123.
Nguyen J. [Pop 4,142] Perioperative Complications and Reoperations After Incontinence and Prolapse Surgeries Using Prosthetic Implants, <i>Obstet Gynecol</i> . 2012 Mar;119(3):539-46
Nguyen J. Outcome After Anterior Vaginal Prolapse Repair— A Randomized Controlled Trial. <i>Obstet eynecol</i> 2008;111:891-8
Nichols DH. The Mersilene Mesh Guaze-Hammock for Severe Urinary Stress Incontinence. <i>Obstet Gynecol</i> 1973; 41(1): 88-93.
Nicita G. A new operation for genitourinary prolapse. <i>Journal of Urology</i> .1998;160:741-745.

Medical Literature

Nieminen K. Anatomic and functional assessment and risk factors of recurrent prolapse after vaginal sacrospinous fixation. <i>Acta Obstet Gynecol Scand</i> 2003; 82: 471-478
Nieminen K. Outcomes after anterior vaginal wall repair with mesh: a randomized, controlled trial with a 3 follow-up. <i>Am J Obstet Gynecol</i> 2010;203:235.e1-8
Nieminen K. Symptom resolution and sexual function after anterior vaginal wall repair with or without polypropylene mesh. <i>Int Urogynecol J</i> (2008) 19:1611–1616
Nikkolo C. Randomized clinical study evaluating the impact of mesh pore size on chronic pain after Lichtenstein hernioplasty. <i>Journal of Surgical Research</i> 191 (2) 311-317 (2014).
Nilsson C. [7 yr fu] Seven-Year Follow-up of the Tension-Free Vaginal Tape Procedure for Treatment of Urinary Incontinence. <i>Obstet Gynecol</i> (2004) 104, 1259-1262
Nilsson C. Creating a gold standard surgical procedure. The development and implementation of TVT (Ulf Ulmsten Memorial Lecture 2014). <i>Int Urogynecol J</i> DOI 10.1007/s00192-014-2616-2
Nilsson C. Creating a gold standard surgical procedure: the development and implementation of TVT. <i>Int Urogynecol J</i> 2015; 26(4): 467-469
Nilsson C. Long-term Results of the Tension-Free Vaginal Tape (TVT) Procedure for Surgical Treatment of Female Stress Urinary Incontinence. <i>Int Urogynecol J</i> 2001; (Suppl 2): S5-S8
Nilsson CG, Palva K, Aarnio R, Morcos E, Falconer C. [Pop 58, 17 yrs fu] Seventeen years' follow-up of the tension-free vaginal tape procedure for female stress urinary incontinence. <i>Int Urogynecol J</i> (2013) 24: 1265-1269
Nilsson CG. [Pop 90, median 56 mo fu] Long-term Results of the Tension-free Vaginal Tape (TVT) Procedure for Surgical Treatment of Female Stress Urinary Incontinence. <i>Int Urogynecol J</i> , 2001 (Suppl 2): S5-S8
Nilsson CG. Eleven years prospective follow-up of the tension free vaginal tape procedure for treatment of stress urinary incontinence. <i>Int Urogynecol J Pelvic Floor Dysfunct</i> 2008; 19:1043–1047.
Nilsson M, et al. (Swedish Registry) [Pop 3334, 12 mo fu] Female urinary incontinence: patient-reported outcomes 1 year after midurethral sling operations. <i>Int Urogynecol J</i> . 2012 Oct;23(10):1353-1359.
North C, et al. A 2-year observational study to determine the efficacy of a novel single incision sling procedure (Minitape) for female stress urinary incontinence. <i>BJOG</i> 2010; 117:356-360.
Novara G, Ficarra V, Boscolo-Berto R, Secco S, Cavalleri S, Artibani W. Tension-free midurethral slings in the treatment of female stress urinary incontinence: a systematic review and meta-analysis of randomized controlled trials of effectiveness. <i>Eur Urol</i> . 2007 Sep;52(3):663-78
Novara G, Galfano A, Boscolo-Berto R, Secco S, Cavalleri S, Ficarra V, Artibani W. [meta-analysis] Complication rates of tension-free midurethral slings in the treatment of female stress urinary incontinence: a systematic review and meta-analysis of randomized controlled trials comparing tension-free midurethral tapes to other surgical procedures and different devices. <i>Eur Urol</i> 53 (2008):288-309
Nygaard I. Abdominal Sacrocolpopexy: A Comprehensive Review. <i>Obstet Gynecol</i> 2004;104:805–23
Nygaard I. Long-term outcomes following abdominal sacrocolpopexy for pelvic organ prolapse. <i>JAMA</i> . 2013; 309(19): 2016-2024
O'Dwyer PJ, et al. Randomized clinical trial assessing impact of a lightweight or heavyweight mesh on chronic pain after inguinal hernia repair. <i>Br J Surg</i> . 2005 Feb;92(2):166-70.
O'Sullivan, O. Sacrocolpopexy: is there a consistent surgical technique? <i>Int Urogynecol J</i> 2015
Ogah J. Minimally Invasive Synthetic Suburethral Sling Operations for Stress Urinary Incontinence in Women: A Short Version Cochrane Review. <i>Neurourology and Urodynamics</i> 30:284-291 (2011)
Ogah. Minimally invasive synthetic suburethral sling operations. Cochrane Review [Abstract] Cochrane Database Review; The Cochrane Library 2009, Issue 4
Oliveira R. Exploratory Study Assessing Efficacy and Complications of TVT-O, TVT Secur, and Mini-Arc: Results at 12-month Follow-up. <i>EurUrol</i> (2011),doi:10.1016/j.eururo.2011.01.018

Medical Literature

Oliveira R. Short-term assessment of a tension-free vaginal tape for treating female stress urinary incontinence. <i>BJU International</i> 104, 225-228
Olsson I, Abrahamsson AK, Kroon UB. Long-term efficacy of the tension-free vaginal tape procedure for the treatment of urinary incontinence: a retrospective follow-up 11.5 years post-operatively. <i>Int Urogynecol J</i> (2010) 21:679-683
Ong, K. PP 19 The Myth: In vivo degradation of polypropylene meshes. <i>Int Urogynecol J</i> 2016; 27 (Suppl 1): S19-149
Ong, Thames, et al. [IUGA Abs PP 19] The Myth: In Vivo Degradation of Polypropylene Meshes. <i>Int Urogynecol J</i> (2016) 27 (Suppl 1): S37-S38
Pace G. Female Sexual Function Evaluation of the Tension-Free Vaginal Tape (TVT) and Transobturator Suburethral Tape (TOT) Incontinence Surgery: Results of a Prospective Study. <i>J Sex Med</i> 5;387-393 (2008)
Paiva K, Rinne K, Aukee P, et al. A randomized trial comparing tension-free vaginal tape with tensionfree vaginal tape-obturator: 36-month results. <i>Int Urogynecol J</i> 2010;21:1049-1055.
Palobma S. A randomized controlled trial comparing three vaginal kits of single-incision mini-slings for stress urinary incontinence: surgical data. <i>European Journal of Obstetrics & Gynecology and Reproductive Biology</i> 163 (2012) 108-112
Palva K, Rinne K, Aukee P, et al. A randomized trial comparing tension-free vaginal tape with tensionfree vaginal tape-obturator: 36-month results. <i>Int Urogynecol J</i> 2010;21:1049-1055.
Pandit A. Design of surgical meshes - an engineering perspective. <i>Technology and Health Care</i> 2004; 12: 51-65
Pandit L. Postmenopausal vaginal atrophy and atrophic vaginitis. <i>Amer. Journal of Med. Sciences</i> ; 1997;314:228-231.
Papas N. Evaluation of the fixation of Gynecare TVT Abbrevio continence system as compared to Gynecare TVT obturator system tension-free support for incontinence in a human cadaveric model. (2011)
Paraiso MFR, et al. Pelvic support defects and visceral and sexual function in women treated with sacrospinous ligament suspension and pelvic reconstruction. <i>Am J Obstet Gynecol</i> 1996;175:1423-31.
Paraiso MFR, Walters MD, Karram MM, Barber MD. Laparoscopic Burch colposuspension versus tensionfree vaginal tape: a randomized trial. <i>Obstet Gynecol</i> 2004;104:1249-1258.
Paraiso, M. Laparoscopic and abdominal sacral colpopexies: A comparative cohort study. <i>American Journal of Obstetrics and Gynecology</i> 2005; 192: 1752-8
Pardo. Effectiveness of TVT-Secur compared with Miniarc for stress urinary incontinence. A randomized controlled trial with mini-sling. <i>Int Urogynecol J</i> (2010) 21 (Suppl 1): S1-S428.
Park. Randomized Controlled Study of MONARC v. TVT-O in the Treatment of Female Urinary Incontinence: Comparison of 3 Year Cure Rates. (2012)
Paulson D. De Nova pudendal neuropathy after TOT-O surgery for stress urinary incontinence. <i>JSLs</i> (2011) 15: 326-330
Peacock E. Studies on the biology and treatment of reccurent Inguinal hernia. II. Morphological Changes. (1974)
Peters K. Prevalence of pelvic floor dysfunction in patients with interstitial cystitis. <i>Urology</i> 70: 16-18, 2007
Petros P, Ulmsten U. An integral theory and its method for the diagnosis and management of female urinary incontinence. <i>Scand J Urol Nephrol Suppl. No. 153</i> , 1993.
Petros P. Comment on Maher C, Schussler B. The need for randomised controlled trials in urogynaecology. <i>Int Urogynecol J</i> (2007) 18:231-232
Petros P. Creating a gold standard device. Scientific discoveries leading to TVT and beyond (Ulf Ulmsten Memorial Lecture 2014). <i>Int Urogynecol J</i> (2015) DOI 10.1007/s00192-015-2639-3
Pogatzki-Zahn EM, et al. "Acute pain management in patients with fibromyalgia and other diffuse chronic pain syndromes," <i>Current Opinion in Anaesthesiology</i> (2009) 22:627-633.

Medical Literature

Porena M, Costantini E, Frea B, et al. Tension-free vaginal tape versus transobturator tape as surgery for stress urinary incontinence: results of a multicentre randomised trial. <i>Eur Urol</i> 2007;52:1481-1490.
Prakash P, et al. A prospective randomised controlled trial comparing chronic groin pain and quality of life in lightweight versus heavyweight polypropylene mesh in laparoscopic inguinal hernia repair. <i>Journal of Minimal Access Surgery</i> , 2016; 12(2):154-161.
Prien-Larsen JC, Hemmingsen L. [Pop 316, 5 yr fu] Long-term outcomes of TVT and IVS operations for treatment of female stress urinary incontinence: monofilament vs. multifilament polypropylene tape. <i>Int Urogynecol J Pelvic Floor Dysfunct</i> (2009) 20:703-709
Qatawneh A. Transvaginal cystocele repair using tension-free polypropylene mesh at the time of sacrospinous colpopexy for advanced uterovaginal prolapse: a prospective randomised study, <i>Gynecol Surg</i> (2013) 10:79-85
Quemener J, et al. [Pop 250, 20 mo fu] Rate of re-interventions after transvaginal pelvic organ prolapse repair using partially absorbable mesh (Prolift M): 20 months median follow-up outcomes. <i>Eur J Obstet Gynecol Reprod Biol</i> 175 (2014) 194-198. http://dx.doi.org/10.1016/j.ejogrb.2013.12.031
Rackley R. TVT and Percutaneous Vaginal Tape Sling Procedures. <i>Techniques in Urology</i> 7;2 90-100 (2001)
Rajendra. Retrospective study on tension-free vaginal tape obturator (TVT-O). (2012)
Rardin CR. Tension-Free Vaginal Tape: Outcomes Among Women with Primary Versus Recurrent Stress Urinary Incontinence. <i>Obstet Gynecol</i> 100:893-7 (2002)
Rechberger T. A randomized comparison between monofilament and multifilament tapes for stress incontinencesurgery. <i>Int Urogynecol J</i> (2003) 14: 432-436
Rechberger T. Role of fascial collagen in stress urinary incontinence. <i>Am J Obstet Gynecol</i> (1998) 1511-1514
Reich A, Kohorst F, Kreienberg R, Flock F. [7 yr fu] Long-term results of the tension-free vaginal tape procedure in an unselected group: a 7-year follow-up study. <i>Urology</i> (2011) 78:774-777
Reisenauer C. Anatomic study of prolapse surgery with nonanchored mesh and vaginal support device. <i>Am J Obstet Gynecol</i> 2010; 203:1.e1-1.e7
Reisenauer C. Anatomical conditions for pelvic floor reconstruction with polypropylene implant and its application for the treatment of vaginal prolapse. <i>European Journal of Obstetrics & Gynecology and Reproductive Biology</i> 2007; 131: 214-225.
Reisenauer C. Transobturator vaginal tape inside-out A minimally invasive treatment of stress urinary incontinence: Surgical procedure and anatomical conditions. <i>European Journal of Obstetrics & Gynecology and Reproductive Biology</i> 2006; 127: 123-129.
Reisenauer R. IUGA Abs 150. - Anatomical cadaver study of pelvic floor reconstruction using a new polypropylene implant vaginal repair system and a vaginal support device. <i>Int Urogynecol J</i> ; 2009; 20; 200.
Resende A, Oliveira R, Botelho F, Silva C, Dinis P, Cruz F. Mid-term follow-up of a randomized trial comparing TVT-O™, TVT-Secur™ and Mini-Arc™. <i>Eur Urol Suppl</i> 2011;10:244.
Rezapour M, et al. [Pop 49, Mean 4 yr fu] Tension-Free Vaginal Tape (TVT) in Stress Incontinent Women with Intrinsic Sphincter Deficiency (ISD) - A Long-Term Follow-up. <i>Int Urogynecol J</i> (2001) (Suppl 2):S12-S14.
Rezapour M, Ulmsten U. [Pop 34, 4 yr fu] Tension-Free Vaginal Tape (TVT) in Women with Recurrent Stress Urinary Incontinence – A Long-term Follow Up. <i>Int Urogynecol J</i> (2001) (Suppl 2):S9-S11.
Rezapour M, Ulmsten U. [Pop 80, 4 yr fu] Tension-Free Vaginal Tape (TVT) in Women with Mixed Urinary Incontinence - A Long-Term Follow-up. <i>Int Urogynecol J</i> (2001) (Suppl 2):S15-S18.
Rezapour M. A 3-month preclinical trial to assess the performance of a new TVT-like mesh (TVTx) in a sheep model. <i>Int Urogynecol</i> 2007; 18: 183-187
Richardson. To Sling or Not to Sling at Time of Abdominal Sacrocolpopexy. (2013)
Richter H. Retropubic versus transobturator midurethral slings for stress incontinence. <i>N Eng J Med</i> 2010;362:2066-2076.

Medical Literature

Richter, Brubaker, Zimmern, Sirls (UITN) SISTEr [Pop 482, 7 yr fu] Patient Related Factors Associates with Long-Term Urinary Continence After Burch Colposuspension and Pubovaginal Fascial Sling Surgeries. J Uro, Vol. 188, 485-489, August 2012
Richter, L. Pelvic Organ Prolapse - Vaginal and Laparoscopic Mesh: The Evidence. Obstet Gynecol Clin N Am 2016; 43: 83-92
Rinne K. A randomized trial comparing TVT with TVT-O: 12-month results. Int Urogynecol J (2008) 19:1049-1054
Riva D, Sacca V, Tonta A, et al. T.V.T. versus T.O.T: a randomized study at 1-year follow-up. Int Urogynecol J 2006;17(Suppl 2):S93.
Riviere, J. Sexual function in women after vaginal surgery with synthetic mesh material. Clin Exp Obstet Gynecol 2014; 41(3): 258-60
Robinson D. Clinical assessment of the TVM technique for treatment of genital prolapse. Final Report of 12-month evaluation. (US 1 year CSR) [ETH.MESH.00012090-163]
Rodriguez M. A review of the Evidence for Overlap Between Urological and Nonurological Unexplained Clinical Conditions. J Urol (2009) 182(5): 2123-2131
Rogo-Gupta. Long-Term Durability of the Distal Urethral Polypropylene Sling for the Treatment of SUI: Minimum 11 Yr Follow-up. (2012)
Ross S, Robert M, Lier D, Eliasziw M, Jacobs P. Surgical management of stress urinary incontinence in women: safety, effectiveness and cost-utility of trans-obturator tape (TOT) versus tension-free vaginal tape (TVT) five years after a randomized surgical trial. BMC Women's Health 2011;11:34.
Ross S. Single Incision Device (TVT Secur) Versus Retropubic Tension-Free Vaginal Tape Device (TVT) for the Management of Stress Urinary Incontinence in Women: A Randomized Clinical Trial. (2014)
Roth CC, et al. Synthetic slings: which material, which approach. Curr Opin Urol 16:234-239 2006
Rubod C. Biomechanical Properties of Vaginal Tissue: Preliminary Results. IUJ (2008) 19:811-816
Salama-Hanna J, et al. "Patients with Chronic Pain," Med Clin N Am (2013) 97:1201-1215.
Salamon C. Sexual Function Before and 1 Year After Laparoscopic Sacrocolpopexy. (2014)
Sand PK. Chronic pain syndromes of gynecologic origin. J Reprod Med. 2004 Mar;49 (3 Suppl):230-4.
Sanses TVD. Anatomic outcomes of vaginal mesh procedure (Prolift) compared with uterosacral ligament suspension and abdominal sacrocolpopexy for pelvic organ prolapse: a Fellows' Pelvic Research Network study, Am J Obstet Gynecol. 2009 Nov;201(5):519.e1-8
Sarlos D. Long-term follow-up of laparoscopic sacrocolpopexy, Int Urogynecol J 2014
Sato K, et al. [AUA Abs PD50-03] Sexual function in female patients who underwent pelvic floor reconstruction with follow-up for a minimum of 5 years. May 19, 2015
Sayer T. Medium-term clinical outcomes following surgical repair for vaginal prolapse with tension-free mesh and vaginal support device. Int Urogynecol J; 2011; 22; 89-90. Presentation 90.
Sayer, Hinoul, Gauld, et al. (Prosima) - [IUJ] Medium-term clinical outcomes following surgical repair for vaginal prolapse with tension-free mesh and vaginal support device. Int Urogynecol J (2012) 23:487-493
Sayer, Hinoul, Gauld, Slack [IUGA Presentation 090] (Prosima Investigators) Medium-term clinical outcomes following surgical repair for vaginal prolapse with a tension-free mesh and vaginal support device. Int Urogynecol J (2011) 22 (Suppl 1): S89-S90
Scheiner D, Betschart C, Werder H, Fink D, Perucchini D. Retropubic TVT vs transobturator outside-in TOT and inside-out TVT-O: one-year results from our prospective randomized study. NeuroUrol Urodyn 2009;28:585-586.
Schierlitz L, Dwyer P, Rosamilia A, et al. A randomized controlled study to compare tension free vaginal tape (TVT) and Monarc trans-obturator tape in the treatment of women with urodynamic stress incontinence (USI) and intrinsic sphincter deficiency (ISO): the three year follow up. Int Urogynecol J 2010;21(Suppl I):SI-S2.

Medical Literature

Schierlitz L, et al. A prospective randomised controlled trial comparing vaginal prolapse repair with and without tensionfree vaginal tape (tvf) in women with severe genital prolapse and occult stress incontinence: long term follow up. Int Urogynecol J 2010;21(Suppl I):S2-S3.
Schimpf MO, Rahn DD, Wheeler TL et al. (published) [meta-analysis] Sling surgery for stress urinary incontinence in women: a systematic review and meta-analysis. Am J Obstet Gynecol (2014) 211:71.e1-71.e27
Schimpf, MO, et al. Graft and Mesh Use in Transvaginal Prolapse Repair: a systematic review. Obstet Gynecol 2016; 128:81-91.
Schiotz H. [Pop 33,10 yr fu] Ten-year follow-up after conservative treatment of stress urinary incontinence. Int Urogynecol J (2008) 19:911-915
Schraffordt Koops. [Pop 634, 2 yr fu] Quality of life before and after TVT, a prospective multicenter cohort study, results from the Netherlands TVT database; BJOG 2006; 113:26-29
Schraffordt Koops. The effectiveness of tension-free vaginal tape (TVT) and quality of life measured in women with previous urogynecologic surgery; Analysis from the Netherlands TVT database; American Journal of Obstetrics and Gynecology (2006) 195, 439-44
Schumpelick V. The properties and clinical effects of various types of mesh used on hernia repair. (2002); 64-68
Seo JH, Kim GN, Kim JY, et al. Comparison between transobturator vaginal tape inside out and single incision sling system in the treatment of female stress urinary incontinence: Prospective randomized study. Neurourol Urodyn 2011;30:832.
Serati M, Ghezzi F, Cattoni E, Braga A, Siesto G, Torella M, Cromi A, Vitobello D, Salvatore S. [Pop 58, but 10 yrs fu] Tension-free vaginal tape for the treatment of urodynamic stress incontinence: efficacy and adverse effects at 10-year follow-up. Eur Urol (2012) 61:939-946
Serati, M. TVT for the treatment of urodynamic stress incontinence: efficacy and adverse effects at 13-year follow up. (2015)
Shah D. Short-Term Outcome Analysis of Total Pelvic Reconstruction with mesh: The Vaginal Approach. J Urology, 171:261-263 (January 2004)
Shah S. Impact of Vaginal Surgery for Stress Urinary Incontinence of Female Sexual Function; Is the Use of Polypropylene Mesh Detrimental? UROLOGY 65: 270-274, 2005
Shah. Broad Based Tension Free Synthetic Sling for SUI: 5 Yr Outcome. (2003)
Shao U, et al. [Pop 24, median 57 mo fu] Tension-free vaginal tape retropubic sling for recurrent stress urinary incontinence after Burch colposuspension failure. International Journal of Urology (2011) 18, 452-457
Sharifiaghdas F, Martazavi N. Tension-free vaginal tape and autologous rectus fascia pubovaginal sling for the treatment of urinary stress incontinence: a medium-term follow-up. Med Prim Pract 2008;17:209-214.
Shek K. Perigee versus Anterior Prolift in the treatment of Cystocele. Int Urogynecol JK 2008; 19 (Suppl 1): S88-89
Shepherd, Moalli, et al. [AUGA P22] Ex Vivo tensile properties of seven vaginal prolapse meshes. Female Pelvic Medicine & Reconstructive Surgery; 2010; 16; 108
Shin, Y. Efficacy and Safety of the TVT-Secur and Impact on Quality of Life in Women with Stress Urinary Incontinence: A 2-Year Follow-up. Korean J Urol 2011;52:335-339
Shulman A. The safety of mesh repair for primary inguinal hernias. Results of 3,019 operations from five diverse surgical sources. (1992)
Siddiqui N. Neural entrapment during uterosacral ligament suspension. Obstetrics & Gynecology 116:3; 708-713 (2010)
Sikirica, V. IUGA Abs 159. Responsiveness of the PFDI-20 and PFIQ-7, 12 months following vaginal prolapse repair augmented by mesh and a vaginal support device. Int Urogynecol J; 2009; 20; 207.
Silva W. Scientific basis for use of grafts during vaginal reconstructive procedures. Current Opinion in Obstetrics and Gynecology 2005, 17:51 9-529

Medical Literature

Silva W. Uterosacral ligament vault suspension. Five Year Outcomes. Obstet Gynecol:2006;108:255-263.
Singh R, et al. [Pop 116, 1 yr fu] RANZCOG Abs. Anatomic and functional outcomes of vaginal prolapse surgery using non-anchored mesh and a vaginal support device at 1 year following surgery. Australian and New Zealand Journal of Obstetrics and Gynecology; 2011; 51; 472-475.
Singh R. Anatomic, Functionals and ultrasound outcomes after vaginal prolapse surgery using non-anchored mesh. ICS Abs 575; 2011;
Singh R. Native tissue repair versus mesh for trans-vaginal prolapse surgery: 5 year follow-up RCT. (2014)
Sivaslioglu AA. A randomized comparison of polypropylene mesh surgery with site-specific surgery in the treatment of cystocele. Int Urogynecol J (2008) 19:467-471
Slack M. ICS Abstract 560 -A trocar-free procedure for vaginal prolapse repair using mesh and a vaginal support device - an observational registry (Proxima). 2011
Slack M. IUGA Abs 094. A new operation for vaginal prolapse repair using mesh and a vaginal support device: 1 year anatomic and functional results of an international, multicentre study. Int Urogynecol J; 2009; 20; 157.
Slack M. IUGA Abs 574. Clinical experience of a novel vaginal support device and balloon used to simplify mesh augmented vaginal surgery for prolapse. Int Urogynecol J; 2009; 20-80.
Sohbati, S. Comparison between the transobturator tape procedure and anterior colporrhaphy with the Kelly's Plication in the Treatment of Stress Urinary Incontinence: a Randomized Clinical Trial. Nephro Urol 2015; 7(5): 1-6
Sokol A, et al. One-year objective and functional outcomes of a randomized clinical trial of vaginal mesh for prolapse, Am J Obstet Gynecol. 2012 Jan;206(1):86.e1-9
Sola V. Third Generation Sub-Mid Urethral Mesh: Experience with 110 TVT-Secur. Arch. Esp. Urol. 2009; 62 (5): 376-388
Song PH, Kim YD, Kim HT, Lim HS, Hyun CH, Seo JH, Yoo ES, Park CH, Jung HC, Gomelsky A. [Pop 306, 7 yr fu] The 7-year outcome of the tension-free vaginal tape procedure for treating female stress urinary incontinence. BJU Int. 2009 Oct;104(8):1113-1117.
Song. [Pop 206, 13 yr fu] AUA Abs. MP33-03 The long-term outcomes from TVT procedure for female SUI; Data from minimal 13 years of follow up; http://www.aa2014.org 2014
Sovrin M. Impact of Vaginal Surgery for Stress Urinary Incontinence of Female Sexual Function; Is the Use of Polypropylene Mesh Detrimental? Urology 65;270-274 (2005)
Spahlinger D. Relationship between intra-abdominal pressure and vaginal wall movements during Valsalva in women with and without pelvic organ prolapse: technique development and early observations. Int Urogynecol J (2014) 25:873:881
Srinivasan A. Myofascial dysfunction associated with chronic pelvic floor pain: Management strategies. (2007)
Stanford E. A Comprehensive Review of Suburethral Sling Procedure Complications. Journal of Minimally Invasive Gynecology (2008) IS, 132- 145 © 2008
Stanford E. A Comprehensive Review of Suburethral Sling Procedure Complications. Journal of Minimally Invasive Gynecology (2008) IS, 132-145 © 2008
Stanford EJ. Traditional native tissue versus mesh-augmented pelvic organ prolapse repairs: providing and accurate interpretation of current literature, Int Urogynecol J (2012) 23:19-28
Stein T, DeLancey JOL. Perineal membrane anatomy. (2008). Obstet and Gynecol: 111:3;68-693
Stone K. Wound Healing Principles of Management. (1997) ACOG
Sun, Y. The treatment of anterior vaginal wall prolapsed by repair with mesh versus colporrhaphy. Int Urol Nephrol 2016; 48: 155-167
Sung V, et al. Graft Use in Transvaginal Pelvic Organ Prolapse Repair - A Systematic Review. Amer Col Obstet Gynecol (2008) 112(5) 1131-1135.
Sung W. Graft Use in Transvaginal Pelvic Organ Prolapse Repair: A Systematic Review. Obstet Gynecol 2008;112:1131-42

Medical Literature

Surgical Mesh for Treatment of Women with Pelvic Organ Prolapse and Stress Urinary Incontinence: Exuctive Summary (2011)
Suskind. Effectiveness of Mesh Compared with Nonmesh Sling Surgery in Medicare Beneficiaries. (2013)
Svabik K, et al. Comparison of vaginal mesh repair with sacrospinous vaginal colpopexy in the management of vaginal vault prolapse after hysterectomy in patients with levator ani avulsion: a randomized controlled trial. Ultrasound Obstet Gynecol. 2014
Svenningsen R, et al. (Norwegian registry) [Pop 542, median 129 mo fu] Long-term follow-up of the retropubic tension-free vaginal tape procedure. Int Urogynecol J. 2013 Aug;24(8):1271-1278
Svenningsen R. [Pop 810, 10 yr fu] Risk Factors for Long-Term Failure of the Retropubic Tension-Free Vaginal Tape Procedure. Neurourology and Urodynamics (2013) 33:1140-1146
Sze E. A Retrospective Comparison of Abdominal Sacrocolpopexy with Burch Colposuspension versus Sacrospinous Fixation with Transvaginal Needle Suspension for the Management of Vaginal Vault Prolapse and Coexisting Stress Incontinence. Int Urogynecol J (1999) 10:390-393
Tahseen S, Reid P. Effect of transobturator tape on overactive bladder symptoms and urge urinary incontinence in women with mixed urinary incontinence. Obstet Gynecol. 2009 Mar;113(3):617-2
Tamussino K. Transobturator tapes for stress urinary incontinence: Results of the Austrian registry. Am J Obstet Gynecol 2007;197:634.e1-634.e5.
Tamussino K. TVT vs. TVT-O for primary stress incontinence: a randomized clinical trial. Int Urogynecol J 2008;19(Suppl I):S20-S21.
Tamussino KF, et al. Tension-free vaginal tape operation: Results of the Austrian Registry. Obstet Gynecol 2001; 98:732-736.
Tan PF, Yang LL, Ou RB, Tang P, Yang WJ, Huang JB, Wei W, Wei XH, Wang B, Xie KJ. Effectiveness and complication rates of tension-free vaginal tape, transobturator tape, and tension-free vaginal tape-obturator in the treatment of female stress urinary incontinence in a medium- to long-term follow up. Meta-analysis of randomized controlled trials. Saudi Med J (2014) 35:20-32
Tang, X. Short-Term Effect of TVT-Secure Procedure on Quality of Life and Sexual Function in Women with Stress Urinary Incontinence. Journal of Minimally Invasive Gynecology (2013) 20, 455-459
Tang. Outcome and sexual function after transobturator tape procedure versus tension-free vaginal tape Secur: a randomized controlled trial. Menopause, Vol. 21, No. 6 (2014).
Tardiu L, Martinez Franco E, Lailla Vicens JM. Contasure-Needleless® compared with transobturator-TVT for the treatment of stress urinary incontinence. Int Urogynecol J 2011 Jul;22(7):827-833.
Tartaglia. Third-Generation Tension-Free Tape for Female Stress Urinary Incontinence. The Journal of Urology, Vol. 182, 612-615, August 2009.
Tellez Martinez-Fornes M, Fernandez Perez C, Fouz Lopez C, Fernandez Lucas C, Borrego Hernando J. A three year follow-up of a prospective open randomized trial to compare tension-free vaginal tape with Burch colposuspension for treatment of female stress urinary incontinence. Actas Ural Esp 2009;33: 1088-1096.
Teo R, Moran P, Mayne C, Tincello D. Randomized trial of tension-free vaginal tape and tension-free vaginal tape-obturator for urodynamic stress incontinence in women. J Urol 2011;185:1350-1355.
Thompson P. Abdominal Sacrocolpopexy Utilizing Gorerex in Genital Prolapse. J Pelvic Med Surg 2004;10:311-317
Thubert T. [Pop 98, 1 yr fu] Bladder injury and success rates following retropubic mid-urethral sling: TVT EXACT™ vs. TVT™ European Journal of Obstetrics & Gynecology and Reproductive Biology 2016; 198: 78-83
Tijdkink, M. Surgical management of mesh-related complications after prior pelvic floor reconstructive surgery with mesh. Int Urogynecol J (2011)
Tincello DG, Kenyon S, Slack M, et al. Colposuspension or TVT with anterior repair for urinary incontinence and prolapse: results of and lessons from a pilot randomised patient-preference study (CARPET 1). BJOG 2009;116:1809-1814.

Medical Literature

Tincello. The TVT Worldwide Observational Registry for Long Term Data: Safety and Efficacy of Suburethral Sling Insertion Approaches for Stress Urinary Incontinence in Women; The Journal of Urology; Vol. 186, 2310-2315, December 2011
Tincello. The TVT Worldwide Observational Registry for Long-Term Data: Safety and Efficacy of Suburethral Sling Insertion Approaches for Stress Urinary Incontinence in Women. J Urology (2011) Vol. 186, 2310-2315
Toglia M. Suture erosion rates and long-term surgical outcomes in patients undergoing sacrospinous ligament suspension with braided polyester suture. AJOG:2008;49;600.e1-600.e4.
Tommaselli G. Comparison of TVT-O and TVT-Abbrevio for the surgical management of female stress urinary incontinence: a 12-months preliminary study. International Journal of Gynecology & Obstetrics 119S3 (2012) S261-S530
Tommaselli G. Efficacy and safety of TVT-O and TVT-Secur in the treatment of female stress urinary incontinence: 1-year follow-up. Int Urogynecol J 2010;21:1211-1217.
Tommaselli G. Efficacy of a modified technique for TVT-O positioning: a twelve-month, randomized, single-blind, multicenter, non-inferiority study. Eur J Obstet Gynecol (2012)
Tommaselli G. Tension-Free Vaginal Tape-O and -Secur for the Treatment of Stress Urinary Incontinence: A Thirty-Six-Month Follow-up Single-blind, Double-arm, randomized study. Journal of Minimally Invasive Gynecology (2013) 20, 198-204
Tommaselli G. TVT-Secur for the treatment of female stress urinary incontinence: a 24-month follow-up retrospective study. Arch Gynecol Obstet (2012) 286:415-421
Tommaselli GA, et al. Medium-term and long-term outcomes following placement of midurethral slings for stress urinary incontinence: a systematic review and metaanalysis. Int Urogynecol J (2015) DOI 10.1007/s00192-015-2645-5
Tommaselli. Tension-free vaginal tape-obturator and tension-free vaginal tape-Secur for the treatment of stress urinary incontinence. A 5-year follow-up randomized study. European Journal of Obstetrics & Gynecology and Reproductive Biology 185 (2015) 151-155.
Trabuco E. A randomized comparison of incontinence procedures performed concomitantly with abdominal sacral colpopexy: the burch versus mid-urethral sling trial. Int Urogynecol J (2014) 25 (Suppl 1):S1-S240.
Trabuco E. Medium-term Comparison of continence rates after rectus fascia or midurethral sling placement. Am J Obstet Gynecol 2009; 200:300.e1-300.e6
Trabuco E. Midurethral Slings for the Treatment of Stress Urinary Incontinence: Long Term Follow up. Obstetrics & Gynecology: American College of Obstetricians and Gynecologists, Vol. 123, No. 5 (Supplement), May 2014.
Tsai, Ching-Pei. Factors that affect early recurrence after prolapse repair by a nonanchored vaginal mesh procedure. Taiwanese Journal of Obstetrics & Gynecology 2014; 53; 337-342.
Tseng LH, Wang AC, Lin Y-H, Li S-J, Ko Y-J. Randomized comparison of the suprapubic arc sling procedure vs tension-free vaginal taping for stress incontinent women. Int Urogynecol J Pelvic Floor Dysfunct 2005;16:230-235.
Tunn R et al. Updated recommendations on ultrasonography in urogynecology. Int Urogynecol J (2005) 16:236-241
Turner, L. Comparison of complications and prolapse recurrence between laparoscopic and vaginal uterosacral ligament suspension for the treatment of vaginal prolapse. Int Urogynecol J 2015
Ubertazzi EP. [Pop 62, median 68 mos fu] IUGA Abs OP 122 - Trans vaginal mesh (TVM) five years follow up. A retrospective study from latem. Int Urogynecol J (2015) 26 (Suppl 1): S150-151
Ubertazzi, E. P. IUGA Abs OP 122 Trans vaginal mesh (TVM) five years follow up. A retrospective study from latem. Int Urogynecol J (2015) 26 (Suppl 1): S150-151
Ulmsten U, et al. [Pop 131, 1 yr fu] A Multicenter Study of Tension-Free Vaginal Tape (TVT) for Surgical Treatment of Stress Urinary Incontinence. Int Urogynecol J (1998) 9:210-213.

Medical Literature

Ulmsten U, et al. An ambulatory surgical procedure under local anesthesia for treatment of female urinary incontinence. <i>Int Urogynecol J</i> (1996) 7:81-86.
Ulmsten U, et al. Different biochemical composition of connective tissue in continent and stress incontinent women. <i>Acta Obstet Gynecol Scand</i> 66:455-457, 1987.
Ulmsten U, et al. Intravaginal Slingplasty (IVS) - an Ambulatory Surgical Procedure for Treatment of Female Urinary Incontinence. <i>Scand J Urol Nephrol</i> 29: 75-82, 1995.
Ulmsten U. A three-year follow up of tension free vaginal tape for surgical treatment of female stress urinary incontinence. <i>British Journal of Obstetrics and Gynecology</i> April 1999, Vol 106, pp. 345-350
Ulmsten U. An Introduction to Tension Free Vaginal Tape (TVT) - A New Surgical Procedure for Treatment of Female Urinary Incontinence. <i>Int Urogynecol J</i> (2001) (Suppl 2):S3-S4
Ulmsten U. Creating a gold standard surgical device: scientific discoveries leading to TVT and beyond. Ulf Ulmsten Memorial Lecture 2014. <i>Int Urogynecol</i> 2015; 26(6): 787-9
Ulmsten U. The basic understanding and clinical results of tension-free vaginal tape for stress urinary incontinence. <i>Urologe [A]</i> 2001 - 40:269-273.
Ulrich, D. The effect of vaginal pelvic organ prolapse surgery on sexual function. <i>Neurourology and Urodynamics</i> 2014
Unger CA, et al. [Pop 267] Indications and risk factors for midurethral sling revision. <i>Int Urogynecol J</i> . 2015; DOI:10.1007/s00192-015-2769-7.
Usher, F.C., et al. Polypropylene Monofilament: A New, Biologically Inert Suture for Closing Contaminated Wounds.
Ustun Y, Engin-Ustun Y, Gungor M, Tezcan S. Tension-free vaginal tape compared with laparoscopic Burch urethropexy. <i>J Am Assoc Gynecol Laparosc</i> 2003;10:386-389.
Vaginal Placement of Synthetic Mesh for Pelvic Organ Prolapse. ACOG Comm., Opinion 513, Dec 2011.
Vaiyapuri G. Retrospective study of transobturator polypropylene mesh kit for the management of pelvic organ prolapse, <i>Singapore Med J</i> . 2012 Oct;53(10):664-70
Valpas A, Kivela A, Penttinen J, Kujansuu E, Haarala M, Nilsson C-G. Tension-free vaginal tape and laparoscopic mesh colposuspension for stress urinary incontinence. <i>Obstet Gynecol</i> 2004;104:42-49.
Valentim-Louren A. Comparing the efficacy, execution and early complications of TVT and TVT-O. <i>Int Urogynecol J</i> 2008;19:S17-S18.
Valpas, Nilsson. [Pop 121, 5 yr fu] TVT versus laparoscopic mesh colposuspension; 5 year follow-up results of a randomized clinical trial; <i>Int Urogynecol J</i> DOI (2014) 10.1007/s00192-014-2454-2
Van Ba O. Obturator neuropathy: an adverse outcome of a trans-obturator vaginal mesh to repair pelvic organ prolapse. <i>Int Urogynecol J</i> (2014) 25: 145-146
Van der Ploeg, J. Vaginal prolapse repair with or without a midurethral sling in women with genital prolapse and occult stress urinary incontinence: a randomized trial. <i>Int Urogynecol J</i> 2016
Van Drie, Hinoul, Gauld, et al. [Pop 121, median 29 mo fu] AUGS Abs 27 - Medium-term clinical outcomes following surgical repair for vaginal prolapse with a tension-free mesh and vaginal support device. <i>Female Pelvic Medicine & Reconstructive Surgery</i> 2011, Vol 17; No. 5; Supplement 2; S63-S64.
Van Geelen J. Where to for pelvic organ prolapse treatment after the FDA pronouncements? <i>Int Urogynecol J</i> 2013; 24: 707-718.
van Raalte H. One-year anatomic and quality-of-life outcomes after the Prolift procedure for treatment of post hysterectomy prolapse. <i>Am J Obstet Gynecol</i> 2008;199:694.e1-694.e6
VanDenKerkhof EG, et al. "Chronic pain, healthcare utilization, and quality of life following gastrointestinal surgery," <i>Can J Anesth/J Can Anesth</i> (2012) 59:670-680.
Velemir, Amblard. Transvaginal mesh repair of anterior and posterior vaginal wall prolapse: a clinical and ultrasonographic study. <i>Ultrasound Obstet Gynecol</i> 2010; 35:474-480

Medical Literature

Vollebregt, A. Primary surgical repair of anterior vaginal prolapse: a randomized trial comparing anatomical and functional outcome between anterior colporrhaphy and trocar-guided transobturator anterior mesh. BJOG 2011; 118: 1518-1527
Vollebregt. Bacterial colonization of collagen-coated PP. (2009)
Wadie BS, Edwan A, Nabeeh AM. Autologous fascial sling vs polypropylene tape at short-term followup a prospective randomized study. J Urol 2005;174:990-993.
Wadie BS, Mansour A, El-Hefnawy AS, Nabeeh A, Khair AA. Minimum 2-year follow-up of mid-urethral slings, effect on quality of life, incontinence impact and sexual function. Int Urogynecol J 2010;21:1485-1490.
Wai, Sirs. Patient Satisfaction After Midurethral Sling Surgery for Stress Urinary Incontinence. Obstet Gynecol 2013;121:1009-1016
Walsh C. TVT-Secur mini-sling for stress urinary incontinence: a review of outcomes at 12 months. BJU International (2011) 108 , 652-657
Walter J. Transvaginal Mesh Procedures for Pelvic Organ Prolapse. J Obstet Gynaecol Can 2011;33(2):168-174
Walters. Which Sling for Which SUI Patient. (2012)
Waltregny D. Inside Out Transobturator Vaginal Tape for the Treatment of Female Stress Urinary Incontinence: Interim Results of a Prospective Study After a 1-Year Minimum Followup. J Urology Vol. 175, 2191-2195, June 2006
Waltregny D. New Surgical Technical for Treatment of Stress Urinary Incontinence TVT-Abbrevio: From Development to Clinical Experience. Surg Technol Int (2012)
Waltregny D. The TVT-obturator surgical procedure for the treatment of female SUI: a clinical update. (2008)
Wang AC, Chen M-C. Comparison of tension-free vaginal taping versus modified Burch colposuspension on urethral obstruction: a randomized controlled trial. Neurourol Urodyn 2003;22:185-190.
Wang F, Song Y, Huang H. Prospective randomized trial of TVT and TOT as primary treatment for female stress urinary incontinence with or without pelvic organ prolapse in Southeast China. Arch Gynecol Obstet 2010;281:279-286.
Wang Feng-Mei, et al. Prospective study of transobturator mesh kit (Prolift™) in pelvic reconstructive surgery with vaginal hysterectomy after 3 years' follow-up Arch Gynecol Obstet (2013) 288:355-359
Wang W, Zhu L, Lang J. Transobturator tape procedure versus tension-free vaginal tape for treatment of stress urinary incontinence. Int J Gynaecol Obstet 2009;104:113-116.
Wang, Wen-ying. Transvaginal Prosima mesh and high uterosacral ligament suspension in the treatment of severe pelvic organ prolapse. Chinese Journal of Obstetrics and Gynecology; 2012; 47; 7; 500-504.
Wang, Yi-jun. Comparison of three mid-urethral tension-free tapes (TVT, TVT-O, and TVT-Secur) in the treatment of female stress urinary incontinence: 1-year follow-up. Int Urogynecol J (2011) 22:1369-1374.
Ward K. Prospective multicenter randomised trial of tension-free vaginal tape and colposuspension as primary treatment for stress incontinence. BMJ (2002)325:67
Ward K. Tension-free vaginal tape versus colposuspension for primary urodynamic stress incontinence: 5-year follow up. BJOG 2008; 115: 226-233
Ward KL, Hilton P and Ireland TVT Trial Group. A prospective randomized trial of tension-free vaginal tape and colposuspension for primary urodynamic stress incontinence: two years follow-up.(2004) Am J Obstet and Gynecol;190(2):324-31
Ward KL, Hilton P; on behalf of the UK and Ireland TVT Trial Group. Tension-free vaginal tape versus colposuspension for primary urodynamic stress incontinence: 5-year follow up. BJOG 2008;115:226-233.
Ward, Hilton. [Pop 344, 5 yr fu IRELAND study] TVT vs colposuspension for primary urodynamic stress incontinence: 5 year follow up. Bjog 2008; 115:226-233
Warren J. Antecedent nonbladder syndromes in case control study of interstitial cystitis/painful bladder syndrome. (2009)

Medical Literature

Webb M. Posthysterectomy Vaginal Vault Prolapse_ Primary Repair in 693 Patients. Obstetrics & Gynecology (Vol. 92, No. 2, August 1998; 281-285
Weber A. Anterior colporrhaphy: A randomized trial of three surgical techniques. Am J Obstet Gynecol 2001; 185: 1299-1306.
Weber A. Pelvic Organ Prolapse. Obstet Gynecol 2005;106:615-634
Weber AM, et al. Sexual function and vaginal anatomy in women before and after surgery for pelvic organ prolapse and urinary incontinence. Am. J. Obstet. Gynecol. 2000; 182, 1610-1615.
Weber AM. Walters, M.D., Schover, L.R., Mitchinson, A. Vaginal Anatomy and Sexual Function, Obstet Gynecol. 1995 Dec;86(6):946-9
Weber. Which Sling for which SUI Patient? OBG Management (2012) 24:5, 28-40
Weiss J. Pelvic floor myofascial trigger points manual therapy for interstitial cystitis and the urgency-frequency syndrome. (2001)
Welk B. (Pop 60K) Removal or Revision of Vaginal Mesh used for the Treatment of Stress Urinary Incontinence. JAMA Surg (2015) Doi:10.1001/jamasurg.2015.2590
Whitehead W. Gastrointestinal Complications Following Abdominal Sacrocolpopexy for Advanced Pelvic Organ Prolapse. Am J Obstet Gynecol. 2007 July ; 197(1): 78.e1-78.e7
Whiteside J. Risk factors for prolapse recurrence after vaginal repair. Am J Obstet Gynecol; 2004:191:1533-1538.
Williams TH, TeLinde RW. The Sling Operation for Urinary Incontinence Using Mersilene Ribbon. Obstet Gynecol 1962; 19(2):241-245.
Withagen M, et al. Risk Factors for Exposure, Pain, and Dyspareunia after Tension-Free Vaginal Mesh Procedure. Obstet Gynecol (2011) 118: 629-36.
Withagen M. [ABS 475] Sexual functioning after tension free vaginal mesh procedure (Prolift®) for pelvic organ prolapse.
Withagen M. Trocar-Guided Mesh Compared with Conventional Vaginal Repair in Recurrent Prolapse, A Randomized Controlled Trial. Obstet Gynecol 2011;117:242-50
Wong V. Cystocele recurrence after anterior colporrhaphy with and without mesh use. Eur J Obstet Gynecol Reprod Biol 2014; 172: 131-135.
Wood LN and Anger JT. Urinary Incontinence in Women. BMJ:2014;349:g4531
Woods. Vaginal Sling for Stress Urinary Incontinence Under Local Anesthetic in the Office Setting. Journal of Pelvic Medicine & Surgery, Volume 14, Number 4, July/August 2008.
Wu J. Lifetime risk of stress urinary incontinence or pelvic organ prolapse surgery. Obstetrics & Gynecology, Vol. 123, 1201-1206, No.6, June 2014.
Wu JY, He HC, Chen SW, et al. Surgical therapies of female stress urinary incontinence: experience in 228 cases. Int Urogynecol J. 2010 Jun;21(6):645-649.
Yazdany T. Suture complications in a teaching institution among patients undergoing uterosacral ligament suspension with permanent braided suture. Int Urogynecol J (2010) 21:813-818
Yesil A. Mesh implantation for pelvic organ prolapse improves quality of life. Arch Gynecol Obstet 2014; 289: 817-821.
Yonguc, T. Double-sling procedure for the surgical management of stress urinary incontinence with concomitant anterior vaginal wall prolapse. Int Urol Nephrol 2015
Young, Rosenblatt, et al. The Mersilene mesh suburethral sling: a clinical and urodynamic evaluation. AJOG 1995; 173:1719-1726.
Zhang Y, Jiang M, Tong X-W, Fan B-Z, Li H-F, Chen X-L. The comparison of an inexpensive-modified transobturator vaginal tape versus TVT-O procedure for the surgical treatment of female stress urinary incontinence. Taiwan J Obstet Gynecol 2011;50:318-321.

Medical Literature

Zhang, L. Tension-free polypropylene mesh-related surgical repair for pelvic organ prolapse has a good anatomic success rate but a high risk of complications. Chinese Medical Journal 128;3: 295-300, 2015
Zhong C. Comparison of three kinds of mid-urethral slings for surgical treatment of female stress urinary incontinence. Urologia 2010;77:37-42.
Zhu L, Lang J, Hai N, Wong F. Comparing vaginal tape and transobturator tape for the treatment of mild and moderate stress incontinence. Int J Gynaecol Obstet 2007;99:14-17.
Zullo MA, Plotti F, Calcagno M, et al. One-year follow-up of tension-free vaginal tape (TVT) and Transobturator suburethral tape from inside to outside (TVT-O) for surgical treatment of female stress urinary incontinence: a prospective randomised trial. Eur Urol 2007;51:1376-1382; discussion 1383-1384.
Zyczynski H. [Pop 597, 2 yr fu] Sexual activity and function in women more than 2 years after midurethral sling placement. Am J Obstet Gynecol 2012;207:421.e1-6.
Zyczynski HM, et al. (Proxima Study investigators) One-year clinical outcomes after prolapse surgery with nonanchored mesh and vaginal support device - Proxima. AJOG 2010; 203:587.e1-8
Zyczynski HM, et al. [AUA Abs 1354] A new operation for vaginal prolapse repair using mesh and a vaginal support device: 1 year anatomic and functional results of an international multicenter study. Journal of Urology, Vol. 181, No. 4, Suppl, April 2009.

Production Materials

Document Description [Bates Range]
(Milani) Ethicon 3 Year Study Prolift+M
08/25/2011 Correspondence from Public Citizen to Margaret A. Hamburg, M.D., Jeffrey E. Shuren, M.D., and Division of Dockets Management
2006 (Rezapour) A 3-Month preclinical trial to assess the performance of a new TVT-like mesh (TVT _x) in a sheep model
2006 Mar 3 Flatow memo - CPC-2006-0165 Performance evaluation of TVT PROLENE blue Mesh_ Elongation Properties of Mechanical Cut verses Laser Cut
2011 Native Pelvic Organ Prolapse Patient Counseling Guide
2015.01.30 Blankenship forwarding Margolis (IME) Documentation
24 Hour Summary of the Gastroenterology and Urology Devices Panel of the Medical Devices Advisory Committee Meeting [02.26.2016].
A Solution-Gynecare TVT Tension-Free Support for Incontinence.
Application FEMA for TVT Secur
August 10, 2007 Email from Jiyoung Dang to Lisa Bryan regarding K071512 S01
Australian Pelvic Floor Discussion
Barber, M.D., et al. "Defining Success After Surgery for Pelvic Organ Prolapse." Obstet Gynecol (2009) 114:600-609.
Benefit Risk Profile of Transvaginal Mesh Products Used for the Treatment of Pelvic Organ Prolapse signed by Piet Hinoul dated 6/21/2012
Boukerrou, M., et al. "Tissue resistance of the tension-free procedure: What about healing?" Int Urogynecol J (2008) 19:397-400.
Brigitte Fatton Powerpoint Presentation entitled "Complications in Pelvic Floor Dysfunction Surgery: evaluation and management.
Classification Website Intro "An International Urogynecological Association (IUGA)/Internation Continence Society (ICS) Joint Terminology and Classification of the Complications Related Directly to the Insertionm of Prostheses (Meshes, Implants, Tapes) & Grafts in Female Pelvic Floor Surgery."
Clinical Evaluation Report - Gynecare Prolift signed by P. Hinoul on 04.26.2013
Correspondence between Morgan Liscinsky of FDA & Bloomberg re: Johnson & Johnson Vaginal Mesh Implant.
Dear Surgeon Letter from Piet Hinoul and Aaron Kirkemo.
Dear Surgeon Letter, from Hinoul/ Henderson, re: Ethicon Gynecare U.S. Commercialization Decision, Customer Letter, 5/15/2012
Declaration of Reynaldo Librojo in Support of Motion for Summary
DEPO.ETH.MESH.00004755 - Guidoin Explant
Document entitled "Delay in Prosima Activities"
Document entitled "Pelvic Floor Repair. Extended Review of Medical Literature."
DX23600-R.1-3 - Prolene Resin Manufacturing Specifications 1.23.03
Email from Seppa re: Performance Evaluation of TVT Secur PROLENE Mesh: Mechanical vs. Laser Cut. Study (LIMS #BE-2004-1920)
Email from Seppa re: Performance Evaluation of TVT U PROLENE Mesh: Mechanical vs. Laser Cut. Study (LIMS #BE-2004-1920) Version 2
Email string re - Revised write up of the DeLeval and Waltregny visit
Email string re: Ultrapro vs Prolene Soft Mesh
Email string, top one from Gary Pruden to David Robinson, et al. re: article entitled :Vaginal repair with mesh no better than colporrhapy for pelvic organ prolapse.

Production Materials

EQHU Brand Equity Study, Final Report, 01/2010
ETH.MESH.00082651-54
ETH.MESH.07903682-83
ETH.MESH.09268043-45
ETH.10285 - Prolift IFU (2005)
ETH.10977 - Prolift IFU (2009)
ETH.MESH.00000173 - 8/25/11 Registration list for 8/25/11 call
ETH.MESH.00001595-1606 - Reisenauer, C. Anatomical conditions for pelvic floor reconstruction with polypropylene implant and its application for the treatment of vaginal prolapse. European Journal of Obstetrics & Gynecology and Reproductive Biology 2006
ETH.MESH.00003895 - Continence Health and Pelvic Floor Advisory Board Opening Comments for Renee
ETH.MESH.00012009-089 - Clinical Study Report: Clinical assessment of feasibility, complications and effectiveness at twelve months, three years and five years of the TVM technique for genital prolapse.
ETH.MESH.00016032-039 - Kohli, N. Augmenting pelvic floor repairs. 2006 Supplement to OBG Management
ETH.MESH.00017362-368 - Elmer C, et al. Histological inflammatory response to transvaginal polypropylene mesh for pelvic reconstructive surgery, J Urol (2009), 181 (3), 1189-95.
ETH.MESH.00017553-560 - Tunuguntla, H. Female Sexual Dysfunction Following Vaginal Surgery: A Review. Journal of Urology 2006; 175: 439-446
ETH.MESH.00018382 - Powerpoint GYNECARE GYNEMESH* PS Nonabsorbable PROLENE* Soft Mesh in the Treatment of Pelvic Organ Prolapse
ETH.MESH.00018382 - Powerpoint GYNECARE GYNEMESH* PS Nonabsorbable PROLENE* Soft Mesh in Treatment of POP
ETH.MESH.00018382 - Powerpoint: Gynecare Gynemesh PS Nonabsorbable Prolene Soft Mesh in the Treatment of Pelvic Organ Prolapse
ETH.MESH.00019117 to ETH.MESH.00019121 Letter from Scott H. Jones to Price St. Hilaire re: Prosima US Launch Plan; cc: Renee Selman, et al.
ETH.MESH.00031323 - February 8, 2005 Memo to Customer from Sean M. O'Bryan regarding Gynecare Prolift* Pelvic Floor Repair System
ETH.MESH.00031324-25 - Letter to Gregory Jones from Celia M. Witten with FDA dated 1.8.02 regarding K013718 Trade name Gynemesh Prolene Soft Nonabsorbable Synthetic Surgical Mesh for Pelvic Floor Repair
ETH.MESH.00033400 - Patient Brochure: One Day You Have Prolapse, the Next Day You Don't
ETH.MESH.00034061-069 - Gynecare TVT SECUR* System: Key Technical Points
ETH.MESH.00064002 to ETH.MESH.00064004 Email string, top one from Judith Gauld to Scott Jones re: US preceptors for Prosima.
ETH.MESH.00064054 to ETH.MESH.00064054 Gynecare Prosima™ Pelvic Floor Repair System - Global Launch Strategy
ETH.MESH.00064138 to ETH.MESH.00064139 Document entitled "PROSIMA Critical Success Factors."
ETH.MESH.00066817 - Draft for Review 10/15/08, Letter from Ethicon Medical Affairs (To be used to respond to Physician Inquiries about FDA notification)
ETH.MESH.00071755 to ETH.MESH.00071755 Prosima - Apical Support Learning Guide
ETH.MESH.00071794 - Email re: TVT IFUs on tape extrusion, exposure and erosion
ETH.MESH.00076167 to ETH.MESH.00076167 Letter from Bryan Lisa to Dan Smith re: Prosima Product Release Authorization; cc: Stephanie Kute, Jennifer Paine.

Production Materials

ETH.MESH.00076710 to ETH.MESH.00076790 Clinical Study Report. Evaluation of Prosima for Pelvic Organ Prolapse. Protocol Number: 300-06-005. "A Prospective, Multi-centre Study to Evaluate the Clinical Performance of Gynecare Prosima Pelvic Floor Repair System as a Procedure for Pelvic Organ Prolapse."
ETH.MESH.00077073-093
ETH.MESH.00077094-111
ETH.MESH.00077395
ETH.MESH.00078114 to ETH.MESH.00078115 Memo to Prosima Regulatory File. Minutes from Teleconference with FDA for Prosima 510(k).
ETH.MESH.00082651 to ETH.MESH.00082654 Email string, top one from Marcus Carey to J. Meek, D. Robinson, P. Hinoul, et al. re: Technical feedback on Prosima.
ETH.MESH.00083812-14
ETH.MESH.00086463 to ETH.MESH.00086465 E-mail from Piet Hinoul to Zeb Viana, et al. regarding TR: PROSIMA TAKE AWAY MESSAGES; cc: Bart Pattyson, et al.
ETH.MESH.00108120 to ETH.MESH.00108121 Email string, top one from Douglas Grier to Lissette Caro-Rosado, et al. re: Pelvic Floor Advisory Board; cc: Bart Pattyson.
ETH.MESH.0011879; ETH.MESH.00093830 - Ethicon Women's Health & Urology — Clinical Compendium — Sales Rep Positioning
ETH.MESH.00125373 to ETH.MESH.00125373 Email string, top one from Tom Eagan to Erin Haggerty re: Dr. Sepulveda.
ETH.MESH.00126755-757 - Email string, top one from M. Yale to J. Paine, et al. re: Draft FDA response on Prolift+M for input
ETH.MESH.00127103 to ETH.MESH.00127103 Email from Greg prine to Scott Jones, Jonathan Meek re: Prosima Road Show; cc: Lesley Fronio and Kevin Mahar.
ETH.MESH.00127125-26 - Email From Lewis to Mahar, et al. re: How did Dr. Grier's Prosima cases go?
ETH.MESH.00129102 Suggested Remarks - Incontinence and Pelvic Floor Summit What a Difference a Decade Makes
ETH.MESH.00131149 to ETH.MESH.00131151 Email string, top one from Stephanie Grupe to Kevin Mahar re: Prosima Global Launch Team.
ETH.MESH.00144449 - Letter from David Robinson re: decision to delay preceptor training activities for Prosima (not signed).
ETH.MESH.00147507-509 - Approved September 16, 2008 - Marketing Services
ETH.MESH.00159266-369 - Gynemesh PS, Prolene Soft Mesh in the treatment of POP - Pelvic Floor Surgery and Anatomic Dissection Lab
ETH.MESH.00163952-960 - Gynecare TVT SECUR* System: Key Technical Points
ETH.MESH.00167104 -10 - 2006 Apr 19 - Laser Cut Mesh for Gynecare TVT- CER Laser Cut Mesh
ETH.MESH.00220335-36 - 12.2.1999 Memo re: Biocompatibility Risk Assessment for Soft Prolene Mesh.
ETH.MESH.00262015-016 - Dan Smith Email Plaintiffs Exhibit 2067
ETH.MESH.00271215-216 - Email from J. Meek to multiple recipients e: Pre-Reading for Prolift+M: Internal Use Only. Not Copy Reviewed or For Distribution
ETH.MESH.00273967 - Email from Clifford Volpe to Scott Jones re: slides for Pelvic Floor Summit.; Powerpoint: R&D Perspective - The Journey from Prolift to Prolift +M.
ETH.MESH.00281482-84
ETH.MESH.00291934-00291935 - Draft for Review 10/15/08, Letter from Ethicon Medical Affairs (To be used to respond to Physician Inquiries about FDA notification)

Production Materials

ETH.MESH.00303310 to ETH.MESH.00303313 Memo from Dan Lamont to Gynecare Prosima Risk Management Report (RMR-0000029) re: Pelvic Floor Product(s) Complaint Review for Gyneacre Prosima Risk Management.
ETH.MESH.00308094 - Gynecare TVT SECUR* System Tension-free Support for Incontinence
ETH.MESH.00310205 to ETH.MESH.00310205 Product Quality Issue re: Prosima signed by Mark Yale.
ETH.MESH.00310206 to ETH.MESH.00310206 Letter from David Robinson re: decision to delay preceptor training activities for Prosima (not signed).
ETH.MESH.00316849-ETH.MESH.00316850
ETH.MESH.00318316-317 - Email from Aran Maree to Christiana Bielinski January 10, 2008 RE: FW: TVT Secur Slide Set (Commerical-inconfidence)SEC=UNCLASSIFIED]
ETH.MESH.00318930 to ETH.MESH.00318930 (Draft) Letter from David Robinson re: delay in preceptor training activities for Prosima.
ETH.MESH.00318934 to ETH.MESH.00318934 Document entitled " Delay in Prosima Activities."
ETH.MESH.00327060-063 - Email from David Robinson to Catherine Beath November 12, 2007 RE: Australia update and telephone call with Prof Frazer
ETH.MESH.00329001-002 - Agenda & Minutes; TVT-Secur PQI07-041 Quality Board November 16, 2007
ETH.MESH.00330962-964 - Email from Christiana Bielinski to Aran Maree February 26, 2008 RE: FW: Communication to Surgeons Regarding the Gynecare TVT Secure System No Protective Marking - SEC=UNCLASSIFIED]
ETH.MESH.00335084 to ETH.MESH.00335085 Email from Daniel Lamont to Sungyoon Rha, et al. re: Mint Functional Strategies.
ETH.MESH.00349226-237 - May 26, 2000 Ethicon Memo to P. Cecchini RE: Review of Biocompatibility Data on the Tension Free Vaginal Tape (TVT) System for Compliance to FDA G-95/ ISO 10993/ EN 30993
ETH.MESH.00349228 - Cytotoxicity Risk Assessment for the TVT (Ulmsten) Device
ETH.MESH.00365412-414 - June 14, 2007 Memo RE: ADDENDUM: Post - Launch Complaint Review for the PROLIFT* Pelvic Floor Repair System
ETH.MESH.00365960 - Gynecare TVT Secur System Procedural Pearls & Frequently Asked Questions
ETH.MESH.00369995 - Treatment of Stress Urinary Incontinence with the GYNECARE TVT* Family of Products
ETH.MESH.00369999 - Treatment of Stress Urinary Incontinence with GYNECARE TVT SECUR* System
ETH.MESH.00370315 - Prosima Training Deck 1
ETH.MESH.00370392 - GYNECARE TVT SECUR* System Early Surgical Experience
ETH.MESH.00370421 - Clinical Considerations of the FDA Public Health Notification on the Use of Surgical Mesh in Female SUI and Gynecare TVT Obturator
ETH.MESH.00372664-671 - Letter from B. Lisa to J. Dang re: K071512 S04. (02.21.2008)
ETH.MESH.00373310 - Gynecare TVT Tension-Free Support for Incontinence: General Profession Education Deck.
ETH.MESH.00393045-46 - TVT-O Procedural Steps
ETH.MESH.00395374-380 - Scientific Advisory Panel on Pelvic Floor Repair Preliminary Minutes Chicago, IL June 22, 2001
ETH.MESH.00403003-017 - Cadaver Protocol/Competition Report
ETH.MESH.00405513-14
ETH.MESH.00409158 - Letter from David Robinson re: decision to delay preceptor training activities for Prosima (signed).

Production Materials

ETH.MESH.00418855 to ETH.MESH.00418856 Email string, top one from Andrew Meek to Jonathan Fernandez, et al. re: Prosima Preceptor Recommendation Form; cc: Kevin Frost, et al.
ETH.MESH.00424374 to ETH.MESH.00424375 Email string, top one from Jonathan Fernandez to Rhonda Peebles re: remaining 2010 labs; cc: Robert Zipfel.
ETH.MESH.00426441 to ETH.MESH.00426441 Email from Kevin Frost to Robert Zipfel, et al. re: Prosima 2-year slide deck; cc: Paul Parisi.
ETH.MESH.00442129 - PowerPoint Mechanical vs. "Machine"-cut Mesh, January 19, 2005 Prepared by: Allison London Brown & Gene Kammere
ETH.MESH.00455676 to ETH.MESH.00455677 Email from Allison London Brown to Ophelie Berthier, et al. re: Prosima Jan 2007 update; cc: Bob Roda, et al.
ETH.MESH.00461576 - 10.23.2006 letter to EWHU field sales force
ETH.MESH.00467320 to ETH.MESH.00467320 Email string, top one from Andrew Meek to Bart Pattysen, Paul Parisi re: November Lab.
ETH.MESH.00495796 to ETH.MESH.00495798 Email string, top one from Jennifer Paradise to Melissa Doyle, et al. re: Prof Ed through Tele-Mentoring; cc: Paul Parisi, et al.
ETH.MESH.00510562 to ETH.MESH.00510563 Email string, top one from Kevin Frost to DL-ETHUSSO EWHU DMs, et al. re: 1st Prosima Virtual Round Table Tomorrow; cc: Matt Henderson, et al.
ETH.MESH.00516424-427
ETH.MESH.00523617-618 - Summary of Gynecare TVT Secur* System Critical Steps
ETH.MESH.00523942 - Waltregny 2005 ICS Presentation
ETH.MESH.00523942 - Waltregny TVT-O Summit
ETH.MESH.00526473-74 - Allison Brown Email re-Laser-cut Mesh
ETH.MESH.00527118-121 - Email from Joy Hovespian to Dharini Amin August 28, 2007 RE: FW: Dr. Sepulveda's notes summary/PLEASE DO NOT DISTRIBUTE. JUST FOR INTERNAL REVIEW
ETH.MESH.00541187-190 - Email from Carolyn Brennan to Joseph Scavona September 11, 2009 RE: TVT Secur Inserter Heads Up
ETH.MESH.00541379-80 - Mesh Fraying for TVT Devices
ETH.MESH.00541708 to ETH.MESH.00541709 Document entitled "Notes from Competitive Ad Board."
ETH.MESH.00541873 to ETH.MESH.00541873 Chart listing Proposed Lab Scheduling for August 4th.
ETH.MESH.00541876 to ETH.MESH.00541878 Email string, top one from Bart Pattysen to David Robinson, et al. re: ICS/IUGA Cadaver Lab - Monday Aug 23.
ETH.MESH.00542347 to ETH.MESH.00542348 Calendar appointment re: Prosima and Advanced Prolift Preceptorship with Dr. Sepulveda and Drs. Antar, Jones and Schlafstein.; created by Robert Zipfel.
ETH.MESH.00542463 to ETH.MESH.00542463 Powerpoint: Gynecare Prosima™ Pelvic Floor Repair System: 2-Year Clinical Data
ETH.MESH.00547021 to ETH.MESH.00547021 Ethicon Women's Health & Urology "Welcome Letter" to the EWH&U Pelvic Floor Repair Advisory Board Meeting.
ETH.MESH.00547036 to ETH.MESH.00547037 Email string, top one from Bart Pattysen to Jaime Sepulveda, et al re: Prosima (&Elevate) Advisory Board - Jan 8th - Baltimore; cc: Piet Hinoul, et al.
ETH.MESH.00547500-501 - Email re: 69% Success
ETH.MESH.00572598 - TVT Secur: European Feedback Axel Arnaud M.D.
ETH.MESH.00573815 to ETH.MESH.00573815 Powerpoint: Two Year Clinical Outcomes after Prolapse Surgery with Non-Anchored Mesh & Vaginal Support Device (Gynecare Prosima* Pelvic Floor Repair System) June 2010.

Jaime Seplulveda Materials List

Production Materials

ETH.MESH.00573860 to ETH.MESH.00573878 (Draft) Sayer, T., et al. "Medium-term Clinical Outcomes Following Surgical Repair for Vaginal Prolapse with Tension-free Mesh and Vaginal Support Device."
ETH.MESH.00575257 - Abbrevio laser cut vs. mechanically cut - notes from meeting with de leval - inappropriate
ETH.MESH.00575270-273 - Jean de Leval Email Re: DSCN3332.JPG May 30, 2009
ETH.MESH.00575580 to ETH.MESH.00575581 Email string, top one from Jonathan Meek to Piet Hinoul, Colin Urquhart and Judi Gauld re: Prosima anterior compartment result.
ETH.MESH.00575634 to ETH.MESH.00575635 ICS 2009 Abstract Form. "Surgery for Pelvic Organ Prolapse Using Mesh Implants and a Vaginal Support Device: Analysis of Anatomic, Functional and Performance Outcomes from an International, Multicentre Study."
ETH.MESH.00576725-726 - MAUDE Review; Overall TVT Powerpoint
ETH.MESH.00578081 to ETH.MESH.00578083 Email string, top one from Piet Hinoul to Paan Hermansson re: Prosima Post launch communication.
ETH.MESH.00578550 to ETH.MESH.00578550 (Draft) Sayer, T., et al. "Two Year Clinical Outcomes after Prolapse Surgery with Non-Anchored Mesh and Vaginal Support Device."
ETH.MESH.00579296 to ETH.MESH.00579296 Powerpoint: Anatomic and Functional Outcomes of 2 Pelvic Floor Repair Systems Studied in Moderate and Severe Prolapse Patients.
ETH.MESH.00580588-89 - Email string dated 3/25/2010, top one from Piet Hinoul to Paan Hermansson re: key message for Prosima launch
ETH.MESH.00580711-13 - Email re: Piet explains PS in Prosima
ETH.MESH.00584811-13 - Email string re-Ultrasonic Slitting of Prolene Mesh for TVT
ETH.MESH.00584846-847 - (05.10.2004) Email string, top one from Gene Kammerer to Mora Melican, et al. re: Mesh for TVM.
ETH.MESH.00590896-897 - Piet Hinoul Email 3.11.09
ETH.MESH.00591563-65 - Email re: Smelly VSDs
ETH.MESH.00592224 to ETH.MESH.00592229 E-mail chain from Jonathan Meek to otehrs in regards to Technical Feedback on Prosima
ETH.MESH.00592585-87 - Email re: No RCT for Prosima
ETH.MESH.00594266 - Email re: Overstating Success - Less Misleading
ETH.MESH.00594455 - Email re: Stop communicating over email
ETH.MESH.00594528 Email from Aaron Kirkemo to Piet Hinoul, David Robinson and Judi Gauld re: Prosima commercial claims of 92.3% above the hymen.
ETH.MESH.00595468 to ETH.MESH.00595470 Goldman, H., FitzGerald, M. "Opposing Views: Transvaginal Mesh for Cystocele Repair," J Urol (2010) 183:430-432.
ETH.MESH.00595889 to ETH.MESH.00595890 Email string, top one from Kevin Frost to Aaron Kirkemo re: Prosima presentation; cc: Tom Affeld.
ETH.MESH.00596558-560 - Email from Dan Smith to Aaron Kirkemo RE: FW: Scion PA commercial recommendation
ETH.MESH.00604183 to ETH.MESH.00604186 Email string, top one from Piet Hinoul to Judi Gauld and Colin Urquhart re: PISQ, and score when unable to have sex.
ETH.MESH.00631782 to ETH.MESH.00631784 FDA Letter re: K063562 Gynecare Prosima
ETH.MESH.00658177-198 - Surgeons Resource Monograph
ETH.MESH.00662233 - Email from Scott Jones to DL-Ethusso dated 12/15/2009 re: PAGS Leads
ETH.MESH.00679637 to ETH.MESH.00679640 Email string, top one from Zenobia Walji to Ron Naughton, et al. re: Prolene Soft Mesh '05 proposed pricing; cc: Kevin Maher, et al.
ETH.MESH.00687819-22 - Email string re-Laser cut mesh

Jaime Sepulveda Materials List

Production Materials

ETH.MESH.00746179-180 - Email from Harel Gadot to Evridiki Kakoliri September 14, 2006 RE: TVT SECUR Launch activities
ETH.MESH.00746181-182 - Hold for Release Until 9/05/06, 8 a.m. EST Ethicon Introduces New Device to Treat Stress Incontinence
ETH.MESH.00759327 to ETH.MESH.00759335 Document entitled "Experience what's new in incontinence and pelvic floor repair." 2010 ICS IUGA Executive Agenda
ETH.MESH.00800521 to ETH.MESH.00800522 Email string, top one from Kenneth Pagel to Melissa Doyle re: presentation access.
ETH.MESH.00806974 to ETH.MESH.00806975 Email from Lissette Caro-Rosado to Jaime Sepulveda, et al. re: Pelvic Floor Advisory Board; cc: Bart Pattyson, et al.
ETH.MESH.00807570 to ETH.MESH.00807570 Revised Chart listing Proposed Lab Schedule
ETH.MESH.00807772 to ETH.MESH.00807774 Email String, top one from Bart Pattyson to Hugo Ye re: ICS-IUGA - Cadaver Lab & Ask the Expert Update; cc: Ping Li, et al.
ETH.MESH.00807972 to ETH.MESH.00807973 Email string, top one from Bart Pattyson to Tommaso Santini, et al. re: US Surgeon; cc: Tom Affeld.
ETH.MESH.00808121 to ETH.MESH.00808122 Email from bart Pattyson to Jaime Sepulveda et al. re: Prosima (&Elevate) Advisory Board - Jan 8th - Baltimore; cc: Piet Hinoul.
ETH.MESH.00817181 - Email dated 1/22/2010 from Scott Jones to Kevin Frost and Tom Affeld re: Summit Agenda/Moderator; cc: Matt Henderson, et al.
ETH.MESH.00820634 to ETH.MESH.00820634 Invitation to participate in Gynecare Prosima Virtual Round Table
ETH.MESH.00823549 - Application FMEA for TVT Secur
ETH.MESH.00833948 to ETH.MESH.00833949 Email from David Robinson to Jessica Shen re: Prosima Study.
ETH.MESH.00834910 to ETH.MESH.00834911 Email string , top one from David Robinson to Price St. Hilaire, et al. re: Prosima Strategic Council; cc: Kevin Mahar.
ETH.MESH.00839918-19 - Email from David Robinson September 20, 2006 RE: TVTS Complaint up to 20 September 06.ppt
ETH.MESH.00840886 to ETH.MESH.00840887 Calendar appointment re: Updated: TVT Secur Preceptor Roundtable Forum; created by Dharini Amin.
ETH.MESH.00843043 Email from David Robinson to Jacqutin Bernard, Judith Gauld and Jonathan Meek re: cancellation of scheduled Prosima training.
ETH.MESH.00845669-670 - Ethicon Memo December 4, 2007 RE: PQI-07-043 TVT Secur release mechanism
ETH.MESH.00849014-ETH.MESH.00849017
ETH.MESH.00850335 to ETH.MESH.00850336 Email string, top one from David Robinson to Stephanie Kute, Patrice Napoda re: Prosima FDA Review and IFU; cc: Price St. Hilaire, Dan Smith.
ETH.MESH.00851319-21 - E-mail string dated 1/21/2010, top one from Piet Hinoul to Clifford Volpe and David Robinson re: dimensions of the PROSIMA implant
ETH.MESH.00851319-321 - Email string, top one from P. Hinoul to C. Volpe, et al. re: Prosima implant dimensions.
ETH.MESH.00856579-82 - E-mail string dated 11/3/2010 re: neo clinical trial. Piet Hinoul: "Each individual study does not contribute to the success of those products
ETH.MESH.00857821 - Top Ten Reason to pursue Gynecare TVT Obturator System
ETH.MESH.00858080-081 - Perry Trial - Plaintiff's Exhibit 2313
ETH.MESH.00858096-97 - Gynecare R&D Monthly Update - May
ETH.MESH.00858175-176 - Mulberry Weekly Meeting MINUTES for 6.3.03

Production Materials

ETH.MESH.00858252-53 - 2004 Memo from London Brown to Dan Smith re Mechanical Cut vs. Laser Cut Mesh Rationale
ETH.MESH.00863391 - T-366 - Dan Smith email - particle loss
ETH.MESH.00870466 - Ethicon Expert Meeting-Meshes for Pelvic floor
ETH.MESH.00870466-476 - (06.02.2006) Ethicon Expert Meeting: Meshes for Pelvic Floor Repair.
ETH.MESH.00872132-136 - Email from Dan Smith to Mark Yale September 15, 2006 RE: Potential quality issue on TVT-S
ETH.MESH.00873965-966 - Email from Mark Yale to Gary Borkes December 18, 2009 RE: FW: TVT-S Complaint Review
ETH.MESH.00874280 - Email from Mark Yale to Laurent Soulier September 21, 2006 RE: Potential quality issue on TVT-S
ETH.MESH.00874445 - TVT-SECUR Quality Board
ETH.MESH.00895089 to ETH.MESH.00895091 Email string, top one from Kevin Frost to Vincenza Zaddem re: Prosima in R&D Study.
ETH.MESH.00921692 to ETH.MESH.00921694 Email string, top one from Tom Affeld to Scott Jones, et al. re: NEO #2, 3, 4 Lab Nominations; cc: Vincenza Zaddem.
ETH.MESH.00922443-446 - Email string, top one from P. St. Hilaire to B. Lisa, et al. re: Bidirectional elasticity statement
ETH.MESH.00925065 to ETH.MESH.00925067 Email string, top one from Joshua Samon to Vincenza Zaddem re: Mint Value Proposition; cc: Duan Broughton.
ETH.MESH.00993273 - 2006 TVT-O Anatomic Considerations Clinical Update Special Considerations Complications Summit Presentation by Raders and Lucente
ETH.MESH.00993273 - TVT Obturator Anatomic Considerations Clinical Update: Special Considerations, Complications.
ETH.MESH.00997751 - Clinical Expert Report for Gynecare TVT SECUR System
ETH.MESH.01037447-455 - Charlotte D. Owens Clinical Report on TVT-S
ETH.MESH.01059148-152 - Gynecare TVT-Secur 2007 Product Complaints Involving Serious Injury
ETH.MESH.01075187-215 - July 2, 2010 Clinical Expert Report - Gynecare Prolift* Pelvic Floor Repair System
ETH.MESH.01128679-698 - Brochure - Procedural Steps Gynecare TVT SECUR™ System - The Support is Here
ETH.MESH.01130568 - Ethicon, Inc. Worldwide Complaint-Reporting Statement Gynecare TVT Secur™ System
ETH.MESH.01136239-40 Email string, top one from Lissette Caro-Rosado to Ad Board Members re: EWH&U Pelvic Floor Repair Ad Board 1-8-11; cc: Tom Affeld, et al.
ETH.MESH.01154031-37 - Clinical Expert Report - Gynemesh Prolene Soft
ETH.MESH.01189392-395 - Summary of sheep and human cadaver labs for development of the GYNECARE TVT SECUR* System
ETH.MESH.01189423-439 - Martin Weisberg; Dave Robinson Clinical Report on TVT-S 2.28.06
ETH.MESH.01193925-930; ETH.MESH.0100644-645 - TVT-Secur: "Hammock" position; Minutes regarding events with Dr. Folke Flarn and training
ETH.MESH.01198058 to ETH.MESH.01198058 (Draft) Zyczynski, H., et al. "One year clinical outcomes after prolapse surgery with non-anchored mesh and vaginal support device."
ETH.MESH.01200286 to ETH.MESH.01200286 Powerpoint: Gynecare Prosima : Overview.
ETH.MESH.01201973 to ETH.MESH.01201973 Propsed Lab Schedule (2nd Revision)
ETH.MESH.01202189 - Stale Kvitle Email regarding Mini Me follow up from our visit May 20, 2009
ETH.MESH.01202190-191 - David Waltregny Email Re: Mini Me follow up from our visit May 21, 2009

Production Materials

ETH.MESH.01203957-97 - The future of surgical meshes-the industry's perspective
ETH.MESH.01219542-48 - Review of Surgeon Responses of VOC Questionnaire
ETH.MESH.01220135-45 - Email string re-New Standards for Urethral Slings
ETH.MESH.01228079-84 - Nilsson Podcast Transcript
ETH.MESH.01237077-79 - Email dated 9/3/2009 from Piet Hinoul to David Robinson, et al. re: Prosima Take Away Messages; cc: Peter Meier
ETH.MESH.01237077-79 - Email re: Piet explaining why no Ultrapro in Prosima
ETH.MESH.01238454-56 - Email string re-TVTO length
ETH.MESH.01244824 to ETH.MESH.01244826 Email string, top one from Aaron Kirkemo to Cyrus Guidry re: response letter to editor, Lewis Wall.
ETH.MESH.01261962 - Anatomic Considerations For the TVT-Obturator Approach for the Correction of Female Stress Urinary Incontinence
ETH.MESH.01264260 - Prolift +M Piet Hinoul Pelvic Floor Meeting Nderland Utrecht, May 7, 2009
ETH.MESH.01274741-743 - Use of UltraPro Mesh for Pelvic Organ Prolapse (POP) Repair through a Vaginal Approach.
ETH.MESH.01279975-976 - Harel Gadot Email re Next step in SUI sling
ETH.MESH.01317508-613 - TVT Factbook DHF - Revised 05.14.2001
ETH.MESH.01320351-67 - Corporate Product Characterization Plan, TVT-Laser Cut Mesh. Dated 02/06/2006.
ETH.MESH.01407852 - Ethicon Sarl, Neuchatel Potential Failure Mode and Effects Analysis Process FMEA
ETH.MESH.0141137 to ETH.MESH.0141039 Document re: summary of changes in mesh implant from Project Mint to final production.
ETH.MESH.01428106-112 - Carvigni, M. The use of synthetics in the treatment of pelvic organ prolapse. Curr Opin Urol 2001; 11: 429-435.
ETH.MESH.01593930 to ETH.MESH.01593942 Prosima Clinical Expert Report (not signed or dated).
ETH.MESH.01638150 to ETH.MESH.01638150 Powerpoint: Gynecare Prosima™ Pelvic Floor Repair System Background; Halina Zyczynski, M.D.
ETH.MESH.01678340 to ETH.MESH.01678340 Email from Andrew Meek to Melissa Doyle et al. re: Approved Prosima Receptors.
ETH.MESH.01707963 to ETH.MESH.01707963 Ethicon Women's Health & Urology "Welcome Letter" to the EWH&U Pelvic Floor Repair Advisory Board Meeting.
ETH.MESH.01708116 to ETH.MESH.01708117 Email string, top one from Bart Pattyson to Georgia Long re: TVT Abbrevio and Prosima training; cc: Elizabeth Kolb, Andrew Meek.
ETH.MESH.01708180 to ETH.MESH.01708180 Chart listing financial information re: preceptors.
ETH.MESH.01708190 to ETH.MESH.01708190 Chart listing financial information re: preceptors.
ETH.MESH.01730626 to ETH.MESH.01730629 Email string, top one from Dr. Antar to Bart Pattyson re: Prosima presentation.
ETH.MESH.01733531-535 - Kasturi, S. Pelvic magnetic resonance imaging for assessment of the efficacy of the Prolift system for pelvic organ prolapse. Am J Obstet Gynecol 2010; 203: 1.e1-1.e5
ETH.MESH.01736775-791 - Martin Weisberg; Dave Robinson Clinical Report on TVT-S 2.20.06
ETH.MESH.01752532-35 - Mesh design argumentation issues
ETH.MESH.01760362-363 - Email from Michael Woods to David Robinson December 21, 2007 RE: Trial
ETH.MESH.01776504-10 - Email re: 60% Success
ETH.MESH.01782114-115 - (05.03.2006) Email string, top one from David Robinson to Carolyn Brennan re: Suzette email discussing problems with Prolift.

Jaime Seplulveda Materials List

Production Materials

ETH.MESH.01782783-785 - (02.02.2006) Notes from meeting with Dr. V. Lucente and Dr. M. Murphy (Allentown, PA) to discuss Prolift RCT.
ETH.MESH.01784823-28 - Clinical Expert report-Laser Cut Mesh
ETH.MESH.01785259-260 - (01.17.2010) Email string, top one from Piet Hinoul to David Robinson, et al. re: Prolift+M relaxation.
ETH.MESH.01785259-260 - Email string re: +M relaxation
ETH.MESH.01803816 to ETH.MESH.01803818 Summary re: Project Mint
ETH.MESH.01808311-318 - Trip Report Michael Tracey
ETH.MESH.01809082-83 - Memo re: VOC on new laser cut TVT mesh
ETH.MESH.01813259; ETH.MESH.02180759-61 - Email string with attachment re-Jeans Ideas.
ETH.MESH.01813975-78 - Email string re-FDA Prep-Plaintiff's Exhibit 460
ETH.MESH.01815027-029 - Key Human Cadaver Lab Reports used in the development of TVT SECUR
ETH.MESH.01821586-87 Email from Allison London Brown to Ophelie Berthier, et al. re: Prosima November update; cc: Bob Roda, Dan Smith, et al.
ETH.MESH.01822361-363 - Dan Smith Email regarding TVT Secur October 18, 2006
ETH.MESH.01822361-62 - Dan Smith Email regarding TVT-Secur leading to less retention
ETH.MESH.01824316-317 - Email from Dan Smith to Eric Gauthier November 6, 2006 RE: FW: TVT-S Complaint review
ETH.MESH.01954198-203 - Gynecare Clinical Expert Report - Gynecare Prolift* Pelvic Floor Repair System
ETH.MESH.02001398-404 - Gynecare Prolift IFU (English Only)
ETH.MESH.02010349 to ETH.MESH.02010362 Prosima Clinical Expert Report signed by David Robinson
ETH.MESH.02017152-158 - (02.23.2007) Ethicon Expert Meeting: Meshes for Pelvic Floor Repair.
ETH.MESH.02017152-56 - 02.23.2007 Ethicon Expert Meeting: Meshes for Pelvic Floor Repair
ETH.MESH.02026591-95 - MSDS-c4001 Polypropylene Homopolymer
ETH.MESH.02059150-151 - May 24, 2006 Memo RE: First Post - Launch Complaint Review for the PROLIFT* Pelvic Floor Repair System
ETH.MESH.02090196-209 - Plaintiff's Exhibit 4085-04.15.2008
ETH.MESH.02114615 to ETH.MESH.02114616 Email string, top one from Libby Lewis to Donna Abely, et al. re: Remaining 2010 labs.
ETH.MESH.02151813 - TVT-Secur PQI07-041 Quality Board - Follow Up
ETH.MESH.02156379-380
ETH.MESH.02211890 - Test Report
ETH.MESH.02211912 - Annex 11: Porosity test on finished product - pelvic floor mesh.
ETH.MESH.02215374-375 - Jacquetin B. Prolene Soft (Gynecare) Mesh for Pelvic Organ Prolapse Surgical Treatment: A Prospective Study of 264 Patients. Abstract 767
ETH.MESH.02215565-567 - Email from Scott Ciarrocca to multiple recipients re: a message from Barbara Schwartz re: Prolift (01.02.2005).
ETH.MESH.02217343-44
ETH.MESH.02227651-55 - March 8, 2010 Email from Chanaka Amarasinghe regarding Gynecare Gynemesh M IFU Collaborative Review
ETH.MESH.02229013 - Email re: IFU errors
ETH.MESH.02229051 - Video: "Biomechanics"
ETH.MESH.02229054 - Video: "What to Expect"
ETH.MESH.02229055 - Video: "VSD Case Series 1"
ETH.MESH.02232685 - Marketing: "Your Proof: Her dance class."

Jaime Seplulveda Materials List

Production Materials

ETH.MESH.02232854-874 - Prolift+M - Advanced User Discussion
ETH.MESH.02233126-187 - Prolift+M Educational Module
ETH.MESH.02233410 to ETH.MESH.02233406 US Launch - Premarket Preparation (PMP)
ETH.MESH.02233417 to ETH.MESH.02233417 Prosima New Product Request Form
ETH.MESH.02233418 to ETH.MESH.02233438 Prosima - Surgical Technique
ETH.MESH.02233439 to ETH.MESH.02233451 A New Operation for Vaginal Prolapse Repair Using Mesh and a Vaginal support Device: 1 Year Anatomic and Functional Results of an International, Multicenter Study.
ETH.MESH.02233452 to ETH.MESH.02233467 Prosima - Background and Development History
ETH.MESH.02233539 to ETH.MESH.02233539 Prosima - New Product Request Form
ETH.MESH.02233540 to ETH.MESH.02233625 Prosima - 2009 Sales Training Program
ETH.MESH.02233605 to ETH.MESH.02233605 (B&W) Webinar Invite "The treatment of Symptomatic Moderate Pelvic Organ Prolapse."
ETH.MESH.02233640 to ETH.MESH.02233640 (B&W) Prosima - Module 4: 2-Year Clinical Data
ETH.MESH.02233651 to ETH.MESH.02233673 One year Clinical Outcomes Following Prolapse Surgery with Non-Anchored Mesh and a Vaginal Support Device. Results from the International Multicenter Gynecare Prosima™ Study.
ETH.MESH.02233674 to ETH.MESH.02233692 (Marketing) "What is Gynecare Prosima Pelvic Floor Repair System?"
ETH.MESH.02233699 to ETH.MESH.02233710 Prosima - An Interview with Dr. Marcus P. Carey.
ETH.MESH.02233713 to ETH.MESH.02233714 Objective Success Rate Learning Guide
ETH.MESH.02233726 to ETH.MESH.02233727 Prosima Product Page on Ethicon-360
ETH.MESH.02233728 to ETH.MESH.02233728 (native) Gynecare Prosima™ Key Procedural Steps
ETH.MESH.02233834 to ETH.MESH.02233834 (B&W) 2009 Sales Aid Guide
ETH.MESH.02233840 to ETH.MESH.02233841 MRI Flashcard "Prosimia - The first fixationless mesh system that maintains anatomical position."
ETH.MESH.02233842 to ETH.MESH.02233842 Virtual Round Table Registration Form
ETH.MESH.02233843 to ETH.MESH.02233849 Clinical Study Findings Discussion for Gynecare Prosima™ by Piet Hinoul (Audio Transcript).
ETH.MESH.02233851 to ETH.MESH.02233851 Document entitled "PROS-438-10-9/12 Prosima Short Procedural Video."
ETH.MESH.02233857 to ETH.MESH.02233859 AJOG Press Release (Draft)
ETH.MESH.02233862 to ETH.MESH.02233880 AALG in booth presentation. "Proof in the Treatment of Pelvic Organ Prolapse" Douglas Van Drie, M.D.
ETH.MESH.02233881 to ETH.MESH.02233888 Zyczynski, H.M. "One-year clinical outcomes after prolapse surgery with nonanchored mesh and vaginal support device." Am J Obstet Gynecol (2010) 203.
ETH.MESH.02233961 to ETH.MESH.02233961 Virtual Round Table Follow-up Letter.
ETH.MESH.02233962 to ETH.MESH.02233962 Virtual Round Table Follow-up Letter.
ETH.MESH.02233963 to ETH.MESH.02233963 Virtual Round Table Invitation
ETH.MESH.02233964 to ETH.MESH.02233964 (B&W) Prosima DVD
ETH.MESH.02234001 to ETH.MESH.02234002 (Marketing) The Gynecare Prosima™ Pelvic Floor Repair System Story
ETH.MESH.02234005 to ETH.MESH.02234171 Prosima Sales Training Program
ETH.MESH.02234173 to ETH.MESH.02234177 Prosima Messaging practice Coaching Check List
ETH.MESH.02237103-104 - Gynecare TVT™ Family of Products Tension-free Support for Incontinence.

Jaime Sepulveda Materials List

Production Materials

ETH.MESH.02237107 to ETH.MESH.02237115 Introducing Gynecare Prosima for Ethicon Epiphany 247.
ETH.MESH.02248778 - Mechanical vs Machine Cut (Laser.Ultrasonic) Mesh Particle loss less than 2 percent for both
ETH.MESH.02270724 - (07.19.2003) Email string, top one from Michel Cosson to Scott Ciarrocca re: Gynemesh holding force in tissue.
ETH.MESH.02270766-767 - (11.21.2003) Email string, top one from Michel Cosson to Scott Ciarrocca re: D'Art, risk question.
ETH.MESH.02270857-858 - (07.16.2004) Email from Laura Angelini to multiple recipients re: D'Art - Conversation with Prof. Jacquetin.
ETH.MESH.02286052-053 - Email string, top one from S. O'Bryan to S. Ciarrocca re: Prolift IFU
ETH.MESH.02318553 to ETH.MESH.02318554 Gynecare Prosima™ Combined Pelvic Floor Repair System Clinical Strategy.
ETH.MESH.02319312 - Memo re-TVT-base & TVT-O Complaint Review for Laser Cut Mesh Risk Analysis
ETH.MESH.02322037 to ETH.MESH.02322039 Email string, top one from Piet Hinoul to Aaron Kirkemo, et al. re: Neo clinical trial.
ETH.MESH.02330776 - GYNECARE TVT-Obturator System - The reproducible vaginal approach delivering results, precision and proven mesh
ETH.MESH.02340331-335 - TVT IFU (12.22.03 to 02.11.05)
ETH.MESH.02340568-591 - TVT Secur IFU
ETH.MESH.02340568-90 - TVT-S IFU
ETH.MESH.02340829-835 - TVT-O IFU - (01.07.04 to 03.04.05)
ETH.MESH.02341203-13 - TVT Abbrevio IFU
ETH.MESH.02341398-410 - Prosima IFU (6.18.10 to discontinuance) - English only 13 pages
ETH.MESH.02341398-453 - Prosima IFU
ETH.MESH.02341454-459 - Gynecare Prolift IFU (English Only)
ETH.MESH.02341522-527 - Gynecare Prolift IFU (English Only)
ETH.MESH.02341658-664 - Gynecare Prolift IFU (English Only)
ETH.MESH.02342194-196 - Gynecare Gynemesh PS IFU (English Only)
ETH.MESH.02342218-220 - Gynecare Gynemesh PS IFU (English Only)
ETH.MESH.02342250-252 - Gynecare Gynemesh PS IFU (English Only)
ETH.MESH.02342278-279 - Gynecare Gynemesh PS IFU (English Only)
ETH.MESH.02579701-06 - Email re: Piet re Problem with posterior inserter
ETH.MESH.02596085 - Letters to the Editor 2010; 1457
ETH.MESH.02596702 - TVT-Secur Workshop Dr. Sepulveda MC Erasmus Rotterdam 27/5
ETH.MESH.02596703-704 - TVT-Secur Workshop Dr. Sepulveda 27/5 Procedural Guidelines for Hammock placement
ETH.MESH.02597949 to ETH.MESH.02597950 Hinoul, P., et al. "A "mesh" made in heaven: synergy between the urogynaecological device industry and evidence based medicine."
ETH.MESH.02599918 to ETH.MESH.02599920 Email string, top one from Piet Hinoul to Kevin Frost re: 1-year Prosima Data Conference Call.
ETH.MESH.02603812-821 - Dissection Techniques in Transvaginal Pelvic Organ Prolapse Repair with Synthetic Mesh
ETH.MESH.02656825-834 - Issue Report Pence FN 218 TVT-O 2010
ETH.MESH.02658316 - Cover Letter
ETH.MESH.02658317-352 - Postmarket Surveillance Study No. PS120043; Gynecare Prolift +M Pelvic Floor Repair Systems; Gynecare Prolift Pelvic Floor Repair Systems

Production Materials

ETH.MESH.02967410 to ETH.MESH.02967412 Study: Prosima (300-06-005); Plots/charts for 12-month vs. baseline safety analysis set.
ETH.MESH.03048942 to ETH.MESH.03048942 Document entitled "New" Mint January 05, 2006.
ETH.MESH.03049774 to ETH.MESH.03049775 Gynecare Prosima* Combined Pelvic Floor Repair System: Clinical Strategy.
ETH.MESH.03056578 to ETH.MESH.03056580 Email string from Colin Urquhart to David Robinson and Judith Gauld re: Prosima* investigator bulletin.
ETH.MESH.03109341 to ETH.MESH.03109341 Email string, top one from Judi Gauld to Halina Zyczynski re: Prosima well received at AUA.
ETH.MESH.03160821 to ETH.MESH.03160821 Email from Judith Gauld to Allison London Brown re: US Prosima Sites; cc: David Robinson, et al.
ETH.MESH.03160822 to ETH.MESH.03160823 Email string, top one from Judith Gauld to Stephanie Kute re: MINT Design Validation Dates; cc: Dan Smith, et al.
ETH.MESH.03160827 to ETH.MESH.03160828 Email string, top one from Colin Urquhart to Stephanie Kute re: Doctors contacted for DVal as of today; cc: Judith Gauld, et al.
ETH.MESH.03162936 to ETH.MESH.03162938 Email string from Judith Gauld to David Robinson and Jonathan Meek re: Marcus Carey US visit.
ETH.MESH.03259439-40 - 4.24.2009 Gauld email chain re Green Journal
ETH.MESH.03361293 - Mesh Platform Review: Somerville, November, 2010.
ETH.MESH.03393725 to ETH.MESH.0339731 Sikirica, V, et al. "Sexual Function 12 Months Following Vaginal Prolapse Repair Augmented by Mesh and a Vaginal Support Device" ICS/IUGA (2010) Abstract
ETH.MESH.03396246 to ETH.MESH.03396246 VSD Patient Information (Slim Jim) - "Stop Coping Start Living."
ETH.MESH.03427757 to ETH.MESH.03427759 EWHU eClinical Compendium - Article Summary. Barber, M.D., et al. "Transobturator Tape Compared with Tension-free Vaginal Tape for the Treatment of Stress Urinary Incontinence: A Randomized Controlled Trial.
ETH.MESH.03427878-883 - TVT IFU - (11.29.10 to 11.26.14)
ETH.MESH.03439842 to ETH.MESH.03439846 Prosima Sales Aid Training Deck - "What could a truly tension-free repair mean for you and your patients?"
ETH.MESH.03440816 to ETH.MESH.03440836 Prosima Revised Webinar Deck - Overview
ETH.MESH.03458123-38 - TVT Patient Brochure
ETH.MESH.03460813-853 - Prolift Surgeon's Resource Monograph, approved 4.13.2007
ETH.MESH.03463398-407 - Email from Stacy Hoffman to Mary Byerly August 12, 2010 RE: FW: Urogynecological urinary incontinence product contract
ETH.MESH.03466382-83 - Email string dated 5/12/2011, top one from Kevin Frost to Benjamin Bouterie re: Dr. Bedestani; cc: Stacy Hoffman
ETH.MESH.03471308 - Chart entitled "Pedm Monthly Status."
ETH.MESH.03497846-47 - MD&D Complaint Pence FN 216
ETH.MESH.03612364 to ETH.MESH.03612364 Gynecare Prosima Pelvic Floor Repair Preceptorship, Course Overview.
ETH.MESH.03626267 to ETH.MESH.03626269 Email string, top one from Jennifer Paradise to Susie Chilcoat re: Prosima Professional Education Slide Deck Conference Call.
ETH.MESH.03643392 to ETH.MESH.03643395 Email string, top one from Jennifer Paradise to Adrian Roji, et al. re: Approved for distribution: FDA Notification FAQs and Customer Letter.
ETH.MESH.03649244-249 - Risk Management Report TVT SECUR System

Production Materials

ETH.MESH.03667696 – Company Procedure for US Regulatory Affairs Review of Promotion and Advertising Material for Medical Devices
ETH.MESH.03714002-018 - Martin Weisberg Clinical Report on TVT-S 12.2.05
ETH.MESH.03714599-614 - Martin Weisberg Clinical Report on TVT-S
ETH.MESH.03715978 - Weisberg email re: TVT question.
ETH.MESH.03736120-127 - Gynemesh PS: A New Mesh for Pelvic Floor Repair Early Clinical Experience
ETH.MESH.03895925-26 - Email from Frost to Affeld, et al. re: Sales Rep Training on Prosima 5/18
ETH.MESH.03905472-77 - Email string re-TVT recommendation from Dr. Alex Wang
ETH.MESH.03905619-621 - Email from Martin Weisberg to Patirica Hojnoski September 15, 2005 RE: Clinical Expert Report
ETH.MESH.03905968-975 - Prolift Patient Brochure: POP, Get the facts, be informed, make your best decision
ETH.MESH.03905976-991 - Prolift Patient Brochure: POP, Get the facts, be informed, make your best decision
ETH.MESH.03906001-20 - Patient Brochure: What You Should Know About Pelvic Organ Prolapse. Stop Coping. Start Living. Dated 11/9/2009
ETH.MESH.03906037-052 - Prolift Patient Brochure: Treatment Options for POP, stop coping, start living
ETH.MESH.03907468-9 - Second Generation TVT - by Axel Arnaud
ETH.MESH.03910175 - Email string re - Soft Prolene
ETH.MESH.03910418-21 - Email string re-Mini TVT - mesh adjustment
ETH.MESH.03911107-08 - Email string re-TVT complications (an Prof. Hausler)
ETH.MESH.03911901-910 - Deprest J, et al. The biology behind fascial defects and the use of implants in pelvic organ prolapse repair. Int Urogynecol J (2006)
ETH.MESH.03913357-359 - Axel Arnaud Email 5.31.07 Re TVT TVT-O
ETH.MESH.03916905-13 - Plaintiff's Exhibit 3827
ETH.MESH.03917375-378 - (11.26.2002) Email string, top one from Martin Weisberg to Dr. Richard Juraschek, et al. re: Mini TVT - mesh adjustment.
ETH.MESH.03921355-156 - Miller, D. Prospective Clinical Assessment of the Total Vaginal Mesh (TVM) Technique for Treatment of Pelvic Organ Prolapse - 6 and 12 month results.
ETH.MESH.03921836-838 - Email from Laurent Metz to Sheri Dodd RE: TVT - Secur Registry - Local Activities
ETH.MESH.03922483-484 - Email from Andrew Beveridge to DL-JNJFRIS EWHU Umbrellas April 26, 2007 RE: GYNECARE TVT SECUR* System Wins Medical Design Excellence Award
ETH.MESH.03924557-86 - Meshes in Pelvic Floor Repair-Findings from literature review and conversations-interviews with surgeons, June 6, 2000.
ETH.MESH.03930120-123 - Nilsson C. Seven-Year Follow-up of the Tension-Free Vaginal Tape Procedure for Treatment of Urinary Incontinence. Obstet Gynecol 2004; 104(6): 1259-62
ETH.MESH.03932909-911 - Confidential - History of TVT-O
ETH.MESH.03932912 - The History of TVT
ETH.MESH.03932912-14 - History of TVT
ETH.MESH.03941623 - DeLeval Email RE: TVT ABBREVO ALERT - French and English Email and English Translation Certification Plaintiff's Exhibit 3619- Perry
ETH.MESH.03959337 - Prolift+M vs. Prosima - 2 year results
ETH.MESH.03962244 Dear Surgeon letter 7/18/11

Production Materials

ETH.MESH.03984409 to ETH.MESH.03984410 Email string, top one from Scott Finley to Greg Prine re: Pelvic Floor Repair Customer Meeting.
ETH.MESH.03989722 to ETH.MESH.03989723 Email string, top one from Jim Gatewood to Rebecca Ryder re: Prosima 2 Year data Dinner.
ETH.MESH.03989781 to ETH.MESH.03989782 Email from Jim Gatewood to Marilyn Valdes re: Norfolk, VA, Dec 2, 2010 Prosima Awareness Dinner Information.
ETH.MESH.03991591 to ETH.MESH.03991592 Memo re: Gynecare Studies; created by Randall Gore.
ETH.MESH.04005090-91 - Ethicon informs FDA of discontinuation
ETH.MESH.04005092-93 - Ethicon's Notification to FDA to Decommercialize
ETH.MESH.04005095-96 - Ethicon's Notification to FDA regarding Decommercialization
ETH.MESH.04042511 to ETH.MESH.04042512 Slack, M., et al. Presentation Title: "Clinical Experience of a Novel Vaginal Support Device and Balloon used to Simplify Mesh Augmented Vaginal surgery for Prolapse."
ETH.MESH.04046302 - Gynecare TVT Tension-free Support for Incontinence and Gynecare TVT-O Tension-free Support for Incontinence Update
ETH.MESH.04048515-520 - Carl Nilsson KOL Interview Project Scion 06.18.08
ETH.MESH.04077172 to ETH.MESH.04077172 Powerpoint: Gynecare LatAm Moments at IUGA Congress 2010
ETH.MESH.04081189 - Meeting Agenda
ETH.MESH.04081189-190 - Meeting Agenda
ETH.MESH.04082973 - Possible Complications for Surgeries to Correct POP and SUI
ETH.MESH.04092868 - Email re : 10100080654 and TVT IFUs
ETH.MESH.04093125 - Email from Meng Chen to Bryan Lisa January 29, 2009 RE: FW: TVT IFUs on tape extrusion, exposure and erosion
ETH.MESH.04099233-234 - Email from Melissa Day to Luis Blanco September 24. 2008 RE: #1010078150
ETH.MESH.04126903-906 - Email from Jan Law to Aran Maree November 8, 2007 RE: Hi Jan, I didn't hear back from Malcom at all yesterday. Any chance of this morning? I am at ELT meeting but mobile and e mail are on.
ETH.MESH.04201880 - Prosima Training Deck 2
ETH.MESH.04381806 to ETH.MESH.04381819 Literature Review on Biocompatibility of Prolene Sutures and Impants
ETH.MESH.04427456 to ETH.MESH.14427457 FDA Letter re: K063562 Gynecare Prosima Pelvic Floor Repair Systems
ETH.MESH.04474731 - Ethicon's Cover Letter Response to TVT Secur 522 Order
ETH.MESH.04474733 - Ethicon's TVT Secur Postmarket Surveillance Study Plan: {S120095; Gynecare TVT Secur System
ETH.MESH.04476265-72 - April 24 2012 email to FDA
ETH.MESH.04476274-75 - Email re: Meeting Minutes from April 18 2012 meeting w FDA
ETH.MESH.04543334 - Email re: Faculty & Customer Call Post-FDA Panel Mtg on 9/12
ETH.MESH.04543335 Pelvic Organ Prolapse Surgical Mesh Discussion call in information 9/12/11
ETH.MESH.04543336 Pelvic Organ Prolapse Surgical Mesh Discussion call in information 9/12/11
ETH.MESH.04548931-35
ETH.MESH.04548975 - Email re: Piet's response to 522 FDA refusal clean
ETH.MESH.04550996-97 Email string, top one from Piet Hinoul to Marcus Carey and Richard Gooding re: Prosima VSD on market.

Jaime Seplulveda Materials List

Production Materials

ETH.MESH.04551757-95 E-mail with attachment from Piet Hinoul to Jeffrey Hammond, Dr. James Hart, et al. regarding Benefit risk profile TVM
ETH.MESH.04551946 Ethicon Gynecare WW Commercialization Decision - US Surgeon Letter 6/1/12
Eth.Mesh.04554662 Ethicon Gynecare WW Commercialization Decision - US Frequently Asked Questions 6/1/12
ETH.MESH.04554687 - FDA letter to Ethicon re 522 Orders (Kanerviko 2013-08-22 29)
ETH.MESH.04556236 - Email re: Piet's takeaways from 2011 FDA meeting
ETH.MESH.04558399-409 - Iglesia C. Vaginal Mesh for Prolapse: A Randomized Controlled Trial. Obstet Gynecol 2010;116:293-303
ETH.MESH.04567040-44 - FDA's Response to proposed study plan-04.02.2012
ETH.MESH.04567080 - FDA's Resposne to Discontinuation and Agreement to Hold 522 Responses
Eth.Mesh.04567174 Ethicon Gynecare US Commercialization Decision - US Discussion Guide for Use with Customers 5/15/12
Eth.Mesh.04567674 Ethicon Gynecare US Commercialization Decision - Core Messages 5/15/12
Eth.Mesh.04567677-79 Frequently asked questions 5/15/12
Eth.Mesh.04567680-81 Message from Laura Angelini to Internal WW Associates 5/15/12
Eth.Mesh.04567686-79 US Sales Call Script for Matt Henderson 5/15/12
Eth.Mesh.04567695 Ethicon Gynecare WW Commercialization Decision - Core Messages 6/1/12
Eth.Mesh.04567698 Ethicon Gynecare WW Commercialization Decision - Standby Statement 6/1/12
Eth.Mesh.04567707 Ethicon Gynecare WW Commercialization Decision - Chuck Austin Message to WW General Surgery Employees 6/1/12
Eth.Mesh.04567726 Ethicon Gynecare WW Commercialization Decision - Tim Schmid message to US General Surgery Employees 6/1/12
ETH.MESH.04568448 - Email re: Piet following 2011 Ad Com
ETH.MESH.04568519 - Email dated 6/8/2012 from Matt Henderson to Tim Schmid re: 522 Communication Recap
ETH.MESH.04568519 to ETH.MESH.04568519 Email from Matt Henderson to Tim Schmid re: 522 Communication Recap.
ETH.MESH.04568717-18 - Email from Tim Schmid to Chuck Austin dated 6/8/12 re: Prolift +M withdrawal notice
ETH.MESH.04925553-91 - Postmarket Surveillance Study PS120044, Gynecare Prosima™ Pelvic Floor Systems - K063562 dated 2/1/2012
ETH.MESH.04926191-92
ETH.MESH.04927339-40 - FDA's Resposne to Discontinuation Notification-07.09.2012
ETH.MESH.04931596 - Kanerviko email re 40000 page response to 522
ETH.MESH.04938298-299 - Piet Hinoul Email Re: Prof. de Leval - TVT Abbrevio
ETH.MESH.04939001 - Letter from Dr. Joerg L. Holste, re: Biocompatibility Risk Assessment for Laser-cut Implant of Gynecare TVT
ETH.MESH.04941016 - Lightweight Mesh Developments (Powerpoint)
ETH.MESH.04945231-239 - Email string re-Ultrapro vs Prolene Soft Mesh
ETH.MESH.04945496 - Bernd Klosterhalfen Email Re: Ultrapro vs. Prolene Soft Mesh April 18, 2005
ETH.MESH.05009194
ETH.MESH.05092843 to ETH.MESH.05092843 Chart listing lab schedule for August 11th.
ETH.MESH.05106233 to ETH.MESH.05106234 Email string, top one from Kevin Frost to danhalt@gmail.com, et al. re: Reminder: Prosima Professional Education Slide Deck Conference Call Tonight 7pm EST.

Jaime Sepulveda Materials List

Production Materials

ETH.MESH.05164225 to ETH.MESH.05164226 EWHU eClinical Compendium - Article Summary. Reisenauer, C., et al. "Anatomic study of prolapse surgery with nonanchored mesg and a vaginal support device."
ETH.MESH.05165675 to ETH.MESH.05165677 EWHU eClinical Compendium - Article Summary. Barber, M.D., et al. "Defining success after surgery for pelvic organ prolapse." Obstet Gynecol (2009) 114:600-609.
ETH.MESH.05217098 to ETH.MESH.05217100 FDA Clearance Letter, Modified PROLENE
ETH.MESH.05217103 to ETH.MESH.05217144 Letter to FDA re: Notification of Intent
ETH.MESH.05225380-384 - TVT IFU - (09.08.00 to 11.26.03)
ETH.MESH.05337217-220 - Email string, top one from D. Miller to J. Paradise, et al
ETH.MESH.05343480 to ETH.MESH.05343482 Email string, top one from Joseph Lanza to Bart Pattyson re: Review EWHU IUGA events.
ETH.MESH.05343757 to ETH.MESH.05343758 Email string, top one from Kevin Frost to Bart Pattyson re: July 31 Heads Up; cc: Lissette Caro-Rosado.
ETH.MESH.05347751-762 - Email string re Investigator-initiated studied policy
ETH.MESH.05404976 - Commerical-in-confidence Update to the TGA on TVT Secur™ 1 May 2008
ETH.MESH.05469908 to ETH.MESH.05469912 Email string, top one from Thomas Barbolt to Dr. Joerg Holste, et al. re: Ultrapro; cc: Laura Angelini, et al.
ETH.MESH.05479411 - The (clinical) argument of lightweight mesh in abdominal surgery
ETH.MESH.05479535
ETH.MESH.05534022 - Revision History for TVT Secur application FMEA
ETH.MESH.05560563-564 - Email from Patricia Hojnoski to Martin Weisberg September 13, 2005 RE: Clinical Expert Report; ETH.MESH.05560579-80 - Email from Patricia Hojnoski to Martin Weisberg September 15, 2005 RE: Clinical Expert Report
ETH.MESH.05571741 to ETH.MESH.05571741 Email string, top one from Jim Gatewood to Robert Zipfel re: Gynecare Prof Ed - Approved: Request for Speaker Event.
ETH.MESH.05573916 to ETH.MESH.05573917 Email string, top one from Kevin Frost to Jennifer Paradise re: Prosima VRT Reminder - Honoraria Payments; cc: Paul Parisi.
ETH.MESH.05588123-126 - Stephen Wohler Email - AW: How inert is polypropylene? July 9, 2007
ETH.MESH.05644163-171 - Pelvic Floor Repair-Surgeon's Feed-back on Mesh Concept
ETH.MESH.05741094 to ETH.MESH.05741094 Email from Rhonda Peebles to Samuel Sheelu, et al. re: Additional room for Ask the Expert sessions; cc: Alyson Wess, et al.
ETH.MESH.05741890 to ETH.MESH.05741891 Email string, top one from Christopher Teasdale to Tom Affeld, et al. re: Additional room for Ask the Experts sessions.
ETH.MESH.05799233-39 - TVT Exact IFU
ETH.MESH.05820723 - Dear Surgeon Letter re Discontinuation
ETH.MESH.05835298 to ETH.MESH.05835308 Pelvic Organ Prolapse - Patient Counseling Guide.
ETH.MESH.05837063 to ETH.MESH.05837110 Pelvic Organ Prolapse Value Dossier. Gynecare Prolift, Gynecare Prolift +M, Gynecare Prosima.
ETH.MESH.05840629 to ETH.MESH.05840629 Powerpoint Presentation entitled "Continuum of Education."
ETH.MESH.05918776 - Email re: Marlex Experience
ETH.MESH.05922038 to ETH.MESH.05922038 Letter from Patricia Nevar to Jaime Sepulveda, M.D. re: Secrecy Agreement for Prosima.
ETH.MESH.05947160 to ETH.MESH.05947163 Email from Patricia Holland to Andre Fontes re: Partnership Plus Follow up_Gynecare_Reminder; cc: Fernando Nassif, et al.
ETH.MESH.05958248 - Surgeons Resource Monograph

Jaime Sepulveda Materials List

Production Materials

ETH.MESH.05967586 to ETH.MESH.05967587 Email string, top one from Robert Zipfel to Susie Chilcoat re: Prosima Preceptor-Led Virtual Round Tables (VRTs) faculty payment.
ETH.MESH.05987605-06 - Email re: Piet's response to 522 FDA refusal
ETH.MESH.05998835-836 - Piet Hinoul Email Re: ALERTE TVT ABBREVO
ETH.MESH.06050509 - Email from Aran Maree to Darryl Harkness November 20, 2007 RE: TVT Secur discussions Somerville Tues 20 Nov
ETH.MESH.06050795-796 - Memo to TVT Secure DHF #0000120 from Gary Borkes RE: TVT Secur 12 month post launch review August 17, 2007
ETH.MESH.06113091 to ETH.MESH.06113092 Email from Debra Mayfield to DL-ETHUSSO EWHU WESTERN REGION re: Prosima VRT Invitation Plan - due Jan 28.
ETH.MESH.06124656 to ETH.MESH.06124657 Email string, top one from Andrew Meek to Bart Pattyson re: Prosima training.
ETH.MESH.06124954 to ETH.MESH.06124955 Email string, top one from Bart Pattyson to Marcos Fujihara re: Prosima training in Miami with Dr. Jaime Sepulveda.
ETH.MESH.06125000 to ETH.MESH.06125001 Email string, top one from Bart Pattyson to Robert Zipfel re: Prosima in LATAM.
ETH.MESH.06125058 to ETH.MESH.06125058 Email from Bart Pattyson to Eugene Brohee re: June 21 - Latin America doctors in town; cc: Selena Lessa.
ETH.MESH.06125098 to ETH.MESH.06125098 Email string, top one from Bart Pattyson to Georgia Long re: updated agenda - May 8th.
ETH.MESH.06125277 to ETH.MESH.06125277 Email string, top one from Marcos Fujihara to Bart Pattyson, et al. re: Prosima presentation in Miami.
ETH.MESH.06125309 to ETH.MESH.06125309 Email string, top one from Robert Zipfel to Bart Pattyson re: Prosima in LATAM.
ETH.MESH.06125502 to ETH.MESH.06125502 Email string, top one from Georgia Long to Bart Pattyson re: may 8th.
ETH.MESH.06151466 to ETH.MESH.06151467 Email string, top one from David Robinson to Judith Gauld re: Jaime Sepulveda.
ETH.MESH.06238611 to ETH.MESH.06238611 Email from Mark Kenyon to Aaron Kirkemo re: NEO Surgical Guide - Role & Responsibilities; cc: Vincenza Zaddem.
ETH.MESH.06255523 to ETH.MESH.06255534 Gynecare Prosima™ Pelvic Floor Repair System. "An Expert Interview with Dr. Marcus P. Carey, MBBS, FRANZCOG, CU, the Inventor of the Gynecare Prosima System."
ETH.MESH.06382976-987 - Jia, X. Efficacy and safety of using mesh or grafts in surgery for anterior and/or posterior vaginal wall prolapse: systematic review and meta-analysis. BJOG 2008; 115: 1350-1361
ETH.MESH.06388151 to ETH.MESH.06388151 Powerpoint: Prolift Pelvic Floor Repair - MDV Reported Complaints
ETH.MESH.06480608 to ETH.MESH.06480609 Email string, top one from Judith Gauld to Stephanie Kute re: MINT Design Validation Dates; cc: Dan Smith, et al.
ETH.MESH.06482821 to ETH.MESH.06482822 Email from Judith Gauld to Tony Smith re: Prosima Investigator Meeting; cc: David Robinson.
ETH.MESH.06585815 to ETH.MESH.06585815 Powerpoint: Agenda
ETH.MESH.06591558 to ETH.MESH.06591559 Email string, top one from Tom Affeld to Shwetal Narvekar re: Pre-launch Awareness for Prosima with Dr. Marcus Carey; cc: Bart Pattyson, et al.
ETH.MESH.06592243 - 09.14.2012 Email from Carl Nilsson to Laura Angelini

Production Materials

ETH.MESH.06695438 - Justification for Utilizing the Elasticity Test as the Elongation Requirements on TVT LCM
ETH.MESH.06769156 to ETH.MESH.06769156 Powerpoint: A New Operation for Vaginal Prolapse Repair Using Mesh and a Vaginal Support Device: 1 Year Anatomic and Functional Results of an International, Multicenter Study. Mark Slack, Cambridge, UK for the Prosima Study Group.
ETH.MESH.06887138-40 - Waltregny email written on behalf of Professor de Leval.
ETH.MESH.06887244 - 07.16.04 David Waltregny email to Dan Smith re: TVT-O.
ETH.MESH.06917699-704 - Form For Customer Requirements Specification (CRS) For Project TVT-O PA
ETH.MESH.06923868-71 - TVTO-PA Clinical Strategy - 8.21.13 Exhibit A.M. Mitchell T-2177
ETH.MESH.0706066 - Clinical Evaluation Report for the TVT SECUR signed by David Robinson on 2/28/12
ETH.MESH.07105727 to ETH.MESH.07105727 Email string, top one from Laura Vellucci to Colin Urquhart re: Prosima publication.
ETH.MESH.07189091 to ETH.MESH.07189091 Powerpoint: From presentation to publication: ensuring quality in the reporting of urogynaecology research. IUGA "This house believes that industry sponsorship has a corrosive influence on standards of scientific reporting." Conflict of interests: Piet Hinoul, M.D.
ETH.MESH.07190144 to ETH.MESH.07090145 Email string, top one from Judi Gauld to Piet Hinoul, Colin Urquhart re: +M Abstract.
ETH.MESH.07192929 - Investigating Mesh Erosion in Pelvic Floor Repair Powerpoint
ETH.MESH.07201006 - Prolift Professional Education Slide Deck (2007)
ETH.MESH.07219196 to ETH.MESH.07219209 Clinical Expert Report - Prosima™ signed by David Robinson.
ETH.MESH.07226579-590 - 2000 - TVT CER
ETH.MESH.07229215 to ETH.MESH.07229245 Clinical Expert Report - Prosima™ signed by Piet Hinoul.
ETH.MESH.07229312-42 - Clinical Expert Report Gynecare Prosima™ Pelvic Floor Repair System signed by Piet Hinoul dated 9/25/2012
ETH.MESH.07296496 to ETH.MESH.07296496 Chart listing Week Schedule and Lab Flow.
ETH.MESH.07308636 to ETH.MESH.07308637 Email from Tom Affeld to Clifford Volpe, et al. re: Surgeon's view on Prosima; cc: Lissette Caro-Rosado, et al.
ETH.MESH.07324554-55
ETH.MESH.07351297 - Application FMEA for TVT Classic Doc# FMEA-0000536 Rev.<1>
ETH.MESH.07374762 to ETH.MESH.07374763 Email from Lissette Caro-Rosado to Jaime Sepulveda, et al. re: Pelvic Floor Advisory Board; cc: Bart Pattyson, et al.
ETH.MESH.07379573 to ETH.MESH.07379574 Email string, top one from Kevin Frost to Ahmet Bedestani, et al. re: Purpose; cc: Matt Henderson, et al.
ETH.MESH.07383730-31 - Email string re-Ultrapro mesh information-identical mesh to Prolift +M
ETH.MESH.07384790 to ETH.MESH.07384791 Email string, top one from Robert Zipfel to Lissette Caro-Rosado re: Prosima and Advanced Prolift Preceptorship with Dr. Sepulveda and Drs. Antar, Jones, and Schlafstein on Monday Jan 4, 2010.
ETH.MESH.07396541-546 - Procedural Pearls & Frequently Asked Questions
ETH.MESH.07452663 - Ethicon Powerpoint Neuchatel, particles in TVTO Blisters Pence FN 219
ETH.MESH.07453752-57 - Email from Shalot Armstrong dated 9.1.10
Eth.Mesh.07462313 Email from Adrian Roji dated 8/19/11 re update message to the field re FDA notification response

Production Materials

ETH.MESH.07587090 to ETH.MESH.07587091 Email string, top one from Judith Gauld to Patricia Nevar re: Dr. Sepulveda; cc: Colin Urquhart.
ETH.MESH.07628243 to ETH.MESH.07628243 EWH&U Gynecare Prosima™ Pelvic Floor Repair System Faculty Checklist.
ETH.MESH.07630654 to ETH.MESH.07630654 Email string, top one from Greg Prine to Stevan Barendse, Robert Zipfel re: Prosima targets.
ETH.MESH.07631488 to ETH.MESH.07631488 Email string, top one from Selena Lessa to Robert Zipfel re: Prosima course with Sepulveda.
ETH.MESH.07631752 to ETH.MESH.07631753 Email string, top one from Eric Globerman to Nicole Huffman re: Prosima course; cc: Robert Zipfel.
ETH.MESH.07631967 to ETH.MESH.07631968 Email string, top one from Stacy Hoffman to Robert Zipfel, Kimberly Heath re: Prosima Lab.
ETH.MESH.07632042 to ETH.MESH.07632042 Event request form for Sepulveda Preceptorship.
ETH.MESH.07632042 to ETH.MESH.07632043 Email from Kevin Frost to danhalt@gmail.com, et al. re: Save the Date: Prosima Faculty Conference Call 7/20 at 7pm EST; cc: Jennifer Paradise.
ETH.MESH.07634049
ETH.MESH.07636090 to ETH.MESH.07636090 Prosima Cadaver Lab Invitation
ETH.MESH.07653362 to ETH.MESH.07653363 Email string, top one from Tommaso Santini to Kevin Frost, et al. re: US Surgeon; cc: Tom Affeld.
ETH.MESH.07876748 - A 3 month pre-clinical trial to assess the fixation force of a new TVT (TVT _x) in the sheep model
ETH.MESH.07931680 to ETH.MESH.07931681 Email string, top one from Bart Pattyson to Jeff Hsieh re: Prosima Professional Education Slide Deck Conference Call.
ETH.MESH.07951163 to ETH.MESH.07951163 Document re: Prosima's apical/anatomical success rates and functional outcomes.
ETH.MESH.07953429 to ETH.MESH.07953433 EWH&U 2011 Field Visit Letter
ETH.MESH.07977911
ETH.MESH.08003181-96 - TVT Patient Brochure
ETH.MESH.08003231-46 - TVT Patient Brochure
ETH.MESH.08003263-278 - TVT Secur IFU
ETH.MESH.08003279-294 - TVT Secur IFU
ETH.MESH.08003279-94 - TVT Patient Brochure
ETH.MESH.08003295-302 - TVT Patient Brochure
ETH.MESH.08021804 to ETH.MESH.08021807 Email string, top one from Libby Lewis to Kenneth Pagel, et al. re: Journal Club - trocar-less vaginal mesh kits.
ETH.MESH.08023741 to ETH.MESH.08023744 Email string, top one from Scott Miller to Jonathan Fernandez re: Prosima Take Away Messages.
ETH.MESH.08033153 to ETH.MESH.08033153 Document entitled "Prevalence and risk factors for mesh erosion after laparoscopic-assisted sacrocolpopexy." Author(s) Jasmine Tan-Kim, Shawn A, Menefree, Karl M, Luber, Charles W. Nager, Emily S. Lukacz.
ETH.MESH.08048738 to ETH.MESH.08048740 Email from David Jackson to Selena Lessa re: Prosima course with Sepulveda.
ETH.MESH.08066452 to ETH.MESH.08066452
ETH.MESH.08107354 - Gynecare TVT Tension-free Support for Incontinence: Professional Education Slides
ETH.MESH.08135444 to ETH.MESH.08135444 Gynecare Prosima - Pelvic Floor Repair System Proctorship

Production Materials

ETH.MESH.08139049 to ETH.MESH.08139118 Pelvic Organ Prolapse - The Role of Prosima. Author: Mark Slack.
ETH.MESH.08161765 to ETH.MESH.08161765 Email from Suzy Taylor to Jared Aldridge, et al. re: Follow up to FDA Mesh Advisory.
ETH.MESH.08169582 to ETH.MESH.08169620 Surgical Practice of POP survey on Survey Monkey.
ETH.MESH.08290691 to ETH.MESH.08290691
ETH.MESH.08299913-917 - Nilsson C. Seventeen years' follow-up of the tension-free vaginal tape procedure for female stress urinary incontinence. Int Urogynecol J 2013; 24(8): 1265-9 [9.11.13 Exhibit T-1271]
ETH.MESH.08309057 to ETH.MESH.08309092 Document entitled "Benefit-Risk Profile of Ethicon, Inc.'s Pelvic Organ Prolapse Mesh Repair Products."
ETH.MESH.08315779 - Clinical Expert report-09.25.2012
ETH.MESH.08315779-810 - Clinical Expert Report Gynecare Prolift+M™ Pelvic Floor Repair System signed by Piet Hinoul dated 9/25/2012
ETH.MESH.08334244; ETH.MESH.08334245 - Email re Photographs of LCM vs MCM with attachments
ETH.MESH.08334244-45 - Email string re-Photographs of LCM vs MCM with powerpoint attachment
ETH.MESH.08375158 to ETH.MESH.08375159 Email string, top one from Larry Gillihan to Kenneth Pagel, Jason Hernandez re: New Product Tabs - TVT Abbrevio, Prosima, TVT Exact.
ETH.MESH.08384247 to ETH.MESH.08384247
ETH.MESH.08384270 to ETH.MESH.08384270 Email string, top one from Lisa Pitts to Paul Saliba re: Prosima pearls from Dr. Garris.
Eth.Mesh.08421628 Ethicon Gynecare WW Commercialization Decision - US Customer Discussion Guide 6/1/12
ETH.MESH.08492824 to ETH.MESH.08492824 Strategic Business Team Meeting - Meeting Notes
ETH.MESH.08565137-41
ETH.MESH.08640676 Jones email 4/04/08 re Prosima update for RBDs
ETH.MESH.08791917
ETH.MESH.08918949-52 - Email from Shalot Armstrong dated 9.1.10
ETH.MESH.08945734 to ETH.MESH.08945735 ICS-IUGA 2010 Abstract Form. "Ultrasound assessment 6 months following vaginal prolapse surgery using polypropylene implants and a vaginal support device."
ETH.MESH.08945742 to ETH.MESH.08945744 Presentation Title: A New Operation for Vaginal Prolapse Repair using Mesh and a Vaginal Support Device: 1 Year Anatomic and Functional Results of an International, Multicentre Study." Presenter: Slack, M., et al.
ETH.MESH.08945836 to ETH.MESH.08945840 Document entitled "Gynecare Prosima Claims List."
ETH.MESH.08948364 to ETH.MESH.08948365 Email string, top one from Kevin Frost to William Rush re: Save the Date: Prosima 2 Year Clinical Data Review; cc: Tom Affeld.
ETH.MESH.08951725 to ETH.MESH.08951726 Email string, top one from Tom Affeld to Kevin Frost re: Prosima 2 year summary for eClinical Compendium.
ETH.MESH.08961175-76
ETH.MESH.08962682 to ETH.MESH.08962683 Email from Helen Wong to Kevin Frost re: Sepulveda's comment on the VRT; cc: Jenny Krieger, et al.
ETH.MESH.08962684 to ETH.MESH.08962685 Email string, top one from Jenny Krieger to Kevin Frost re: Reminder: Prosima Teleconference today.
ETH.MESH.08971152 to ETH.MESH.08971153 Email string, top one from Kevin Frost to Libby Lewis re: Prosima VRT Invitation plan - due Jan 28.

Jaime Sepulveda Materials List

Production Materials

ETH.MESH.08971269 to ETH.MESH.08971270 Email string, top one from Kevin Frost to Aaron Kirkemo, Piet Hinoul re: Prosima VRT: fill-in.
ETH.MESH.08971271 to ETH.MESH.08971272 Email string, top one from Kevin Frost to Marilyn Valdes re: Dr. Sepulveda availability on 1/31.
ETH.MESH.08971309 to ETH.MESH.08971314 Email string, top one from Kevin Frost to Helen Wong re: Dr. Sepulveda's 1/31 VRT; cc: Jenny Krieger.
ETH.MESH.08988155 to ETH.MESH.08988155 Powerpoint: Gynecare Prosima™ Pelvic Floor Repair System: Background. Halina Zyczynski, M.D.
ETH.MESH.08988298 to ETH.MESH.08988417 EBM - Pelvic Organ Prolapse Clinical References: 2002-2011, including Prolift, Prolift+M, Prosima, Gynemesh. Searcher: Kerry Kushinka.
ETH.MESH.09050450 to ETH.MESH.09050450 Memorandum from David Robinson re: the compatibility if estrogen creams with Prosima balloon and vaginal support device. (Not signed).
ETH.MESH.09100506 - Prolift Professional Education Slide Deck (2005)
ETH.MESH.09128451 to ETH.MESH.09128451 Chart entitled "Faculty Training."
ETH.MESH.09128545 Pelvic Organ Prolapse Surgical Mesh Discussion call in information 8/25/11
ETH.MESH.09138054 to ETH.MESH.09138055 Information re: Jaime Sepulveda, M.D. and Arthur Mourtzinis, M.D.
ETH.MESH.09142383 to ETH.MESH.09142384 Email from Kevin Frost to danhalt@gmail.com, et al. re: Save the Date: Prosima Faculty Conference Call 7/20 at 7pm EST; cc: Jennifer Paradise.
ETH.MESH.09142511 to ETH.MESH.09142511 (Draft) EWHU Memo from Bart Pattyson (US Marketing and Professional Education) to US Faculty Members re: Gynecare Prosima - Pelvic Floor Repair System, Updated Professional Education Deck.
ETH.MESH.09144349 to ETH.MESH.09144349 Powerpoint: Ethicon Women's Health and Urology: Clinical Expertise Road Map.
ETH.MESH.09191424 to ETH.MESH.09191426 Email string, top one from Hemangini Patel to Carolina Guzman re: Final Draft report for Prosima - Urgent; cc: Irene Leslie, Rosangela Ribeiro.
ETH.MESH.09207059 to ETH.MESH.09207059 Chart entitled "Grier."
ETH.MESH.09218452 to ETH.MESH.09218453 Email string, top one from Rhonda Peebles to Andrew Meek re: Remaining 2010 labs; cc: Kevin Frost, et al.
ETH.MESH.09238537-541 - Memo to TVT Secure DHF #0000120 from Gary Borkes RE: TVT Secur 12 month post launch review August 17, 2007
ETH.MESH.09264945-46 - Prolene Mesh Re-Design Project
ETH.MESH.09283030 to ETH.MESH.09283030 Spreadsheet re: Open Incontinence & AP.
ETH.MESH.09283031 to ETH.MESH.09283031 Spreadsheet re: Open Incontinence & AP.
ETH.MESH.09283032 to ETH.MESH.09283032 Spreadsheet re: Pelvic Floor Repair
ETH.MESH.09283033 to ETH.MESH.09283033 Spreadsheet re: Budget Summary
ETH.MESH.09283034 to ETH.MESH.09283034 Spreadsheet re: Integrated Marketing
ETH.MESH.09283035 to ETH.MESH.09283035 Spreadsheet re: Summary
ETH.MESH.09283036 to ETH.MESH.09283036 Spreadsheet re: Pelvic Floor Repair
ETH.MESH.09283037 to ETH.MESH.09283037 Spreadsheet re: Budget Summary
ETH.MESH.09283038 to ETH.MESH.09283038 Spreadsheet re: Integrated Marketing
ETH.MESH.09290755 to ETH.MESH.09290755 Spreadsheet re: Q1 2012 Open PO Summary
ETH.MESH.09290760 to ETH.MESH.09290760 Spreadsheet re: Open Incontinence & AP.
ETH.MESH.09290767 to ETH.MESH.09290767 Spreadsheet re: Uterine Health
ETH.MESH.09290769 to ETH.MESH.09290769 Spreadsheet re: Ethicon Gynecare May 2012 Open PO Summary
ETH.MESH.09290772 to ETH.MESH.09290772 Spreadsheet re: Budget Summary

Production Materials

ETH.MESH.09300480 to ETH.MESH.09300480 Spreadsheet re: Prosima All Day
ETH.MESH.09625725 to ETH.MESH.09625729 Government Submissions Log Sheet
ETH.MESH.09625731 to ETH.MESH.09625737 FDA Letter. re: approved drug application for polypropylene suture.
ETH.MESH.09625816 to ETH.MESH.09625816 FDA letter re: receipt of drug application for polypropylene suture.
ETH.MESH.09625817 to ETH.MESH.09625817 Letter to FDA re: new drug application for Polypropylene Suture.
ETH.MESH.09629447 to ETH.MESH.09629448 FDA Labeling Approval for Prolene
ETH.MESH.09630649 - 4.26.1973 FDA Letter RE: NDA 16-374
ETH.MESH.09630649 to ETH.MESH.09630649 FDA Letter re: package insert for Prolene.
ETH.MESH.09634081 to ETH.MESH.09634081 Sections 6 re: adverse effects.
ETH.MESH.09634299 to ETH.MESH.09634303 FDA Letter re: approval of PMA supplement.
ETH.MESH.09634318 to ETH.MESH.09634318 Prolene Package Insert.
ETH.MESH.09634662 to ETH.MESH.09634663 FDA Letter re: reclassification of Nonabsorbable Polypropylene Surgical Suture.
ETH.MESH.09634664 to ETH.MESH.09634688 FDA Letter re: reclassification of Nonabsorbable Polypropylene Surgical Suture.
ETH.MESH.09656792
ETH.MESH.09656795
ETH.MESH.09744858-63 - TVT Patient Brochure
ETH.MESH.09746948-998 - License and Supply Agreement [Rosenzweig Exhibit 21 - 12.22.15]
ETH.MESH.09747038-097 - Medscand Agreement
ETH.MESH.09747337-369 - Asset Purchase Agreement
ETH.MESH.09888187-223 - Seven Year Data for Ten Year Prolene Study - Plaintiff's Exhibit 4102
ETH.MESH.09922570-578 - R&D Memorandum of PA Mesh Assessments for TVTO-PA Revision 1
ETH.MESH.10048035 to ETH.MESH.10048036 Email from Mark Pare to Walter Boldish, et al. re: Clinical #2 - Prosima; cc: Elizabeth David, et al.
ETH.MESH.10179518 to ETH.MESH.10179636 Clinical Evaluation Report - Gynecare Gynemesh™ PS Nonabsorbable Prolene™ Soft Mesh signed by Piet Hinoul.
ETH.MESH.10179518-636 - Clinical Evaluation Report - Gynemesh PS signed by P. Hinoul on 04.26.2013
ETH.MESH.10180419-78
ETH.MESH.10220659 - Gynecare TVT Tension-free Support for Incontinence: Advanced Users Forum for the Experienced Clinician
ETH.MESH.10224077 to ETH.MESH.10224077 Email string, top one from Molly Dugan to Greg Prine re: Prosima Lab Feedback; cc: Joseph Drabik.
ETH.MESH.10232708 to ETH.MESH.10232708 Email from Stevan Barendse to Greg Prine re: Prosima targets.
ETH.MESH.10281860 - Tension-Free Midurethral Sling: Market Update.
ETH.MESH.1037447-55 - Clinical Expert Report on Gynecare TVT Secur System
ETH.MESH.10376963
ETH.MESH.10378001-8002
ETH.MESH.10384309-310
ETH.MESH.10399553 to ETH.MESH.10399554 Email from Judi Gauld to Marcus Carey, et al. re: Prosima presentation at AUA; cc: David Robinson, et al.

Production Materials

ETH.MESH.10608341 to ETH.MESH.10608357 Post Market Surveillance Report. Pelvic Floor Repair Systems. Gynecare Prolift, Gynecare Prolift+M and Gynecare Prosima.
ETH.MESH.10817931 Pelvic Mesh Post-Market Surveillance Orders April 2012
ETH.MESH.10960414 to ETH.MESH.10960414 Email from Christopher O'Hara to Francois Barbe, et al. re: VRT for Prosima.
ETH.MESH.11048537 to ETH.MESH.11048538 Prosima E-blast No. 1 "The Proof of Success."
ETH.MESH.11336474-87 - Ten Year In Vivo Suture Study Scanning Electron Microscopy-5 Year Report - Plaintiff's Exhibit 4111
ETH.MESH.11448841 Conference Participant Report 8/25/11
ETH.MESH.11518663 to ETH.MESH.11518665 Email string, top one from Melissa Doyle to Arthur Mourtzinis re: Agenda for tomorrow's lab.
ETH.MESH.11522550 to ETH.MESH.11522551 Email string, top one from Melissa Doyle to Seth Moskos re: VSD "take home" instructions.
ETH.MESH.11523079 to ETH.MESH.11523079 Email from Melissa Doyle to Walter Boldish, et al. re: Lahey Labs September 18, 2010; cc: Carole Carter-Cleaver.
ETH.MESH.11524125 to ETH.MESH.11524128 Email string, top one from Melissa Doyle to Andrew Meek re: Upcoming Labs - planning.
ETH.MESH.11536046 to ETH.MESH.11536046 Email string, top one from Jonathan Fernandez to Rhonda Peebles re: Remaining 2010 labs; cc: Robert Zipfel, et al.
ETH.MESH.11538048-49 - Email from Frost to Globerman, et al. re: prosima usage northeast
ETH.MESH.11543641 - Powerpoint GYNECARE GYNEMESH* PS Nonabsorbable PROLENE* Soft Mesh Awareness Module
ETH.MESH.1189423-39 - Clinical Expert Report on Gynecare TVT Secur System from 2/28/06
ETH.MESH.11905619 to ETH.MESH.11905619 Spreadsheet: Prosima Virtual Roundtable Calls &Targets
ETH.MESH.1210987-95 - Email from Hinoul re: South Africa, TVTO sheaths getting stuck upon removal
ETH.MESH.1222075-79 - Letter to Weisberg/Robinson re: Elongation Characteristics of Laster Cut PROLENE Mesh for TVT, from Kammerer
ETH.MESH.1239657-80 - First Clincial Experience with a Single-incision (TVT-Secur) Tape Procedure for Treatment of Urinary Stress Incontinence
ETH.MESH.12831391-92 - P4128 - IR Microscopy of Explanted Prolene received from Prof. R. Guidoin.
ETH.MESH.12897617 to ETH.MESH.12897678 Clinical Evaluation Report - Prosima™ signed by Piet Hinoul.
ETH.MESH.130950 - (Karram) 004 An Evaluation of the Gynecare TVT Secur* System (Tension Free Support for Incontinence) for the Treatment of SUI
ETH.MESH.13314554 to ETH.MESH.13314554 Email from Laura Hance to Dr. Lowden re: Prosima answer to JP drain and hydrodissection.
ETH.MESH.13450933 - Clinical Evaluation Report for the TVT SECUR System (approved by Piet Hinoul, Dated 9/18/13)
ETH.MESH.134794 - Email re: TVT World Board meeting presentation + TVT World Registry EWHU Board 3/2/09 PowerPoint
Eth.Mesh.13532200 Ethicon Gynecare WW Commercialization Decision - US Sales Call Script 6/1/12
ETH.MESH.13592561 to ETH.MESH.13592561 Prosima Trainee Invitation "Advanced Pelvic Floor Course with Gynecare Prosima"

Jaime Seplulveda Materials List

Production Materials

ETH.MESH.13618003 to ETH.MESH.13618004 EWHU eClinical Compendium - Article Summary. Reisenauer, C., et al. "Anatomic study of prolapse surgery with nonanchored mesh and a vaginal support device."
ETH.MESH.13618029 to ETH.MESH.13618031 EWHU eClinical Compendium - Article Summary. Zyczynski, H.M., et al. "One-year clinical outcomes after prolapse surgery with nonanchored mesh and vaginal support device."
ETH.MESH.13622000 to ETH.MESH.13622070 Prosima Trainee Deck Distribution
ETH.MESH.13635675-96 - 2011 B&W POP & SUI Patient Counseling Guide production copy
ETH.MESH.13645631 to ETH.MESH.13645631 DVD - Thoughts on Prolift+M and Prosima from Drs. Michel Cosson and Marcus Carey.
ETH.MESH.13698543 to ETH.MESH.13698543 Prosima Marketing Material Roll-Out Letter.
ETH.MESH.13698840-59 - Bart Pattyson editorial re prof ed bulletin
ETH.MESH.13699674 to ETH.MESH.13699754 Clinical Study Report: A Prospective, Multi-centre Study to Evaluate the Clinical Performance of the Gynecare Prosima™ Pelvic Floor Repair System as a Procedure for Pelvic Organ Prolapse.
ETH.MESH.13756212 to ETH.MESH.13756218 Clinical study Finding Discussion for Gynecare Prosima™ Pelvic Floor Repair System by Piet Hinoul (Audio Transcript).
ETH.MESH.13756219 to ETH.MESH.13756219 Gynecare Prosima™ Pelvic Floor Repair System MRI Address
ETH.MESH.13756384 to ETH.MESH.13756384 Prosima Virtual Round Table Trainee Confirmation
ETH.MESH.13756409 to ETH.MESH.13756409 Prosima Virtual Round Table Preceptor Follow-up and Invitation.
ETH.MESH.13756416 to ETH.MESH.13756417 Prosima Virtual Round Table Preceptor Confirmation.
ETH.MESH.13869166 to ETH.MESH.13869166 Powerpoint: Mint Project - Pelvic Floor Repair.
ETH.MESH.13907284 - PowerPoint - Particles in TVTO Blisters
ETH.MESH.14427453 to ETH.MESH.14427455 FDA Clearance Letter re: K063562 Gynecare Prosima™
ETH.MESH.14427459 to ETH.MESH.14427543 Letter to FDA re: 510(k) K063562 S1, response to deficiencies email.
ETH.MESH.14427562 to ETH.MESH.14427563 Memo to Prosima Regulatory File. Minutes from Teleconference with FDA for Prosima 510(k).
ETH.MESH.14427564 to ETH.MESH.14427565 FDA Letter re: K063562 Gynecare Prosima Premarket Notification 510(k)
ETH.MESH.14427567 to ETH.MESH.14427569 Email from Nada Hanafi to Patrice Napoda re: K063562 Gynecare Prosima.
ETH.MESH.14427578 to ETH.MESH.14427761 Traditionsl 510(k) Premarket Notification Gynecare Prosima™ Pelvic Floor Repair System.
ETH.MESH.14901753 - Batch Review Lot #3405428 Complaint PI1
ETH.MESH.157010-15 - Procedural Pearls & Frequently Asked Questions for Gynecare TVT Secur System Procedural Pearls: Approved 11/01/06
ETH.MESH.1592121-34 - Gynecare TVT Secur System Design Validation Report #TVTSDVLPD1
ETH.MESH.15958178 to ETH.MESH.15958182 Email string, top one from Brian Luscombe to Tom Affeld re: Approved for distribution: FDA Notification FAQs and Customer Letter.
ETH.MESH.161953-54 - 10/12/1990 Letter from FDA re: N16374, Prolene Polypropylene Nonabsorbable Suture Gynecare TVT Obturator System Sales Materials
Eth.Mesh.16259973 Email from Lisa Jannone dated 1/5/12 re message from Lesley Fronio re update on recent media reports

Production Materials

ETH.MESH.16350627 to ETH.MESH.16350628 Email string, top one from Piet Hinoul to Paan Hermansson re: key message for upcoming Prosima launch.
ETH.MESH.16352932 to ETH.MESH.16352934 Email from Paan Hermansson to Sonja Willems, et al. re: Great EWH&U success at ICS/IUGA congress in Toronto; cc: Bernhard Fischer, et al.
ETH.MESH.1751069-94 - 09/07/2009 Safety review: TVT and TVT-O procedures
ETH.MESH.17669942 to ETH.MESH.17669942 Email from Robert Zipfel tp Elizabeth David, et al. re: Prosima and Advanced Prolift Preceptorship with Dr. Sepulveda and Drs. Antar, Jones and Schlafstein on Monday Jan 4, 2010.
ETH.MESH.17748760 to ETH.MESH.17748761 E-mail from Kevin Frost regarding 2011 Incontinence & Pelvic Floor Recap
ETH.MESH.1784779-82 - Memo re: TVT-Base & TVT-O Complaint Review for Laser Cut Mesh (LCM) Risk Analysis
ETH.MESH.1784823-28 - Clinical Expert Report
ETH.MESH.1809056-58 - Email re: Important Laser cut mesh update
ETH.MESH.1809080-81 - Memo re: Comparison of Laser-cut and machine-cut TVT Mesh to Meshes from Competetive Devices (BE02004-1641)
ETH.MESH.1815660-64 - Project Mulberry, Preliminary Clinical Diligence Report
ETH.MESH.18844812 to ETH.MESH.18844812 Email from Patrick Kaminski to Robert Zipfel re: Dr. Thomas Antonini; cc: Stevan Barendse.
ETH.MESH.19308264 to ETH.MESH.19308265 Email from Walter Boldish to Stefanie Garbarino re: Prosima cadaver labs.
ETH.MESH.19310234 to ETH.MESH.19310238 Email string, top one from Stefanie Garbarino to Dr. Maxwell re: TVT-O
ETH.MESH.2106139-40 - Email re: Regional Input to Finalize TVT WORLD
ETH.MESH.222852-63 - 12/15/2003, Gynecare Final Report # 03*0740, TVT Obturator System
ETH.MESH.222899-909 - Clinical Expert Report
ETH.MESH.223779-84 - Risk Management Report, TVT Laser Cut Mesh (LCM). Document Number RMR-0000017, Rev. 3
ETH.MESH.2293715-6 - Email from Dan Smith re: NG TVT-O NDP - Outcomes from Kickoff Meeting with Pr. De Leval & Dr. Waltregny
ETH.MESH.262089-123 - Manuscript Draft: (de Leval) Novel surgical technique for the treatment of female stress urinary incontinence: Transobturator Vaginal Tape Inside-Out
ETH.MESH.311792-94 - Email re: Australia update and telephone call with Prof Frazer
ETH.MESH.3208548-49 - Email re: TVT World AE Report
ETH.MESH.3235997-98 - Email re: TVT Secur - Media Standby
ETH.MESH.3364663-66 - Email from O'Bryan re: ifu
ETH.MESH.3365250-1 - Email from Weisberg re: IFU update
ETH.MESH.341006-11 - 11/11/10 Letter from John Young re: Global Regulatory Strategy for TVT IFU (RMC P15506/E) Update (Part II, RA0001-2010, Rev. 1)
ETH.MESH.371496-594 - 01/28/98 Letter from FDA re: K974098 TVT System
ETH.MESH.3911390-1 - Email from Arnaud re: Transient Leg Pain with Mulberry
ETH.MESH.3913651-55 - CDMA Europe Meeting, Urinary Incontinence Platform, Meeting Minutes from 6/1/07
ETH.MESH.3922618-19 - Email re: Conf call tomorrow
ETH.MESH.3922926-28 - Email re: OR Agenda Tunn
ETH.MESH.3934952-67 - Tension-Free Vaginal Obturator Tape (TVOT) - April 30, 2003 - Meeting Report

Jaime Sepulveda Materials List

Production Materials

ETH.MESH.4048515-20 - KOL Interview
ETH.MESH.4384126-65 - Clinical Evaluation Report, Gynecare TVT Tension-free Vaginal Tape / Tension-free Vaginal Tape Accessory Abdominal Guide
ETH.MESH.442825-26 - Email re: TVT Laser Mesh info
ETH.MESH.4499687-742 - An Evluation of the Gynecare TVT Secur System for the Treatment of Stress Urinary Incontinence
ETH.MESH.524746-48 - Email re: TVT Meeting with Agency
ETH.MESH.525573 - Email re: TVT Laser Cut Mesh
ETH.MESH.527118-21 - Email re: Sepulveda's Notes summary/ PLEASE DO NOT DISTRIBUTE JUST FOR INTERNAL REVIEW
ETH.MESH.5315252-65 - Final Report, PSE Accession No. 97-0197, Project No. 16672
ETH.MESH.533283-86 - Communication Plan to close TVT WORLD Registry
ETH.MESH.6479808-85 - Clinical Study Report, Evaluation of the TVT Secur System for Stress Urinary Incontinence. Study Cody 300-05-002
ETH.MESH.658177-98 - TVT Surgeon's Resource Monograph, A Report of the June 2000 Summit Meeting
ETH.MESH.6696411-19 - Email re: Performance Evaluation of TVT Prolene Blue Mesh
ETH.MESH.6859834-35 - Email re: Laser Cut TVT
ETH.MESH.6878438-39 - Memo re: VOC on new Laser Cut TVT Mesh
ETH.MESH.6882641-2 - Email from O'Bryan re: GYNECARE TVT Obturator System - FDA
ETH.MESH.6886410-11 - Email from Weisberg re: Mulberry
ETH.MESH.7104840-41 - Email re: Important - Information regarding FDA Publication on the use of Mesh
ETH.MESH.7181044 - Email re: TVT World AE Report
ETH.MESH.7201843-44 - FDA Response Letter re: K052401 Gynecare TVT Secur System, Gynecare
ETH.MESH.7393700 - 05/13/2003 Memo to Gynecare Continence Health Sales Team re: Gynecare TVT Physician Training Policy
ETH.MESH.7692905-7 - Email re: Mesh Fraying Dr. EBERHARD letter
ETH.MESH.7876820-925 - Response to FDA's Request for Additional Information
ETH.MESH.8003295-301 - Patient Brochure: "Stop coping, start living."
ETH.MESH.8003303-17 - Patient Brochure: "Stop coping, start living."
ETH.MESH.842256-57 - Email re: TVT S design val
ETH.MESH.865069-72 - Email from Dan Smith re: Draft report translated by "Babel fish" http://babelfish.altavista.com/tr
ETH.MESH.874627-29 - Email re: Secur Markets: TVT SECUR - Critical Steps Guide
ETH.MESH.PM 000067 - TVT- Secur DVD CR 7.12.06
ETH.MESH.PM.000001 - Prolift Professional Education Videos
ETH.MESH.PM.000006 - Anatomy Videos
ETH.MESH.PM.000007 - Prolift Professional Education Videos
ETH.MESH.PM.000009 - Anatomy Videos
ETH.MESH.PM.000014 - Prolift Professional Education Videos
ETH.MESH.PM.000015 - Prolift Professional Education Videos
ETH.MESH.PM.000019 - Prolift Professional Education Videos
ETH.MESH.PM.000027 - Prolift Professional Education Videos
ETH.MESH.PM.000032 - Prolift Professional Education Videos
ETH.MESH.PM.000033 - Prolift Professional Education Videos
ETH.MESH.PM.000034 - Prolift +M Professional Education Videos

Production Materials

ETH.MESH.PM.000037 - Prolift Professional Education Videos
ETH.MESH.PM.000038 - Prolift Professional Education Videos
ETH.MESH.PM.000039 - Prolift Professional Education Videos
ETH.MESH.PM.000048 - Prolift +M Professional Education Videos
ETH.MESH.PM.000057 - Anatomy Videos
ETH.MESH.PM.000058 - Prolift Professional Education Videos
ETH.MESH.PM.000065 - Prolift Professional Education Videos
ETH.MESH.PM.000068 - Anatomy Videos
ETH.MESH.PM.000075 - Prolift Professional Education Videos
ETH.MESH.PM.000076 - Prolift Professional Education Videos
ETH.MESH.PM.000078 - Prolift Professional Education Videos
ETH.MESH.PM.000088 - Anatomy Videos
ETH.MESH.PM.000089 - Anatomy Videos
ETH.MESH.PM.000090 - Anatomy Videos
ETH.MESH.PM.000092 - Prolift +M Professional Education Videos
ETH.MESH.PM.000134 - Anatomy Videos
ETH.MESH.PM.000145 - Prolift +M Professional Education Videos
ETH.MESH.PM.000151 - Anatomy Videos
ETH.MESH.PM.000154 - Anatomy Videos
ETH.MESH.PM.000179 - TVT Secur IFU V5e 2005 to disc (Original from Prof Ed DVD)
ETH.MESH.PM.000179 - TVT-Secur Key Tech Points 5.24.2007 (Color Original from Prof Ed DVD)
ETH.MESH.PM.000190 - Prolift Professional Education Videos
ETH.MESH.PM.000192 - Prolift Professional Education Videos
ETH.MESH-08476311 - Cytotoxicity assessment of Ulstem sling
ETH-00254-00261 - Patient Brochure Pelvic Organ Prolapse Get the Facts, Be Informed, Make Your Best Decision dated in 2006
ETH-00264 - Patient Brochure: One Day You Have Prolapse, the Next Day You Don't
ETH-00797 to ETH-00829 510(k) Notification Gynemesh Prolene™ Soft Nonabsorbable Synthetic Surgical Mesh.
ETH-00807 to ETH-00808 FDA Clearance letter for Gynemesh soft mesh for pelvic floor repair
ETH-00830 to ETH-00861 Labeling/Package Insert
ETH-00862 to ETH-00893 Test Method for the Determination of Mesh Burst Strength for Prolene Soft Mesh.
ETH-00894 to ETH-00927 Medical Literature
ETH-01377-ETH-01382 - August 24, 2007 Correspondence to Ethicon, Inc. from Mark N. Melkerson regarding K071512, Gynecare Prolift +M
ETH-02386 - Cosson, M. Prospective Clinical Assessment of the Total Vaginal Mesh (TVM) Technique for Treatment of Pelvic Organ Prolapse - 6 and 12 month results
ETH-02387 - Lucente, V. Prospective clinical assessment of the total vaginal mesh (TVM) Technique for treatment of pelvic organ prolapse - 6 and 12 month results.
ETH-02388 - Amblard, J. From the TVM to the Prolift® (Gynecare): evolution of a technique for prosthetic support to treat prolapse via the vaginal route, concerning a retrospective multicentric series of 794 patients (684 TVM/110 Prolift)
ETH-02653 - Fatton, B. Preliminary results of the "Prolift™" Technique in the treatment of pelvic organ prolapse by vaginal approach: a multicentric retrospective series of 110 patients. IUGA 2006 Athens Non-discussed Abstract 275

Production Materials

ETH-02750-02755 - Hinoul P. A Prospective Study to Evaluate the Anatomic and Functional Outcome of a Transobturator Mesh Kit (Prolift Anterior) for Symptomatic Cystocele Repair. Journal of Minimally Invasive Gynecology (2008) 15, 615-620
ETH-03220-03221 - Cosson, M. Preservation of uterus when treating prolapse by Prolift TM does not significantly reduce risk of early post-surgical complications and failures. ABS 89
ETH-03223 - Dedet, B. Transvaginal repair of genital prolapse by the Prolift technique: outcome one year after surgery.
Eth-03227-03228 - Dati, S. Prolift vs. Avaulta for Transvaginal repair of severe pelvid prolapse
ETH-03568-578 - (03.01.2005) Summary Memo for Revision B of the Gynecare Prolift Design Failure Modes Effects Analysis (dFMEA).
ETH-07153-158 - Gynecare Prolift Clinical Expert Report signed by Charlotte Owens on 01.14.05.
ETH-07247-303 - (03.02.2005) Approvals and Summary Memo for Version A of the Gynecare Prolift Application Failure Modes Effects Analysis (aFMEA).
ETH-10977-10983 - Prolift IFU dated 2009
ETH-37788-793 - Gynecare Prolift Clinical Expert report
ETH-60188-195 - Hiltunen R. Low-Weight Polypropylene Mesh for Anterior Vaginal Wall Prolapse - A Randomized Controlled Trial. Obstet Gynecol 2007;110-455-62
Ethicon Technical Report: Assessment of Competitor Pelvic Floor Repair Meshes, Version 1; Study Number: CPC-2006-0552; JJ-HMREV-00016715
EWHU Faculty and PF User Conference Calls Outline
FDA response to Discontinuation Plan
Final AUA slides _ Prosima with notes 27 April 09
Final Report, PSE Accession Number 05-0395, Project Number 67379
Final Report: Ethicon Study No. SO04/2-2-1
Guidance for Industry and FDA Staff. "Class II Special Controls Guidnace Document: Surgical sutures; Guidnace for Industry and FDA."
Guidance for Industry and/or for FDA Reviewers/Staff and/or Compliance. "Guidance for the Preparation of a Premarket Notification Application for a Surgical Mesh."
Gynecare Gynemesh PS IFU (English Only) LAB-0012266 Rev: 3, released 02.03.15.
Gynecare Prolift - Product Devise Design Safety Assessment (DDSA)
Gynecare Prosima - Content for Ethicon360.com
Gynecare Prosima (K063562) Summary of Safety and Effectiveness
Gynecare Prosima updates to ethicon360.com
Gynecare Surgeon's Resource Monograph
Gynecare TVT Secur No Bigger than your Palm. No Less than a revolution brochure.
GYNECARE TVT SECUR* Preceptors Meeting Paris - 13/11/2006 Menahem Neuman, MS Israel
Gynecare TVT SECUR* System Procedural Steps Guideline
Gynecare TVT™ Family of Products Chart
Gynecology Solutions
Gynemesh PS Approval File (FDA) Requested August 15, 2007 Folder: K013718 - 131 pages; Summary: Product: GYNEMESH PROLENE SOFT (POLYPROPYLENE) NON ABSORBABLE SYNTHETIC SURGICAL
Gynemesh PS Approval File from FDA website (K013718)
HMESH.ETH.11642462 – Franchise Regulatory Labeling Guidance
Incontinence Platform WW Marketing Team Update August 19 th Harel Gadot
IUGA 2009 Prosima slides _QC'd

Jaime Seplulveda Materials List

Production Materials

January 13, 2005 Email from Sean O'Bryan to Scott Ciarrocca regarding IFU Prolift
JEB Engineering Design Limited - FMEA Potential Failure, Mode and effects analysis (Process FMEA)
JJM.Mesh.00043703 Response Statement and FAQs - FDA Notification about use of surgical mesh to treat pelvic organ prolapse and stress urinary incontinence
Johnson & Johnson - Our Credo [8.9.13 A.M. Mitchell Exhibit T-3134]
July 18, 2011 Ethicon Women's Health & Urology Letter - From Piet Hinoul, M.D., Ph.D. and Aaron Kirkema, M.D.
June, 2009 Klosterhalfen intermediate report on explanted mesh (highlighted)
Klinge Presentation PVDF: a new alternative? Meeting o Hernia Experts Exhibit P-1944
Letters to and from the FDA re: Prolene, Polypropylene Nonabsorbable Surgical Suture, USP.
Librojo updated TVT Declaration (10-23-15) [12 pages]
March 23, 2012 Letter (Dear Surgeon) from Piet Hinoul, Matt Henderson, and Brian Kanerviko regarding public discussion related to the market introduction of Gynecare Prolift
McCabe email re - Sheath Sales Tool - 464
Memo to S. Ciarrocca re: Regulatory Strategy - Project D'Art; Rev 3
Mesh Information for Patients with Pelvic Floor Disorders
MSDS-Marlex Polypropylenes
Notice of Claimed Investigational Exemption for a New Drug (1-125)
Notice of Claimed Investigational Exemption for a New Drug (126-253)
P4122 - SEM Figure 183: Sample J7959 13409 (Photographs)
Payments to Medscand [9.16.13 Exhibit T-3192]
Payments to Medscand by J&J [9.16.13 Exhibit T-3183]
Payments to Ulmsten as Consultant [9.16.13 Exhibit T-3204]
Pelvic Organ Prolapse Patient Counseling Guide
Powerpoint - GYNECARE GYNEMESH* PS Nonabsorbable PROLENE* Soft Mesh Awareness Module
Powerpoint - Prospective Clinical Assessment of TVM - 1 Year Results
Powerpoint Presentation entitled "Trocars & Pelvic Anatomy: Do They Mix Well?"
Presentation: Non Absorbable Sutures
Prof Ed Slide Deck: Gynecare TVT Secur System Early Surgical Experience
Prolift Surgeon's Resource Monograph
Prosima Complaints PPM_REV_0103350
Prosima IFU Book
Published clinical data and RCTs - Ethicon.com - 4204-C
Reisenauer, C., et al. "Anatomic study of prolapse surgery with nonanchored mesh and a vaginal support device," Am J Obstet Gynecol (2010) 1.e1-e7.
Report Amendment 1, PSE Accession Number 05-0396, Project Number 67379
Seven Year Dog Study - T-2263
Slide Presentatopm "Gynecare Proxima™ Pelvic Floor Repair System
Supplement Numbers and Application Dates
Treatment Options for Pelvic Organ Prolapse (Brochure)
TVT Abbrevio IFU - 01.2015
TVT Exact IFU - 01.2015
TVT IFU - 01.2015
TVT Patient Brochure - 2015
TVT Secur System: Prof Ed Content
TVT-O la bandelette trans-obturatrice (Photograph)
TVT-Obturator IFU - 01.2015

Production Materials

TVT-S Marketing Brochure
TVT-SECUR Australian Experience Discussion with TGA Canberra, 9 January 2008
Video titled Prosima Shortened Procedure. Hydrodissection and Dissection.
Video: 2010 Prosima Testimonial for NTM

Jaime Seplulveda Materials List

Company Witness Depositions

Deponent [Date of Deposition]
Angelini, Laura - 09.16.13; 9.17.13; 11.14.13
Arnaud, Axel - 7.19.13; 7.20.13; 9.25.13; 11.15.12; 11.16.12
Austin, Charles E. - 8.13.15
Barbolt, Thomas - 1.7.14; 1.8.14; 8.14.13; 8.15.13; 10.9.12; 10.10.12
Batke, Boris - 8.1.13; 8.2.13
Beach, Patricia 6.17.13
Beath, Catherine - 7.11.13; 7.12.13; 3.26.12; 3.27.12; 11.8.12; 11.9.12
Brown, Allison 9.11.13
Burkley, Dan F - 5.22.13; 5.23.13; 10.2.12
Cecchini, Peter - 10.22.13; 10.23.13
Chen, Meng - 10.3.12; 10.4.12; 10.29.13; 10.30.13
Ciarrocca, Scott - 3.29.12
Courts, Paul - 6.11.15
Elbert, Katrin - 12.23.14
Gauld, Judith - 11.8.13; 4.27.12
Hart, James - 9.17.13; 9.18.13; 12.20.13
Hellhammer, Brigitte - 9.11.13; 9.12.13
Hinoul, Piet - 01.13.14; 01.14.14; 01.15.14; 6.26.13; 6.27.13; 4.5.12; 4.6.12; 9.18.12; 9.19.12
Hinoul, Piet - 04.05.2012 Deposition Testimony
Hinoul, Piet - 09.18.2012 Deposition Testimony
Holste, Joerg - 7.29.13; 7.30.13; 12.14.12; 12.15.12
Horton, Ronald, M. - 07.01.2015
Hunischer, Kimberly - 1.1.24; 4.1.14
Isenberg, Richard - 11.5.13; 11.6.13
Jones, Gregory R - 8.20.13
Jones, Scott - 11.15.11
Kammerer, Gene - 01.17.14; 1.28.14; 1.30.14; 6.12.13; 12.3.13; 12.5.13; 10.17.12
Kanerviko, Brian 8.23.13; 8.22.13
Kirkemo, Aaron - 01.6.14; 01.7.14; 4.18.12
Lamont, Dan - 4.3.13; 4.4.13; 9.10.13; 9.11.13; 4.4.12; 5.24.12
Lin, Susan - 3.12.13; 3.13.13; 5.2.13; 5.3.13; 8.1.13
Lisa, Bryan 12.19.11; 12.20.11; 4.25.13; 4.26.13
Luscombe, Brian - 7.29.13
Mahmoud, Ramy - 7.15.13; 7.16.13
McCoy, Sheri - 4.22.10; 10.12.12
Meek, Jonathan - 2.24.12; 9.11.12
Nager, Charles - 06.10.2014 Deposition Testimony
Nager, Charles - 6.10.14
O'Bryan, Sean - 5.18.12
Owens, Charlotte - 6.19.13; 6.20.13; 9.12.12; 9.13.12
Parisi, Paul - 6.6.13; 2.6.2013; 12.13.2011
Peebles, Rhonda - 07.16.14; 8.20.14
Robinson, David - 7.24.13; 7.25.13; 9.11.13; 3.13.12; 3.14.12; 8.23.12
Schmid, Tim - 7.31.15
Scott, Kelly M., M.D. - 1.13.2016
Selman, Renee Elayne - 6.20.13; 6.21.13

Jaime Seplulveda Materials List**Company Witness Depositions**

Smith, Dan J - 2.3.14; 2.4.13; 5.15.13; 5.16.13; 6.4.13; 6.5.13; 8.20.13; 8.21.13
St Hilaire, Price - 7.11.13
Vailhe, Christophe - 6.20.13; 6.21.13
Volpe, Clifford - 2.28.12; 2.29.12
Walji, Zenobia - 3.7.12
Weisberg, Martin - 05.24.2012 Deposition Testimony
Weisberg, Martin - 11.12.2015 Deposition Testimony
Weisberg, Martin - 11.13.2015 Deposition Testimony
Weisberg, Martin - 5.30.13; 5.31.13; 8.9.13; 5.24.12 ; 11.12.15;11.13.15
Weisberg, Martin - 8.9.2013 Deposition Testimony
Yale, Mark - 8.7.13; 8.8.13; 4.17.12; 5.16.12
Zaddern, Vincenzo - 3.27.12; 3.28.12

Other Materials

Publically Available
02.01.2012 Prosima 522 cover letter
02.01.2012 Prosima Postmarket Surveillance Study PS120044; Gynecare Prosima Pelvic Floor Repair Systems
02.25.2016 Brief Summary of the Gastroenterology and Urology Devices Panel of the Medical Devices Advisory Committee
07.13.2011 - FDA Public Health Notification
07.25.2011 SGS - Executive Committee Statement Regarding the FDA Communication: Surgical placement of mesh to repair pelvic organ prolapse imposes risks.
10.20.2008 - FDA Public Health Notification
2007 No. 79 ACOG Practice Bulletin POP
2007 No. 85 ACOG Practice Bulletin POP
2008 FDA Public Health Notification: Serious Complications Associated with Transvaginal Placement of Surgical Mesh in Repair of Pelvic Organ Prolapse and Stress Urinary Incontinence.
2008 PHN
2009 AUA Prosima Slide - A new operation for vaginal prolapse repair using mesh and a vaginal support device: 1 year anatomic and functional results of an international, multicenter study. (Zyczynski, H.)
2009 AUA SUI Guidelines
2009 IUGA Prosima Slide - A new operation for vaginal prolapse repair using mesh and a vaginal support device: 1 year anatomic and functional results of an international, multicenter study. (Slack, M.)
2011 ACOG Committee Opinion 513 - Vaginal Placement of Synthetic Mesh for Pelvic Organ Prolapse
2011 ACOG Committee Opinion: Vaginal placement of synthetic mesh for pelvic organ prolapse.
2011 AUA Statement
2011 AUGS Statement
2011 Dec. Sayer (Prosimas Study investigators) - Int Urogyn J - Prosima 29 month Study results
2011 FDA Summary
2011 PHN
2012 ABOG - Guide to Learning in Female Pelvic Medicine and Reconstructive Surgery
2012 British Assoc. of Urological Surgeons Statement
2012 EAU Guidelines
2012 Update_AUA SUI Guidelines- Appendices A11 and A16 (re Complications
2013 AUA SUI Patient Guide: 1 in 3 women experience Stress Urinary Incontinence
2013 ICS Statement
2013 NICE Guidelines
2013 Position Statement
2013 RANZCOG - UGSA Position Statement on Vaginal Mesh (Rewrite Executive March 2013) C-Gyn 20 Polypropylene Vaginal Mesh Implants for Vaginal Prolapse
2013 Sept. NICE 171 Guideline - The management of urinary incontinence in women
2013 Sept. NICE Guideline - Urinary Incontinence: The management of urinary incontinence in women. Issued September 2013.
2014 AUGS/SUFU Q&A
2014 AUGS/SUFU Statement
2014 Barber - OPTIMAL RCT - SSLF vs. USLS - Suppl. Tables.Table 8 Adverse Events
2014 Mar 12 - AUGS SUFU Provider FAQs MUS for SUI

Other Materials

7 Year Dog Study [T-2263]
9.22.2011 Letter to surgeons
ACGME Program Requirements.
ACOG - "ACOG Technical Bulletin: Urinary Incontinence" (Number 213)
ACOG - ACOG Practice Bulletin: Clinical Management Guidelines for Obstetrician-Gynecologists {Number 63}
ACOG (1995) technical bulletin. Urinary Incontinence. No. 213 - Oct. 1995 (Replaces No. 100, Jan. 19)
ACOG (2004) Practice Bulletin 5 - Chronic Pelvic Pain - March 2004
ACOG (2007) - Committee Opinion: Vaginal "Rejuvenation" and Cosmetic Vaginal Procedures (Number 378)
ACOG (2009) - Committee Opinion: Informed Consent (Number 439)
ACOG (2009) - Committee Opinion: Patient Safety in Obstetrics and Gynecology (Number 447)
ACOG (2011) - Committee Opinion - Tobacco Use and Women's Health (Number 503)
ACOG (2011) - Committee Opinion - Vaginal Placement of Synthetic Mesh for Pelvic Organ Prolapse (Number 504)
ACOG (2011) Frequently Asked Questions: Chronic Pelvic Pain
ACOG (2012) - Committee Opinion - Disclosure and Discussion of Adverse Events (Number 520)
ACOG (The American College of Obstetricians and Gynecologists) - Frequently Asked Questions: Surgery for Stress Urinary Incontinence (FAQ166)
ACOG (The American College of Obstetricians and Gynecologists) - Frequently Asked Questions: Urinary Incontinence (FAQ081)
ACOG, AUGS Practice Bulletin Summary of 155 (replaces 63 from 2005) Urinary Incontinence in Women. November 2015.
AUA (2011) - Position Statement on the Use of Vaginal Mesh for SUI
AUA (American Urologic Association) - A Patient's Guide - 1 in 3 Women experience Stress Urinary Incontinence
AUA (American Urological Association) - A Monograph from the AUA Foundation: Stress Urinary Incontinence
AUA (American Urological Association) - AUA Position Statement on the Use of Vaginal Mesh for the Surgical Treatment of Stress Urinary Incontinence
AUA Foundation 2013 A Patient's Guide, 1 in 3 Women experience Stress Urinary Incontinence.
AUA Foundation Stress Urinary Incontinence Monograph (2011)
AUA Guideline for the Surgical Management of Female Stress Urinary Incontinence Update (2009)
AUA Guideline for the Surgical Management of Female Stress Urinary Incontinence: 2009 Update (2009)
AUA National Medical Student Curriculum Urinary Incontinence
AUA Position statement on the use of vaginal mesh for the repair of pelvic organ prolapse
AUA Position Statement POP (2011) - Position Statement on the Use of Vaginal Mesh for the Repair of POP
AUGS Position Statement - March 2013 - Position Statement on Restrictions of Surgical Options for Pelvic Floor Disorders
AUGS (American Urogynecologic Society) & SUFU (Society of Urodynamics, Female Pelvic Medicine and Urogenital Reconstruction) - Position Statement on Mesh Midurethral Slings for Stress Urinary Incontinence
AUGS Position Statement on Restrictions of Surgical Options for Pelvic Floor Disorders
AUGS Resident Learning Objectives
AUGS SUFU Frequently Asked Questions by Patients MUS for SUI
AUGS SUFU Frequently Asked Questions by Providers MUS for SUI
AUGS SUFU Position Statement on MUS for SUI
AUGS webpage re: Mesh Information for Patients with Pelvic Floor Disorders (http://www.voicesforpfd.org/p/cm/ld/fid=87)
AUGS: Blogs Organizations Lend their Support to Mid-urethral Slings
AUGS: Blogs: Organizations Lend Their Support to Mid-urethral Slings. By: Douglass S. Hale, M.D. on June 23,
AUGS: Position statement on the restriction of surgical options for pelvic floor disorders
AUGS-SUFU MUS Position Statement APPROVED 1 3 2014
AUGS-SUFU MUS Position Statement updated June 2016

Other Materials

Barber Summary Positioning Prosima- Ethicon Women's Health & Urology eClinical Compendium- Article Summary [3 pages]
BAUS (The British Association of Urological Surgeons) - Synthetic Vaginal Tapes for Stress Incontinence
Boukerou Summary Positioning Prosima- Ethicon Women's Health & Urology eClinical Compendium- Article Summary [3 pages]
British Association of Urological Surgeons Statement: Synthetic Vaginal Tapes for Stress Incontinence (2012)
Clinical Study Findings Discussion for GyneCare Prosima™ Pelvic Floor Repair System by Piet Hinoul PROS-436-10-9/12- Prosima Audio File of 2 year Data [7 pages]
Communications within the pelvic floor surgical community in 2008, 2011 and 2012 relating to the FDA notices, committee meetings, orders and other developments concerning the use of synthetic mesh and other surgical approaches to pelvic organ prolapse repair
Defense Cross of Weber Slide 12.08.15 Retracted Statement Regarding Nature of POP Surgery
Deposition Subject Matter-Design and Development of Mesh Products
Device Labeling Guidance
Dmochowski, R. Update of AUA Guideline on the Surgical Management of Female Stress Urinary Incontinence. J Urology 193; 1906-1914 (2010)
Docket Submission to the September 8 and 9, 2011 Obstetrics and Gynecology Devices Panel of the Medical Devices Advisory Committee – Safety and Effectiveness of Transvaginal Mesh used for Repair of Pelvic Organ Prolapse September 8, 2011
Documents proposed by Plaintiff's counsel to be stipulated to as business records
DVD- Thoughts on Gynecare Prolift+M™ and Gynecare Prosima™ from Drs. Michel Cosson and Marcus Carey
EAU (European Association of Urology)-EAU Guidelines on Surgical Treatment of Urinary Incontinence
ETH.MESH.00365960 - Gynecare TVT Secur System Procedural Pearls & Frequently Asked Questions
ETH.MESH.03667696 – Company Procedure for US Regulatory Affairs Review of Promotion and Advertising Material for Medical Devices
Excerpts from Budke trial transcript (Day 4, 01.08.2015).
FDA - Considerations about Surgical Mesh for SUI
FDA - Device Labeling Guidance #G91-1 March 1991
FDA 24 Hour Summary
FDA Considerations about Surgical Mesh for SUI [03.27.2013].
FDA Executive Summary: Surgical mesh for treatment of women with POP and SUI [09.08.2011]
FDA Information on Surgical Mesh for Hernia Repairs (2008)
FDA News Release: Surgical Placement of mesh to repair pelvic organ prolapse poses risk [07.13.2011].
FDA News Release: Surgical placement of mesh to repair pelvic organ prolapse poses risks (2011)
FDA Notice - Urogynecological Surgical Mesh: Update on the Safety and Effectiveness of Transvaginal Placement for Pelvic Organ Prolapse – July 2011
FDA Position Statement: Considerations about Surgical Mesh for SUI (2013)
FDA Presentation - FDA Perspective on Surgical Mesh for Stress Urinary Incontinence (SUI). (Nancy Pressly)
FDA Public Health Notification. 2008. http://www.fda.gov/MedicalDevices/Safety/AlertsandNotices/PublicHealthNotifications/
FDA Public Health Notification. 2011. http://www.fda.gov/MedicalDevices/Safety/AlertsandNotices/ucm262435 .
FDA Public Health Notification: Serious Complications Associated with Transvaginal Placement of Surgical Mesh in Repair of Pelvic Organ Prolapse and Stress Urinary Incontinence (2008)
FDA Public Health Notification: Serious Complications Associated with Transvaginal Placement of Surgical Mesh in Repair of POP and SUI. Issued: 10.20.2008.
FDA Questions: Reclassification of the Urogynecologic Surgical Mesh Instrumentation.

Other Materials

FDA response to 522 Plan Apr 2 2012
FDA response to Discontinuation Plan
FDA Safety Communication: Update on Serious complications Associated with Transvaginal Placement of Surgical Mesh for Pelvic Organ Prolapse
Gynecare Prosima Clinical Study Investigator Meeting Qualitative Feedback Analysis [15 pages]
Gynecare Prosima content for ethicon360.com [5 pages]
Gynecare Prosima Procedural Steps DVD
Gynecare Prosima updates to ethicon360.com PROS-314-11-8/12 [113 pages]
Gynecare Prosima VSD Patient Brochure 2009: Stop Coping, Start Living. [2 pages]
Gynecare Prosima VSD Patient Information Slim-Jim: What you should know about the Gynecare Prosima Vaginal Support Device; Stop Coping. Start living™ [2 pages]
Gynecare Prosima™ AIDiNC Selling Guide- Your Guide to Selling Gynecare Prosima™ with the AIDiNC process [16 pages]
Gynecare Prosima™ Pelvic Floor Repair System MRI Address PROS-437-10-9/12- Prosima Audio File of MRI Flashcard [1 page]
Gynecare Prosima™ Pelvic Floor Repair System- Objective Success Learning Guide & Key Steps for Success [37 pages]
Gynecare Prosima™ Pelvic Floor Repair System Preceptorship Invitation [1 page]
Gynecare prosoma™ pelvic floor repair system Proctorship Invitation [1 page]
HMESH.ETH.11642462 – Franchise Regulatory Labeling Guidance
ICS Fact Sheet 2015
ICS Fact Sheets A Background to Urinary and Fecal Incontinence (2013)
International Urogynecological Association: The Usage of Grafts in Pelvic Reconstructive Surgery Symposium 2005 July 8-10, 2005, Lago Mar Resort, Fort Lauderdale, FL, USA. Int Urogynecol J 2006; 17: S1-55
IUGA (International Urogynecological Association) - Stress Urinary Incontinence: A Guide for Women
IUGA Anterior Vaginal Repair (Bladder Repair)
IUGA Brochure: Vaginal repair with mesh.
IUGA Mid-urethral sling (MUS) procedures for stress incontinence (2011)
IUGA Position Statement on MUS for SUI (2014)
IUGA Poster - Clinical experience of a novel vaginal support device and balloon used to simplify mesh augmented vaginal surgery for prolapse. (Slack, M.)
IUGA Posterior Vaginal Wall and Perineal Body Repair
IUGA Sacrocolpopexy: A guide for women
IUGA Stress Urinary Incontinence - A Guide for Women (2011)
IUGA/ICS Joint Terminology and Classification of the Complications related directly to the insertion of prostheses (Meshes, implants tapes) & Grafts in female pelvic floor surgery. [38 pages]
Lucas, M. EAU Guidelines on Surgical Treatment of Urinary Incontinence. European Urology 62; 1118-1129 (2012)
MCM vs. LCM PowerPoint with stretched mesh
NICE (National Institute for Health and Care Excellence) - Urinary incontinence: The management of urinary incontinence in women (clinical guideline 171)
Oxford Levels of Evidence Pyramid for Practitioners from Oxford Website http://www.cebi.ox.ac.uk/for-practitioners/what-is-good-evidence.html
Oxford Levels of Evidence; www.cebi.ox.ac.uk/fileadmin/_processed_/csm_Evidence_pyramid_bluef5c85529a0.jpg
PowerPoint- Gynecare Prosima™ Pelvic Floor Repair System PLT 12 Month Post-Launch Close-Out March 3, 2011. "Hernia Solutions US Template" [29 slides]

Other Materials

Press coverage and editorials, publications, guidelines, and statements in medical journals relating to the FDA's activities with respect to pelvic mesh products
Prosima 2011 Sales Aid- What Could a Truly Tension-Free Repair Mean for you and your Patients? [20 pages]
Prosima 522 Order
Prosima Apical Support Learning Guide [2 pages]
Prosima Brand Story & Key Message- Gynecare Proxima™ Pelvic Floor Repair System Background and Development History [16 pages]
Prosima cadaver lab invitation- Gynecare Proxima™ Pelvic Floor Repair System Cadaver Lab [1 page]
Prosima Combined Exemplar (PROC2)
Prosima E-Blast No. 1- The Proof of Success [2 pages]
Prosima Launch Sales Aid- Your Proof: Her dance class [3 pages]
Prosima Marketing Material Roll-out Letter from Kevin Forst PROS-040-10-2/12 February 16, 2010 [1 page]
Prosima MRI Flashcard 2- Gynecare Proxima™ Pelvic Floor Repair System. The first fixationless mesh system that maintains anatomical position. [2 pages]
Prosima MRI Flashcard- MRI Flashcard Learning Guide [2 pages]
Prosima NTM Opening Presentation 2011- "This Year Proxima is Personal" [8 pages]
Prosima Pelvic Model
Prosima Preceptor Confirmation- Virtual Round Table October 2010 [2 pages]
Prosima Preceptor Follow Up and Invite- Virtual Round Table October 2010 [1 page]
Prosima Prof Ed Deck 2011 [71 pages]
Prosima Prof Ed Deck Oct 09
Prosima Prof Ed Deck October 2009 [21 pages]
Prosima Revised Webinar Deck- [21 pages]
Prosima Sales Aid Training Deck- "What could a truly tension-free repair mean for you and your patients?" [5 pages]
Prosima Testimonial for NTM 2010 Video
Prosima Touch Workshop Key Takeaway [2 pages]
Prosima Trainee Confirmation- Virtual Round Table October 2010 [1 page]
Prosima Trainee Invite- Advanced Pelvic Floor Course with Gynecare Proxima Saturday, October 24, 2009 [1 page]
RANZOG and UGSA 2014 Position Statement
Reisenauer Summary Positioning Proxima- Ethicon Women's Health & Urology eClinical Compendium- Article Summary [2 pages]
SGS (2011) Executive Committee Statement Regarding the FDA Communication: Surgical placement of mesh to repair pelvic organ prolapse imposes risks
Surgical Mesh for Treatment of Women with Pelvic Organ Prolapse and Stress Urinary Incontinence: Exuctive Summary (2011)
Testimonial Videos
The FDA and Mesh, What You Should Know as a Reconstructive Pelvic Surgeon by Lucente, V.; Cassidenti, A.; Culligan, P. White Paper Dated February 9, 2016
The King's Health Questionnaire. Linda Cardozo and Con Kelleher, 1997
TVT & TVT-O Long Term Studies (94 pages)
TVT-Secur mini-sling for stress urinary incontinence: a review of outcomes at 12 months (Plaintiff's Exhibit 2272)

Other Materials

Wound Closure Manual
Zycynski Summary Positioning Prosima- Ethicon Women's Health & Urology eClinical Compendium- Article Summary
Other
Yale Depo 8.8.13 Pages 558-569
Deposition of Aran Maree July 23, 2013 Volume II pages 344-485
Deposition of Ramy Mahmoud July 16, 2013 Volume II pages 339-733

MDL Wave Cases

Depositions
Blaivas, Jerry, M.D. (General Plaintiff Expert) - 03.02.2016
Blaivas, Jerry, M.D. TVT-S & Abbrevio (General Plaintiff Expert) - 03.03.2016
Carey, Erin (Scholl Plaintiff Expert) - 03.07.2016
Galloway, Niall T., M.D. - (Harter Plaintiff Expert) - 03.03.2016
Galloway, Niall T., M.D. - (Harter Plaintiff Expert) - 03.03.2016
Iakovlev, M.D. Vladimir (Adams Plaintiff Expert) - 03.10.2016
Iakovlev, Vladimir, M.D. (Georgilakis Plaintiff Expert) - 03.09.2016
Iakovlev, Vladimir, M.D. (Vignos-Ware Plaintiff Expert) - 03.04.2016
Kholi, M.D. Neeraj (General Plaintiff Expert)
Mays, Jimmy W., Ph.D. (General Plaintiff Expert) - 03.02.2016
Michaels, Paul (General) - 06.18.2016
Miklos, John (TVT-S General) - 04.08.2016
Ostergard, Donald (General Plaintiff Expert) - 03.09.2016
Porter, William, M.D. (Adams Plaintiff Expert) - 03.12.2016
Priddy, Duane, Ph.D. (General Plaintiff Expert) - 03.08.2016
Rosenzweig, Bruce, M.D. (Vignos-Ware Plaintiff Expert) - 03.13.2016
Shobeiri, S. Abbas, M.D.(General Plaintiff Expert) - 02.27.2016
Shobeiri, S. Abbas, M.D.(Scholl Plaintiff Expert) - 03.12.2016
Shull, Bobby (Prolift General) - 03.15.2016
Steege, John (Thomas Plaintiff Expert) - 03.16.2016
Wilson, Anne (General Plaintiff Expert) - 03.22.2016
Zipper, M.D. Ralph (General Plaintiff Expert)
Expert Reports
Blaivas, Jerry (Prolift General) - 02.01.2016
Blaivas, Jerry (TVT General) - 02.01.2016
Blaivas, Jerry (TVT-O General) - 02.01.2016
Blaivas, Jerry (TVT-S General) - 02.01.2016
Dunn, Russell (Prolift +M, Prosima General) - 01.23.2016
Elliott, Daniel (Prolift General) - Received 05.05.2016
Elliott, Daniel (TVT-S General) - 01.25.2016
Guelcher, Scott (General) - Received 05.05.2016
Iakovlev, Vladimir (General) - 01.29.2016
Klinge, Uwe (POP General) - 11.17.2015
Klinge, Uwe (SUI General) - 11.16.2015
Kohli, Neeraj (TVT-O General) - 01.2016
Margolis, Michael (TVT General) - 02.01.2016
Mays, Jimmy (General) - 01.12.2016
Mays, Jimmy (General) - 04.29.2016
Michaels, Paul (General) - 07.01.2016
Ostergard, Donald (Prolift, Gynemesh, Prolene General) - 01.31.2016
Parisian, Suzanne (General Prolift +M) - 01.30.2016
Parisian, Suzanne (TVT-S General) - Received 05.05.2016
Pence, Peggy (Notice of Adoption of Prior Reports) - 02.01.2016
Pence, Peggy (Prolift General) - 07.17.2014
Pence, Peggy (Prosimas General) - 02.01.2016

MDL Wave Cases

Pence, Peggy (Supplemental Prolift General) - 03.03.2016
Pence, Peggy (Supplemental Prosima General) - 03.03.2016
Pence, Peggy (Supplemental TVT & TVT-O General) - 03.02.2016
Pence, Peggy (TVT General) - 10.14.2013
Plaintiff expert reports and materials cited in Wave general reports of Elliott, Miklos, Rosenzweig, Margolis, Blaivas, Shull, Weber, Zipper and Ostergard
Plaintiffs' Wave general expert reports and materials cited
Priddy, Duane (General) - Received 05.05.2016
Rosenzweig, Bruce (General) - 06.09.2014
Rosenzweig, Bruce (Huskey/Edwards) - 02.21.2014
Rosenzweig, Bruce (Lewis/Brown) - 10.14.2013
Rosenzweig, Bruce (MDL Design Defect) - 08.24.2015
Rosenzweig, Bruce (Proxima General) - 02.01.2016
Rosenzweig, Bruce (Ramirez) - 04.24.2015
Rosenzweig, Bruce (TVT, TVT-O Notice of Adoption of Prior Reports) - 12.15.2015
Rosenzweig, Bruce (TVT-S General) - 01.22.2016
Shull, Bobby L. - (Proxima General) - 02.01.2016
Weber, Anne (Prolift General) - 02.01.2016
Wilson, Anne (TVT General) - Received 05.05.2016
Zipper, Ralph (Prolift General) - 01.31.2016